

# An overview of the uses of per- and polyfluoroalkyl substances (PFAS)

Juliane Glüge,<sup>a\*</sup> Martin Scheringer,<sup>a</sup> Ian T. Cousins,<sup>b</sup> Jamie C. DeWitt,<sup>c</sup> Gretta Goldenman,<sup>d</sup> Dorte Herzke,<sup>e,f</sup> Rainer Lohmann,<sup>g</sup> Carla A. Ng,<sup>h</sup> Xenia Trier,<sup>i</sup> Zhanyun Wang<sup>j</sup>

---

<sup>a</sup>. *Institute of Biogeochemistry and Pollutant Dynamics, ETH Zürich, 8092 Zürich, Switzerland,*

<sup>b</sup>. *Department of Environmental Science, Stockholm University, SE-10691 Stockholm, Sweden*

<sup>c</sup>. *Department of Pharmacology & Toxicology, Brody School of Medicine, East Carolina University, Greenville, NC, USA.*

<sup>d</sup>. *Milieu, Brussels, Belgium*

<sup>e</sup>. *NILU, Norwegian Institute for Air Research, Tromsø, Norway*

<sup>f</sup>. *Department of Arctic and Marine Biology, The Arctic University of Norway (UiT), Hansine Hansens veg 18, NO-9037, Tromsø, Norway*

<sup>g</sup>. *Graduate School of Oceanography, University of Rhode Island, Narragansett, RI 02882, USA*

<sup>h</sup>. *Departments of Civil and Environmental Engineering and Environmental and Occupational Health, University of Pittsburgh, Pittsburgh, PA 15261, USA*

<sup>i</sup>. *European Environment Agency, Kgs. Nytorv 6, DK-1050 Copenhagen K, Denmark*

<sup>j</sup>. *Chair of Ecological Systems Design, Institute of Environmental Engineering, ETH Zürich, 8093 Zürich, Switzerland*

\* Corresponding author email: [juliane.gluege@chem.ethz.ch](mailto:juliane.gluege@chem.ethz.ch)

## 1 Abstract

Per- and polyfluoroalkyl substances (PFAS) are of concern because of their high persistence (or that of their degradation products) and their impacts on human and environmental health that are known or can be deduced from some well-studied PFAS. Currently, many different PFAS (on the order of several thousands) are used in a wide range of applications, and there is no comprehensive source of information on the many individual substances and their functions in different applications. Here we provide a broad overview of many use categories where PFAS have been employed and for which function; we also specify which PFAS have been used and discuss the magnitude of the uses. Despite being non-exhaustive, our study clearly demonstrates that PFAS are used in almost all industry branches and many consumer products. In total, more than 200 use categories and subcategories are identified for more than 1400 individual PFAS. In addition to well-known categories such as textile impregnation, fire-fighting foam, and electroplating, the identified use categories also include many categories not described in the scientific literature, including PFAS in ammunition, climbing ropes, guitar strings, artificial turf, and soil remediation. We further discuss several use categories that may be prioritised for finding PFAS-free alternatives. Besides the detailed description of use categories, the present study also provides a list of the identified PFAS per use category, including their exact masses for future analytical studies aiming to identify additional PFAS.

## 2 Environmental Significance Statement

Per- and polyfluoroalkyl substances (PFAS) are a large group of more than 4700 substances that are used in a wide range of technical applications and consumer products. Releases of PFAS to the environment have caused large-scale contamination in many countries. For an effective management of PFAS, an overview of the use areas of PFAS, the functions of PFAS in these uses, and the chemical identity of the PFAS actually used is needed. Here we present a systematic description of more than 200 uses of PFAS and the individual substances associated with each of them (over 1400 PFAS in

total). This large list of PFAS and their uses is intended to support the identification of essential and non-essential uses of PFAS.

### 3 Introduction

Per- and polyfluoroalkyl substances (PFAS) are a class of thousands of substances<sup>1,2</sup> that have been produced since the 1940s and used in a broad range of consumer products and industrial applications.<sup>3</sup> Based on concerns regarding the high persistence of PFAS<sup>4</sup> and the lack of knowledge on properties, uses, and toxicological profiles of many PFAS currently in use, it has been argued that the production and use of PFAS should be limited.<sup>5</sup> However, there are specific uses that make an immediate ban of all PFAS impractical. Some specific uses of PFAS may currently be essential to health, safety or the functioning of today's society for which alternatives so far do not exist. On the other hand, if some uses of PFAS are found to be non-essential, they could be eliminated without having to first find alternatives that provide an adequate function and performance. To determine which uses of PFAS are essential and which are not, the concept of "essential use," as defined under the Montreal Protocol, has recently been further developed for PFAS, including illustrative case studies for several major use categories of PFAS.<sup>6</sup>

PFAS are costly to produce (e.g. fluorosurfactants are 100-1000 times more expensive than conventional hydrocarbon surfactants per unit volume<sup>7</sup>) and therefore are often used where other substances cannot deliver the required performance,<sup>1</sup> or where PFAS can be used in a much smaller amount and with the same performance as a higher amount of a non-fluorinated chemical. Examples are uses that operate over wide temperature ranges or uses that require extremely stable and non-reactive substances. The C-F bonds in PFAS lead to very stable substances, a feature that also makes the terminal transformation products of PFAS very persistent in the environment. Furthermore, the perfluorocarbon moieties in PFAS are both hydrophobic and oleophobic, making many PFAS effective surfactants or surface protectors.<sup>8</sup> PFAS-based fluorosurfactants can lower the surface tension of water from about 72 mN/m<sup>9</sup> to less than 16 mN/m, which is half of what is attainable using hydrocarbon surfactants.<sup>8,10</sup> Likewise, the surfaces of fluorinated polymers have about half the surface tension compared to hydrocarbon surfaces. For instance, a close-packed, uniformly organized array of trifluoromethyl (-CF<sub>3</sub>) groups creates a surface with a solid surface tension as low as 6 mN/m.<sup>11</sup>

Due to these and other desirable properties, PFAS are used in many different applications. A good overview of the range of uses of PFAS as surfactants and repellents is provided in the monograph by Kissa (2001).<sup>3</sup> It lists 39 use categories, mostly derived from patents, and describes the functions of PFAS in these use categories. However, the work by Kissa (2001) was published nearly 20 years ago, focused on fluorosurfactants and repellents, and it is not clear which of these uses are still relevant today. In addition to Kissa (2001),<sup>3</sup> there are a few other monographs and a number of peer-reviewed scientific articles and reports that have looked into the uses of PFAS.<sup>8,12-22</sup> While these articles and reports provide useful information, each of them focuses on the uses of a specific PFAS group (in specific use categories). This is also the case for the reviews from the Persistent Organic Pollutants Review Committee (POPRC), the focuses of which are on perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), their precursors, and the PFAS that may be or have been introduced as replacements for these PFAS.<sup>23-29</sup> The FluoroCouncil<sup>30</sup> has provided additional information on uses of PFAS. However, the information is rather generic with limited details about specific uses and substances. Hence, a comprehensive overview that summarizes major current uses is missing.

The present paper, together with the Appendix and the Electronic Supplementary Information (ESI), aims to provide a broad, but not exhaustive overview of the uses of PFAS and associated individual substances (note that a working definition of PFAS is used here to define the scope of PFAS considered in this study, which is provided in the Methods section below). The paper addresses the following points: i) In which use categories have PFAS been employed and for which functions? ii) Which PFAS have been – and are still – used in a certain category? iii) What is the extent of the uses in certain parts of the world? Within the European Union (EU), there are discussions underway for restricting PFAS to those uses that are essential,<sup>31</sup> and extensive information on many PFAS uses will be needed in this context. The present work also aims to support this process by showing in which specific applications PFAS are used, and in which functions, as a first step toward differentiating essential and non-essential uses of PFAS.

## 4 Methods

### 4.1 Which PFAS are addressed?

A first clear definition of PFAS was provided by Buck et al. (2011).<sup>1</sup> They defined PFAS as aliphatic substances containing the moiety  $-C_nF_{2n+1}$  within their structure, where  $n$  is at least 1. The OECD/UNEP Global PFC Group noted that many substances, containing other perfluorocarbon moieties (e.g.  $-C_nF_{2n-}$ ), were not commonly recognized as PFAS according to Buck et al. (2011), e.g. perfluorodicyclohexane. Considering their structural similarities to commonly recognized PFAS with the  $-C_nF_{2n+1}$  moiety, the OECD/UNEP Global PFC Group proposed to also include substances that contain the moiety  $-C_nF_{2n-}$  ( $n \geq 1$ ) as PFAS.<sup>2</sup> The present study is in line with this proposal in several, but not all, respects. In contrast to the definition by Buck et al. (2011), the present study also includes i) substances where a perfluorocarbon chain is connected with functional groups on both ends, ii) aromatic substances that have perfluoroalkyl moieties on the side chains, and iii) fluorinated cycloaliphatic substances.

More specifically, the present study focuses on polymeric PFAS with the  $-CF_2-$  moiety and non-polymeric PFAS with the  $-CF_2-CF_2-$  moiety. It does not include non-polymeric substances that only contain a  $-CF_3$  or  $-CF_2-$  moiety, with the exception of perfluoroalkylethers and per- and polyfluoroalkylether-based substances. For these two PFAS groups, substances with a  $-CF_2OCF_2-$  or  $-CF_2OCFHCF_2-$  moiety are also included.

### 4.2 Literature sources

The present inventory was started with the risk profiles and risk management evaluations for PFOA, PFOS, PFHxS and their related compounds to obtain an overview of uses of these chemicals.<sup>23–29</sup> Reports and books that address fluorosurfactants and fluoropolymers in general were also included.<sup>3,8,12,16,20,21,32–43</sup> Literature specific to certain use categories was retrieved for more information either on the substances used, or to understand why PFAS are, or were, necessary for a given use. All specific references are cited in the Electronic Supplementary Information 1 (ESI-1).

In addition, databases, patents, information from PFAS manufacturers and scientific studies that measured PFAS in products were examined. These additional sources are described in more detail in the following subsections. The searches were not exhaustive in any of the sources described, and

there are still many more reports, scientific studies, patents, safety data sheets and databases with information on the uses of PFAS than the ones cited here or in the ESI-1.

The information in the tables in the ESI-1 from these sources was marked according to its original source. Information from patents (cited in a book, article or report) was marked with “P”, information on PFAS analytically detected in products with “D”, and information on uses or information without additional reference with “U” for “use”, or “U\*” for “current use” (which is defined as a use with public record(s) of use from the last 4 years, i.e. 2017 or later).

#### *4.2.1 Chemical Data Reporting under the US Toxic Substances Control Act*

Manufacturers and importers that produced chemicals in amounts exceeding 25,000 pounds (11.34 metric tons, t, per year) at a site in the United States (US) between 2012 and 2015 were obliged to report to the US Environmental Protection Agency (US EPA) in 2016 (data for 2016 to 2019 will be reported in 2020). The data reported in 2016 included for each reported substance the name, Chemical Abstracts Service (CAS) registry number and product categories for consumer and commercial uses and sectors, as well as function categories for industrial processing and use. The masses (tonnages) used and exported also had to be reported; however, they are in most cases confidential business information (CBI). The reported data were filtered according to chemical names containing the word “fluoro”. Non-polymeric substances that did not contain the -CF<sub>2</sub>CF<sub>2</sub>- moiety and polymeric substances that did not contain the -CF<sub>2</sub>- moiety subsequently were removed. This left 39 entries where a specific PFAS was applied in a consumer or commercial use, and around 120 entries where a specific PFAS was applied in an industrial processing or use. The entries are labelled with “U” for “use” in the tables in the ESI-1 and ESI-3.

#### *4.2.2 Data from the SPIN database of Denmark, Finland, Norway and Sweden*

The Substances in Preparations in Nordic Countries (SPIN) database contains information on substances from the product registers of Denmark, Finland, Norway and Sweden.<sup>44</sup> There are several cases in which substances do not need to be registered. For example, Denmark, Finland, Norway and Sweden exempt products that come under legislation on foodstuffs and medicinal products from mandatory declaration. Furthermore, the duty to declare products to the product registers does not apply to cosmetic products and there is in principle no requirement to declare solid processed articles to any of the registers. There is also a general exemption from the duty to declare chemicals in Sweden, Finland and Norway, if the quantity produced or imported is less than 0.1 t per year (in Finland no exact amount is given). Of the Nordic countries, only Denmark and Norway require information on all constituents for most products for which declaration is mandatory. In Sweden, substances that are not classified as dangerous and that make up less than 5 per cent of a product may be omitted from the declaration. In Finland, information on the composition of products is registered from the safety data sheets. Complete information on the exact composition is consequently not necessarily given.

The data that we used in the present study were extracted for us from the SPIN database by an employee of the Swedish Chemicals Agency (KEMI) and the data included only non-confidential information. However, there is also a substantial amount of confidential information in the SPIN database. This is visible when the substances are accessed via the web interface of the SPIN database.<sup>44</sup> It was also pointed out to us that not all substances have available use data due to confidentiality.

The database includes four large data sets with information on uses. Two of the data sets (“UC62” and “National use categories”) contain information on specific use categories, while the other two (“Industrial NACE” and “Industry National”) contain information on sectors of uses. In addition to the use categories and sectors of uses, the data sets also contain information on the quantities of a chemical used in a certain use category or sectors of uses if the reported mass exceeds 0.1 t. The available data cover the time period 2000 to 2017. The four data sets were merged and then (as with the TSCA Inventory data) filtered for chemicals containing the word “fluoro”. Those non-polymeric substances that did not contain the  $-CF_2CF_2-$  moiety and polymeric substances that did not contain the  $-CF_2-$  moiety subsequently were removed. This left 950 entries. Entries with available data for 2017 were labelled as “current use” (U\*) in the tables in the ESI-1 and ESI-3, all other entries with “U” for “use”.

#### 4.2.3 Patents

Another important source of information is the patent literature. Patents were searched for via SciFinder<sup>n</sup><sup>45</sup> (which is the newest version of SciFinder) and Google Patents.<sup>46</sup> The patent search in SciFinder<sup>n</sup> was mostly conducted via keywords and the constraint that the patent must contain a substance with the  $-CF_2-CF_2-$  moiety. This can be done in SciFinder<sup>n</sup> by using the “draw” function. Google Patents was mainly used to search for a full patent text (via the patent number) when SciFinder<sup>n</sup> only provided the abstract of the patent. The advantage of SciFinder<sup>n</sup> (which belongs to CAS) is that experts manually curate the substances described in the patents and provide CAS numbers. All substances identified in the patent are visible in SciFinder<sup>n</sup> together with the patent. Through the patents it was possible to determine in which applications PFAS may be used. While it is not possible to determine whether licenses for a patent have been obtained, the status of the patent (e.g. active, withdrawn, expired, not yet granted) can be determined. Active patents become expensive for their owners over the years. Representatives from CAS informed us that it is very likely that a patent is still in use if it is still paid for after 10 to 15 years.<sup>47</sup> After 20 years, a patent expires, which means that the invention can be used by others free of cost. Note that many patents cover not just a specific substance, but rather a basic structure to which different functional groups can be attached. The SciFinder<sup>n</sup> experts give CAS numbers to those substances whose existence has been proven by the registrants. Such a proof can be a physical method or the description in a patent document example or claim. Still, it is not always clear which substances are actually used in practice. Patents were found for many uses, and the patented substances are included in the tables in the ESI-1, labelled with “P” for “patent”.

#### 4.2.4 Information from companies that manufacture or sell PFAS

3M, Chemours, DuPont, F2 Chemicals, Solvay, and other PFAS manufacturers describe on their webpages which products they make and what these can be used for. Separate factsheets are also available for some of the products, for example, for fluorocarbons from F2 Chemicals,<sup>48</sup> 3M<sup>TM</sup>Novec<sup>TM</sup> Engineered Fluids<sup>49–52</sup> or Vertrel<sup>TM</sup> fluids from Chemours.<sup>53</sup> The difficulty with this information is that it is often not specified which substances are contained in the products. Sometimes the safety data sheets provide information about the composition of the products, but in most cases they do not. Dozens of factsheets and safety data sheets were screened for the present study and the information on the PFAS they contained was extracted. However, it was not feasible, in a reasonable amount of time, to examine all factsheets and safety data sheets of the major PFAS manufacturers. The data included in the tables in the ESI-1 are labelled with “U” for “use”.

#### 4.2.5 Studies that measured PFAS in products

There are also numerous individual studies that analysed PFAS in products, for example in apparel,<sup>54,55</sup> building materials,<sup>56</sup> hydraulic fluids and engine oils,<sup>57</sup> impregnation sprays,<sup>58,59</sup> fire-fighting foams,<sup>60–65</sup> food packaging materials,<sup>66,67</sup> or various other consumer products.<sup>33,68–75</sup> These studies are important because they show in which products PFAS exist. However, in most studies only a handful of substances were analysed and even for these substances it is not clear whether they were used intentionally, impurities in the actual substances or degradation products. The data included in the tables in the ESI-1 are labelled with “D” for “detected analytically”.

#### 4.2.6 Market reports

A variety of non-verified commercial market reports exist for PFAS. Examples are the Fluorotelomer Market Report, Fluorochemicals Market Report or the Perfluoropolyether Market Report from Global Market Insights.<sup>76–78</sup> The information from these reports is not included in this study as these reports do not state their information sources and thus cannot be verified.

### 4.3 Nomenclature

In the present study, a distinction is made between use categories and subcategories. A use category can, but does not necessarily, have subcategories. An example of a use category for PFAS is sport articles; a subcategory under sport articles is tennis rackets.

A distinction is also made between use, function and property. The “use” is the area in which the substances are employed. This can either be the use category or the subcategory. The “function” is the task that the substances fulfil in the use, and the “properties” indicate why PFAS are able to fulfil this function. An example for a use would be chrome plating. In chrome plating, PFAS have the *function* to prevent the evaporation of hexavalent chromium (VI) vapour, because of the PFAS *properties* that lower the surface tension of the electrolyte solution and since the PFAS used are stable under strongly acidic and oxidizing conditions.<sup>3</sup>

In the present study, the term “individual PFAS” always refers to substances with a CAS number, irrespective of whether they are mixtures, polymers or single substances.

### 4.4 Classification of use categories

The use categories in the present study were developed and refined throughout the course of the project to have as few well-defined use categories as possible that were not too broad. Initially, the use categories as defined by Kissa (2001)<sup>3</sup> were employed, but they are very specific and thus broader categories were needed to cover the identified uses. Examples of use categories from Kissa (2001) which were assigned to broader categories are “moulding and mould release” (in the present study a subcategory under “production of plastic and rubber”), “oil wells” (in the present study a subcategory with a slightly different name under “oil & gas”), and “cement additives” (in the present study a subcategory under “building and construction”). In the course of the project, more use categories were defined as additional uses were added. The use categories in the present study were finally divided into “industrial branches” and “other use categories” to make a distinction between use categories that define broad industrial branches such as the “semiconductor industry” or the “energy sector”, and use categories that are more specific such as “personal care products” or “sealants and adhesives”. Note that some of the “other use categories” may be applied to several of the “industry branches”. For example, “wire and cable insulations” may be applied in “aerospace”,

“biotechnology”, “building and construction”, “chemical industry” and others. A detailed overview of the use categories and their subcategories is provided in the Appendix of this paper.

Overall, the use categories defined in the present study are very similar to the categories of the SPIN database, although some categories of the SPIN database are more specific (and correspond to subcategories in the present study). Some of the categories in the SPIN database could not be assigned to any of the use categories in the present study because they were too general. Examples are “impregnation”, “surface treatment”, “anti-corrosion materials” or “manufacture of other transport equipment”. Although the substances from these categories are not included in the present study, their quantities appear in Figure 3 and **Error! Reference source not found.** under “various”.

#### 4.5 What kind of information can be found where in this article?

The present study comes with an Appendix that lists the functions of the PFAS in the use categories and subcategories that we identified. In addition, we indicate which properties of the PFAS are important for the identified function. The Appendix thus contains the main results of the present study in a condensed form and is therefore part of the main paper and not part of the ESI.

The ESI of the present study is divided into three parts. ESI-1 is a comprehensive document with over 250 pages. It is available as a pdf, but can also be provided upon request as an MS Word document. ESI-1 is intended to be used as a reference document and contains a detailed description of all uses that were collected here as well as the PFAS employed in these categories with names, structural formulas and CAS numbers. Before reading sections of the ESI-1, it is recommended to study the first two pages of the ESI-1, where some of the specific features of the document are explained.

In addition, there is an MS Excel workbook (ESI-2) that contains all PFAS that appear in ESI-1. This workbook has a worksheet for each of the most common PFAS groups such as perfluoroalkyl acids (PFAA), perfluoroalkane sulfonyl fluoride (PASF)-based substances, or fluorotelomer-based substances and, thus, offers a good overview of the described PFAS. A list of what is included in the different worksheets is provided in the first worksheet. ESI-2 is primarily intended as a reference for readers who do not have access to SciFinder<sup>n</sup> or other chemical databases or who just want to look up the name or structural formula for a specific CAS number. In addition to name, CAS number, and structural formula, ESI-2 also contains the identified uses of each PFAS. In contrast to ESI-1, ESI-2 assigns the uses to the PFAS (and not the PFAS to the uses).

The third part of the ESI (ESI-3) is also an Excel workbook that provides a separate worksheet for each use category. These worksheets list the PFAS from the ESI-1 with the names, CAS numbers, elemental compositions, and exact monoisotopic masses of the substances. Our intention is that the lists can be added to accurate mass spectrometry libraries and thus help to identify unknown PFAS more easily in the future. For this purpose, it would be helpful to connect the CAS numbers in the ESI-3 with e.g. the Norman SusDat ID of the NORMAN Substance Database<sup>79</sup> and perhaps to commercial mass spectrometry libraries in the future.

## 5 Results

In the present study, more than 200 uses in 64 use categories were identified for more than 1400 individual PFAS. This means that the present study encompasses five times as many uses (counted as

use categories plus subcategories) than included in Kissa (2001)<sup>3</sup>. This shows that our present study goes much further than simply updating this previous work. The following subsections describe the identified use categories and substances, and show and discuss the most important use categories in terms of quantities used, based on the data of the SPIN database and the Chemical Data Reporting database under the TSCA.

#### 5.1.1 *In which use categories have PFAS been employed and for which function?*

The Appendix to the present study sets forth the use categories identified and answers the question of why PFAS were employed for a specific use. The use categories identified in this study are divided into “industry branches” and “other use categories”, as listed in Table 1. In total, 87 uses within the 21 industry branches and 123 uses within the 43 other use categories were identified. Among the use categories, medical utensils, the semiconductor industry, and the automotive industries have the largest numbers of subcategories. About 15% of the subcategories were identified by patents, and 5% by studies that measured PFAS in products (see ESI-3). The remaining categories have been mentioned previously in other publications.

**Table 1:** Industry branches and other use categories where PFAS were or are employed. The numbers in parentheses indicate the number of subcategories. No parentheses indicate no subcategories.

---

<b><u>Industry branches</u></b>	
Aerospace (7)	Mining (3)
Biotechnology (2)	Nuclear industry
Building and construction (5)	Oil & gas industry (7)
Chemical industry (8)	Pharmaceutical industry
Electroless plating	Photographic industry (2)
Electroplating (2)	Production of plastic and rubber (7)
Electronic industry (5)	Semiconductor industry (12)
Energy sector (10)	Textile production (2)
Food production industry	Watchmaking industry
Machinery and equipment	Wood industry (3)
Manufacture of metal products (6)	
<hr/>	
<b><u>Other use categories</u></b>	
Aerosol propellants	Medical utensils (14)
Air conditioning	Metallic and ceramic surfaces
Antifoaming agent	Music instruments (3)
Ammunition	Optical devices (3)
Apparel	Paper and packaging (2)
Automotive (12)	Particle physics
Cleaning compositions (6)	Personal care products
Coatings, paints and varnishes (3)	Pesticides (2)
Conservation of books and manuscripts	Pharmaceuticals (2)
Cook- and bakeware	Pipes, pumps, fittings and liners
Dispersions	Plastic, rubber and resins (4)
Electronic devices (7)	Printing (4)
Fingerprint development	Refrigerant systems
Fire-fighting foam (5)	Sealants and adhesives (2)
Flame retardants	Soldering (2)



Floor covering including carpets and floor polish (4)	Soil remediation
Glass (3)	Sport article (7)
Household applications	Stone, concrete and tile
Laboratory supplies, equipment and instrumentation (4)	Textile and upholstery (2)
Leather (4)	Tracing and tagging (5)
Lubricants and greases (2)	Water and effluent treatment
	Wire and cable insulation, gaskets and hoses

The identified uses include many uses not previously described in the scientific literature on PFAS. Some examples of those uses are PFAS in ammunition (ESI-1 Section 2.4), climbing ropes (ESI-1 Section 2.38), guitar strings (ESI-1 Section 2.24), artificial turf (ESI-1 Section 1.17), and soil remediation (ESI-1 Section 2.37). Also, additional subcategories of PFAS in already described use categories such as in the semiconductor industry were identified. For example, in addition to the subcategories etching agents, anti-reflective coatings, or photoresists, PFAS are also employed for wafer thinning (patent US20130201635 from 2013)<sup>45</sup> and as bonding ply in multilayer printed circuit boards (patent WO2003026371 from 2003) in the semiconductor industry.<sup>45</sup> In the energy sector, PFAS are known to be employed in solar collectors and photovoltaic cells, and in lithium-ion, vanadium redox, and zinc batteries. In addition, fluoropolymers are also used to coat the blades of wind mills<sup>13</sup> and PFAS can be employed in the continuous separation of carbon dioxide in flue gases (patent CN106914122 from 2017)<sup>45</sup> and as heat transfer fluids in organic Rankine engines.<sup>48</sup> These examples all show that the uses of PFAS are much more extensive than so far reported in the scientific literature.

Altogether, we were able to identify almost 300 functions of PFAS (listed in the Appendix). Examples of those functions are foaming of drilling fluids, heat transfer in refrigerants, and film forming in AFFFs. The properties that led to the use of the PFAS are also identified. These include among others: ability to lower the aqueous surface tension, high hydrophobicity, high oleophobicity, non-flammability, high capacity to dissolve gases, high stability, extremely low reactivity, high dielectric breakdown strength, good heat conductivity, low refractive index, low dielectric constant, ability to generate strong acids, operation at a wide temperature range, low volatility in vacuum, and impenetrability to radiation. In the Appendix, these properties are assigned to the specific uses (and functions).

### 5.1.2 Which PFAS have been – and are still – used in a certain category?


The ESI-1 to the present study describes or lists those PFAS that have been or are currently employed (or have been patented) for each individual use. In total we have found uses for more than 1400 individual PFAS. About one third of these PFAS are also listed in the OECD list.<sup>2</sup> This shows that many of the PFAS listed in the present study are on the market, and that many more PFAS that are not on the OECD list may be used or are already being used.

Due to the great variety of uses and the large number of PFAS, it is difficult to make generic statements here. Overall, it was found that the number of different PFAS identified for a certain use mostly depends on the properties required for that use. Some properties, or combinations of properties, are only found in specific groups of PFAS. For example, perfluorocarbons seem to be particularly well suited as vehicles for respiratory gas transport due to the high solubility of oxygen

therein. Similarly, anionic PFAS (largely those with a sulfonic acid group) are used as additives in brake and hydraulic fluids due to their ability to alter the electrical potential of the metal surface and thus, protect the metal surface from corrosion through electrochemical oxidation. In contrast, there are also properties that are shared by many different groups of PFAS. Many PFAS are very stable and many can reduce the surface tension of aqueous solutions considerably, improving wetting and rinse-off. Therefore, a typical use in which many different types of PFAS have been or are used is in cleaning compositions. The patented, analytically detected and employed PFAS for this use include PFAAs, PASF-based substances, and fluorotelomer-based substances (see ESI-1 Section 2.6.1). A similar variety of PFAS (87 substances in total) were identified in patents for photographic materials to control surface tension, electrostatic charge, friction, adhesion, and dirt repellency.

This array of different PFAS may be surprising, but it shows that some properties of PFAS are shared across many PFAS groups. The large number of patented PFAS for the same use raises the question of whether some of these substances offer better performance than others, or whether it does not really matter which PFAS are employed. The latter would indicate that manufacturers can invent new PFAS quite easily to avoid license fees for patents of other manufacturers.

For the majority of uses, however, far fewer PFAS were identified. Figure 1 highlights the use categories grouped according to the number of PFAS identified. It should be noted that the number of PFAS reflects the number that we have identified in the present study, and not the number of substances on the market or available for a certain use. For half of the use categories, we have identified more than 20 PFAS, and for seven use categories more than 100 PFAS. The use categories with more than 100 identified PFAS are “photographic industry”, “semiconductor industry”, “coatings, paints and varnishes”, “fire-fighting foams”, “medical utensils”, “personal care products”, and “printing”. There are also two categories where no specific substances were identified. These are “ammunition” and “nuclear industry”.



**Figure 1:** Use categories grouped according to the number of PFAS identified. The use categories are those mentioned in Table 1 without distinction of subcategories. Identified PFAS included PFAS detected analytically in products, patented and employed PFAS. The data show e.g. that 26 use categories contain fewer than 20 PFAS and seven use categories contain more than 100 PFAS.


The most frequently identified PFAS in our literature search are non-polymeric fluorotelomer-based substances, followed by non-polymeric PASF-based substances and PFAAs. Other identified non-polymeric substances are perfluoroalkyl phosphinic acids (PFPIA)-based substances, perfluoroalkyl carbonyl fluoride (PACF)-based substances, cyclic PFAS, aromatic substances with fluorinated side-chains, per- and polyfluoroalkyl ethers, hydrofluoroethers, and other non-polymers. Polymeric

substances include fluoropolymers, side-chain fluorinated polymers, and perfluoropolyethers (see also ESI-2). There is also a variety of substances in the groups themselves, especially among the non-polymeric fluorotelomer-based and PASF-based substances. For many of the substances, only one use (or patent for a use) was identified. For example, one use (or patent) was assigned to 375 fluorotelomer-based substances, two uses (or patents) to 46 fluorotelomer-based substances and three or more uses to 36 fluorotelomer-based substances. The reason why so many PFAS have only one identified use may be that not all the uses were identified for all PFAS. But it also seems that many patents contain "new" PFAS because they work just as well as the established ones.

In contrast to the many PFAS with only one assigned use, some PFAS have many uses. ESI-2 illustrates this point: of the 2500 links between individual PFAS and assigned uses, 16 PFAS have been assigned to 10 or more uses (see Table 2 and Figure 2). The exact use counts are not important per se, because there may be more uses for these PFAS that have not been included in the present study, but they demonstrate that some PFAS are employed more frequently than others. It has to be noted that the three fluoropolymers in Table 2 are quite different from the other PFAS in the list, as they represent possibly dozens or hundreds of technical products with different grades and molecular sizes.

**Table 2:** PFAS with more than 10 assigned uses. Numbers based on counts of uses and patents, not on detections in products. The structures of these substances are shown in Figure 2.

Substance	CAS number	Assigned uses
Ammonium perfluorooctanoate	3825-26-1	14
Potassium perfluorooctane sulfonate	2795-39-3	15
Potassium <i>N</i> -ethyl perfluorooctane sulfonamidoacetate	2991-51-7	22
1-Propanaminium, 3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]- <i>N,N,N</i> -trimethyl-, iodide (1:1)	1652-63-7	17
1-Propanaminium, 3-[[[(1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluoro octyl)sulfonyl]amino]- <i>N,N,N</i> -trimethyl-, chloride	38006-74-5	21
Oxirane, 2-[[[(3,3,4,4,5,5,6,6,7,7,8,8,8,8-tridecafluorooctyl)oxy]methyl]-1H-Pentafluoroethane	122193-68-4	10
	354-33-6	10
Pentane, 1,1,1,2,2,3,4,5,5,5-decafluoro-	138495-42-8	12
Methyl perfluoropropyl ether	375-03-1	14
Methyl perfluorobutyl ether	163702-07-6	17
Methyl perfluoroisobutyl ether	163702-08-7	17
Ethyl perfluorobutyl ether	163702-05-4	13
Poly(oxy-1,2-ethanediyl), $\alpha$ -[2-[ethyl[(1,1,2,2, 3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctyl)sulfonyl]amino]ethyl]- $\omega$ -hydroxy-	29117-08-6	11
Polytetrafluoroethylene (PTFE)	9002-84-0	37
Poly(vinylidene fluoride) (PVDF)	24937-79-9	17
Ethylene tetrafluoroethylene copolymer (ETFE)	25038-71-5	10



**Figure 2:** Structures and CAS numbers of the PFAS with more than 10 assigned uses.

Of the 2500 links between individual PFAS and assigned uses, around 40% were obtained from patents, 26% from studies that detected PFAS in products and 34% of the links were obtained from publications that reported actual uses.

### 5.1.3 What is the extent of the uses in certain areas of the world?

To prioritize PFAS uses in the search for alternatives, it is key to know for which uses PFAS were employed the most. Wang et al.<sup>15,17,80</sup> and Boucher et al. 2019<sup>14</sup> published global emission inventories for  $\text{C}_4\text{-C}_{14}$  PFCAs and  $\text{C}_6\text{-C}_{10}$  PFSAs. For PFSAs and their precursors, the highest amounts were identified for the use in “apparel/carpet/textile”, followed by “paper and packaging”, “performance” and “after-market/consumers”. There is also information on the quantities of individual fluoropolymers used.<sup>40,81</sup> However, a coherent data set with data covering a wide range of uses and at the same time a wide range of PFAS has not been available so far. The following two subsections will show the magnitude of the uses in the Nordic countries and the US based on the data from the SPIN database and the Chemical Data Reporting database under the TSCA, respectively. Data from REACH that would have covered more countries than the data from the SPIN database are not shown, because the tonnage bands in REACH refer to the substances and not to use

categories. Accordingly, only in those cases where a substance has only one use would it have been possible to obtain useful information for this study, which would have created a lot of uncertainty in the data.

*Data from the SPIN database*

Figure 3 highlights the total, non-confidential amounts of PFAS employed in the different use categories in Sweden, Finland, Norway and Denmark between 2000 and 2017.<sup>44</sup> It should be noted that the data from these Nordic countries may not be representative of other parts of the world. One reason is that only non-confidential data are included, that substances in foodstuffs, medicinal products, and cosmetics do not have to be declared (see Section 4.2.2) and that there is no fluoropolymer or PFAS production in these countries. Nevertheless, the data from the SPIN database provide a first indication of which uses of PFAS have been important in the last 20 years in this region.

The data illustrate that a large amount of PFAS was used in the production of plastic and rubber, the electronics industry, and coatings and paints (Figure 3). The production of plastic and rubber does not include the production of fluoropolymers. Between 2000 and 2017, more than 3000 t of PFAS were used in the three categories previously mentioned. Around 1500 t of PFAS were used in building and construction and in lubricants and greases and around 1200 t of PFAS in the chemical industry, respectively. All other uses were below 1000 t.




Figure 3: Amount of PFAS employed in the different use categories in Sweden, Finland, Norway and Denmark from 2000 to 2017, as reported in the SPIN database.<sup>44</sup> Polymers include fluoropolymers and perfluoropolyethers. Side-chain fluorinated polymers have not been used above 0.2 t in any of the uses. Use categories with dark background are industrial branches, use categories with light grey background are other use categories.

Non-polymers were mainly used in the electronic industry, in buildings and construction, electricity, gas, steam and air conditioning supply, and flame retardants and extinguishing agents. Of the 6,300 t of non-polymers used in the Nordic countries between 2000 and 2017, 5,650 t (90%) were the hydrofluorocarbon (and greenhouse gas) 1H-pentafluoroethane (CAS No. 354-33-6). More than 70% (470 t) of the remaining non-polymeric PFAS were used in flame retardants and extinguishing agents. The SPIN database has a combined category for these two use categories, so it was not possible to distinguish them.

Polymers were mostly used in the production of plastic and rubber, coatings and paints, lubricants and greases, and in the chemical industry. At least 13,700 t of polymers were used in the Nordic countries between 2000 and 2017, and 10,000 t (73%) of this was PTFE. This percentage is a bit higher than the numbers published recently by AGC, which stated that 53% of the 320'000 t of fluoroplastics consumed worldwide in 2018 was PTFE.<sup>81</sup>

*Data from the Chemical Data Reporting under the TSCA*

Under the TSCA, the Chemical Data Reporting lists under “volume” the amount of a substance in a certain sector and function category or product category. However, more than 80% of the volume entries in the Chemical Data Reporting database are CBI. The certainty of the available information is therefore low, but a general statement is still possible. Table 3 highlights the non-confidential data on used and exported amounts of PFAS for the different uses based on the data reported in 2016.

*Table 3: Amounts (used + exported) that were not labelled as CBI for the different uses of PFAS from the Chemical Data Reporting under the TSCA from 2016. The rows with grey background are the uses with high amounts indicated by non-confidential data.*

<b>Sector and function</b>	<b>Amount [t]</b>
Paint and coating manufacturing - Adhesive and sealant chemicals	0.001
Industrial gas manufacturing - Air conditioner/refrigeration	138
Computer and electronic product manufacturing - Solvent for cleaning and degreasing	1.03
Electrical equipment, appliance, and component manufacturing - Functional fluid	2180
Fabricated metal product manufacturing - Solvent for cleaning and degreasing	0.11
All other chemical product and preparation manufacturing - Fire-fighting foam agents	190
Machinery manufacturing - Functional fluid	2180
Miscellaneous manufacturing - Solvent for cleaning and degreasing	0.10
Oil and gas drilling - Surface active agent	0.022
Paint and coating manufacturing - Adhesives and sealant chemicals	0.31
Paint and coating manufacturing - Finishing agent	0.005
Paper manufacturing - Finishing agent	0.005
Pesticide, fertilizer, and other agricultural chemical manufacturing - Surface active agents	0.07
Miscellaneous manufacturing - Plating agent and surface treating	1.96
Printing ink manufacturing - Processing aids, not otherwise listed	0.001
All other basic inorganic chemical manufacturing - Refrigerant (heat transfer fluid)	450
Rubber product manufacturing - Rubber compounding	0.13
Soap, cleaning compound, and toilet preparation manufacturing - Surface active agents	0.12
Textile, apparel and leather manufacturing - Finishing agents	0.16

The amount of used and exported PFAS was largest for functional fluids in “electrical equipment, appliance, and component manufacturing” and functional fluids in “machinery manufacturing”. The exact same amounts in the two use categories are no coincidence but come from the declaration

that 50% of the total amount was used for “electrical equipment, appliance, and component manufacturing” and 50% for “machinery manufacturing”. 1H-pentafluoroethane (CAS No. 354-33-6) accounted for 100% of the total amount in both cases. The high amount of 1H-pentafluoroethane employed as functional fluids in “electrical equipment, appliance, and component manufacturing” confirms the data from the SPIN database that the electronic industry is an important purchaser of this hydrofluorocarbon. The high amount of “functional fluids” in “machinery manufacturing” could be related to refrigerants, air conditioners or other uses, but due to the broadness of the use category, nothing definite can be concluded. Also, as it was found for Europe, no data were available for amounts of non-polymeric PFAS used as processing aids under fluoropolymer production in the US, which may be expected to be a considerable contributor. The same amounts of “finishing agent” in “paint and coating manufacturing” and “paper manufacturing” are again from the declaration 50% and 50%.

## 6 Discussion

### 6.1 Scope of the present study and uncertainties

#### *6.1.1 Scope of the present study and uncertainties related to use categories*

The present study covers many past and current uses of PFAS. The inventory is not exhaustive and it also contains uncertainties. One area of uncertainty comes from harmonizing entries to the use categories from different sources. This is especially relevant when comparing use amounts, because the reported amounts from the different databases are related to more or less specific use categories that may be defined differently in different databases. Although not quite as critical, this was also a relevant point for the ESI-1. Here, information on specific uses of PFAS was assigned to subcategories and information on broader uses to the main use categories. Still, there were some use categories (especially from the Chemical Data Reporting database under the TSCA) that were so broad that we were not able to assign them to any category in our list. Examples are “surface active agents in all other basic inorganic chemical manufacturing”, or “functional fluids in wholesale and retail trade”. The PFAS listed under such categories and their quantities were not, therefore, considered in the present study.

Another area of uncertainty originates from unidentified uses. We found, for example, that PFAS are used in climbing ropes.<sup>82</sup> It therefore cannot be excluded that they are also used in climbing harnesses, but no information was found on this. We did not have the capacity to conduct interviews with industry representatives who might have revealed additional information. We were similarly limited when it came to evaluating the copious amount of information about PFAS uses, for example in reports, scientific papers and patents. Therefore, not all PFAS uses might have been identified in the present study.

In the case of patents in particular, a great amount of information is available, but it should be noted that only some of the PFAS included in patents currently are likely used on the market. In addition to these uncertainties, some of the use category-specific information in the SPIN database is CBI, meaning that we may have not seen all categories. It would be desirable if such information was no longer confidential in the future, in order to inform consumers, users, and regulators.

Nevertheless, the SPIN database is a very valuable source of information and it would be much easier to compile such inventories of uses if other countries had product registries like the Nordic

Countries. Without such product registries, the compilation of uses and the substances used remains difficult and lengthy. It would also be advantageous if the uses under REACH were more precisely named. Current categories like “processing aids at industrial sites” or “manufacture of chemicals” are very broad and thus difficult to include.

An important question is whether the majority of the use categories is covered in the present study or whether important use categories are still missing. It is difficult to answer such a question quantitatively, but a qualitative indication is possible when the use categories of the SPIN database are compared to the categories that were already identified. Both categories match very well; only three categories had to be added to accommodate data from the SPIN database in the ESI-1 appropriately. These three categories were "machinery and equipment", "manufacture of basic metals" and "manufacture of fabricated metal products". However, with the exception of these three categories, all specific information from the SPIN database could be classified very well into the existing categories of the present study. Overall, we assume that there are no major gaps in the general use categories. However, it is quite possible that subcategories are missing. Among the uses of which we are aware, there may also be some uses where PFAS are no longer employed.

To improve the list of uses in the future, there are several possibilities. Firstly, one could try to get access to product registries of as many countries as possible. Unfortunately, not all product registers are as easily accessible as those of the Nordic countries and many developing countries do not have such a register. The list could also be extended with information from REACH registration dossiers. These dossiers include information of uses and tonnage bands expected to be used at the time of registration. Interviews with manufacturers of products could also generate more information. However, we know from experiences with past projects that manufacturers often want the interviewers to sign a non-disclosure agreement before the interview which prevents using the information obtained in publications. The information from such interviews could still provide some indication as to what kind of information to look for in the public domain. The same is true for the market reports. They can only provide a clue for what to look for in the public domain (given that they often contain no references). A discouraging factor for researchers who may want to use market reports as data sources is that the companies who generate them often sell them for extortionate sums (i.e. several thousand US dollars) and that most of them are not based on thorough research.<sup>83</sup> Another approach could be to use artificial intelligence to systematically search product sales/industry magazines for words or phrases, such as ‘fluor’.

### *6.1.2 Uncertainties related to substances*

Uncertainties also exist regarding the substances identified for a particular use. Some of these uncertainties are already discussed in the Methods section: not all registered patents are used on the market, not all substances included in a patent are used in practice, and substances that have been detected analytically in products might be impurities in or degradation products of the actual substances. In addition, we only looked for examples of PFAS and the lists are by no means complete. Also, the substances included in the present study from the SPIN database are not substances in articles, but substances in preparations. The substances listed in ESI-1 under U or U\* are also those that were intentionally used in the products. However, impurities, reaction products upon mixing the ingredients, and degradation products of the intentionally added PFAS might also be present in



products. Industrial blends are rarely pure, but can be only 80% of the registered substance, so 20% can be impurities, reaction by-products, degradation products etc.

In addition, industry tends to evolve around consumer needs, cost savings, and external factors such as regulatory oversight, and substances used today may no longer be relevant tomorrow. A better overview of the substances being used could be obtained if manufacturers had to list which substances are contained in a product in the safety data sheets. However, except for a few instances (e.g. when uses are authorized for food contact materials in Germany), this is not the case and patents are therefore often the only way to find out what a product (might) contain. A better overview of the substances used would also be possible, at least for the US, if substances with tonnages below the reporting threshold of 11.34 t/yr were also included in the TSCA Chemical Data Reporting database. In the EU, it would be helpful if the registration dossiers under REACH as well as other legislations not covered by REACH were updated regularly with a more detailed breakdown of which quantities of the substances are used in which applications.

### 6.1.3 *Uncertainties related to quantities*

The third part of the present study - identifying the key use categories in terms of quantities - also contains various uncertainties. The data from the SPIN database only represent the Nordic countries, and many industry branches have a greater presence in other countries or regions of the world than in the Nordic countries. Additionally, many of the volumes in the SPIN database are CBI. The SPIN database does also not include all uses. An example is that foodstuff, and hence food packaging is not reported to the SPIN database, which possibly could explain why 'packaging' which was significant in the OECD study, did not stand out in the SPIN survey. Similar, non-polymeric PFAS such as ADONA and the GenX chemicals are used as processing aids during fluoropolymer production. The quantities of these processing aids are not captured in the statistics of the SPIN database since this activity is not ongoing in Scandinavia. However, the significant amounts of fluoropolymers produced in Europe in 2018 of about 51,000 t per year,<sup>81</sup> and globally of about 320,000 t per year suggest that a considerable amount of PFAS is used as processing aids in this use category in addition to what is shown in Figure 3 under "Chemical industry".

The data from the US are only partly helpful, because a large part of the reported amounts has been claimed as CBI and only substances manufactured or imported at above 11.34 t per year at a single site have been reported. Although in some use categories, large quantities of PFAS are employed, it is difficult to compare the amounts, because the unreported amounts due to CBI could be much larger than the non-confidential reported amounts. The extent of the uncertainties in the SPIN database due to the CBI cannot be estimated with the available data, but could be large. It would be helpful if regulatory agencies, such as the US EPA or the national authorities in the Nordic countries, could create a ranking of the PFAS uses (without stating any numbers) based on the entire datasets they have collected.

## 6.2 Findings of the present study with regard to uses

The present study is a renewed and expanded effort to systematically compile a wide range of known as well as many overlooked uses of PFAS. Besides describing the uses of PFAS, we also endeavoured to explain which functions the PFAS fulfil in these uses (see Appendix to this article). The descriptions of the functions and properties of the PFAS employed are especially important for determining "non-essential" use categories and identifying alternatives for those uses currently considered "essential".

However, as can be seen from the question marks in the Appendix it was not always possible to determine why PFAS were used or needed in a particular case. In 4% of the cases we could not clarify which function the PFAS fulfil in the use category or subcategory, and in 21% of the cases we could not clarify which property is needed to fulfil the mentioned function. For example, we do not know exactly why PFAS are employed in the ventilation of respiratory airways, in brake-pad additives, and in resilient linoleum. It would be important to engage with product manufacturers to understand what function the PFAS have, in order to identify appropriate replacements. Some of the uses might also be judged as “non-essential” and thus could be eliminated or discontinued.

Our study also shows that in several areas where large quantities of PFAS are employed, discussions concerning alternatives are still not underway in the public domain. In general, in recent years the focus in the search for alternatives for PFAS has been on fire-fighting foams,<sup>84,85</sup> paper and packaging,<sup>86,87</sup> and textiles.<sup>88–91</sup> This focus was certainly appropriate, because these are uses where PFAS are in direct contact with the environment (fire-fighting foam) or with humans (food packaging, textiles). However, our study shows that PFAS are also used widely in the production of electronics and in machinery manufacturing, and at least in the Nordic countries in the production of plastic and rubber and in paints and coatings. Measuring and/or reporting emissions along the life cycles of these uses, and the search for alternatives in these use categories should therefore also be prioritized. These uses could for instance be included in the activities for which data have to be reported under the European Pollutant Release and Transfer Registry.

It would also be important to look for alternatives in industry branches that use smaller amounts of PFAS or that are not included in the SPIN database or Chemical Data Reporting database, but produce large amounts of wastewater, exhaust gases or solid waste containing PFAS. More information is needed to prioritize the various use categories, but potentially worrisome categories where environmental contamination has been documented are fluoropolymer production,<sup>92–94</sup> the semiconductor industry,<sup>95,96</sup> and metal plating.<sup>97</sup>

Beside the categories mentioned above, there are also uses where humans are in direct contact with PFAS and that have not yet gained much attention regarding alternatives. These include: personal care products and cosmetics (ESI-1 Section 2.28), pesticides (ESI-1 Section 2.29), pharmaceuticals (including eye drops) (ESI-1 Section 2.30), printing inks (ESI-1 Section 2.33), and sealants and adhesives (ESI-1 Section 2.35). A search for alternatives would also be important here.

### 6.3 Findings of the present study with regard to substances

We can ascertain from the SPIN database that two PFAS, 1H-pentafluoroethane and PTFE, account for 75% of the quantities used in the Nordic countries. One explanation is that PTFE and 1H-pentafluoroethanes are not used as additives, but as the main products. For example, entire roof structures or coatings are made of out of PTFE.<sup>30</sup> For 1H-pentafluoroethane (also known as HFC-125), one of the main uses is as a heat transfer fluid and cooling agent,<sup>44,98</sup> which could explain the large quantities of that substance used.

Other PFAS used as surfactants are utilized in much smaller quantities probably due to their high market price. They may therefore not appear (or at least not in high amounts) in databases such as the SPIN database or the Chemical Data Reporting database, which only report substances (or masses) above a certain threshold. PFAS used in articles, which are manufactured mainly in Asia or

other countries outside the EU or the US, may also not appear in large amounts in the SPIN or Chemical Data Reporting database, simply because the databases do not contain information on PFAS in articles. The PFAS that we have listed as examples in ESI-1 are mainly those used in Europe or North America. A recent publication<sup>99</sup> lists e.g. seventy PFAS from the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC) that are not in the North American and European chemical inventories. These PFAS are also not in our inventory, because no information on their intended use was provided.

Concerning the currently used PFAS, it was thought - due to the voluntary phase out of all PFAS products derived from perfluorooctane sulfonyl fluoride by 3M<sup>100</sup> and the voluntary PFOA Stewardship Program in which eight companies agreed to phase out 95% of uses by 2015<sup>101</sup> - that at least ammonium perfluorooctanoate and potassium perfluorooctane sulfonate are no longer in use in the US. However, other companies have not been prevented from taking over the market, and there has been very limited enforcement of the actual phase-out through regulation. A recent article revealed that PFAS that can break down into PFOA and PFOS are still in use in the US.<sup>102</sup> Those uses include coatings for medical devices, apparel, and other industries, and equipment in pharmaceutical companies. PFAS that can break down into PFOA and PFOS are also still used in semiconductor and electronics companies.<sup>102</sup>

## 6.4 Prioritisation of use categories

Based on the data from the SPIN database, the Chemical Data Reporting under the TSCA and information on the production of wastewater, exhaust gases and solid waste, we propose that the following use categories need to be prioritized for reducing/eliminating the use of PFAS. At the same time, it must be noted that fluoropolymers and hydrofluorocarbons are produced and used in much larger quantities than PFAAs and their precursors. However, PFAAs and their precursors are more critical from a toxicological point of view. Therefore, the proposal for prioritization is made for each of the three PFAS groups individually: PFAAs and precursors, hydrofluorocarbons, and fluoropolymers.

### 6.4.1 PFAAs and precursors

#### *Fire-fighting foams*

PFAS-containing fire-fighting foams are used for extinguishing liquid fires such as fires in oil, jet fuel, other non-water-soluble hydrocarbons, alcohols and acetone. Although relatively small quantities of PFAS are used in fire-fighting foams (class B for extinguishing flammable liquid fires), these foams are an important use category because the foams and the chemicals they contain are released directly into the environment. There are numerous reports about PFAS-contaminated sites where fire-fighting foams have been used (especially for training activities) or spilled.<sup>61,63,103,104</sup> Although PFAS-free class B fire-fighting foams have been developed in the meantime, PFAS-containing fire-fighting foams are still widely in use today.<sup>65,105,106</sup> For more information, see ESI-1 Section 2.14 and the Appendix.

#### *Chemical industry with a special focus on processing aids in the polymerization of fluoropolymers*

Important uses of PFAS in the chemical industry are their uses as processing aids in the polymerization of fluoropolymers, the production of chlorine and sodium hydroxide, and the production of other chemicals including solvents. PFAS that are used as processing aids in the polymerization of fluoropolymers are of special concern. This is because the surrounding environments at numerous sites have been heavily contaminated due to the release of the

processing aids from the nearby manufacturing plants,<sup>92-94</sup> and considerable amounts of fluoropolymers are produced in Europe and worldwide. For more information, see ESI-1 Section 1.4.

#### *Surface protection of textile, apparel, leather, carpets, and paper*

Considerable quantities of PFAS, especially of side-chain fluorinated polymers, have been used as surface protectors in textile, apparel, leather, carpets, and paper. These are open and dispersive uses where many consumers come into contact with the PFAS-containing products. It has also been reported that there are high emissions to air, dust, and wastewater from a textile manufacturing plant in China.<sup>107</sup> The side-chain fluorinated polymers contain PFAAs as impurities and they may act as important precursors to PFAAs.<sup>108</sup> For more information, see ESI-1 Sections 2.5, 2.16, 2.20, 2.26, and 2.40.

### 6.4.2 Hydrofluorocarbons

#### *Electronic industry*

PFAS have been used in electronic devices themselves e.g. in flat panel displays or liquid crystal displays. However, they have also been used for the testing of electronic devices and equipment, as heat transfer fluids/cooling agents, in cleaning solutions, to deposit lubricants and to etch piezoelectric ceramic filters. Based on data from the SPIN database and the Chemical Data Reporting database under the TSCA, the most widely used substance in the electronic industry in the Nordic countries and the US is the hydrofluorocarbon 1H-pentafluoroethane. According to the SPIN database it is mainly used as a heat transferring agent and cooling agent. However, 1H-pentafluoroethane is not only of concern due to its high persistence but also because it has a global warming potential that is 3500 times that of carbon dioxide. Therefore, 1H-pentafluoroethane is one of the substances regulated by the Kigali Amendment of the Montreal Protocol and efforts are being undertaken to reduce the production and consumption of this substance. The search for PFAS-free alternatives is therefore even more important in this use category.

#### *Machinery and equipment*

The Chemical Data Reporting database under the TSCA lists also high amounts (more than 2000 t per year) of 1H-pentafluoroethane that is used as a “functional fluid” in “machinery manufacturing” in the US. This could be related to refrigerants, air conditioners or other uses, but due to the broadness of the use category, nothing specific can be concluded. Given the high amounts reported, there is an urgent need for more information on where and for which function hydrofluorocarbons, and PFAS in general, are used in this category. For more information, see ESI-1 Section 1.10 and the Appendix.

### 6.4.3 Fluoropolymers

#### *Production of plastic and rubber*

The SPIN database reveals that large amounts of fluoropolymers (more than 4000 t between 2000 and 2017) have been used in the production of plastic and rubber in the Nordic countries between 2000 and 2017. PFAS have been used as mould release agents, foam blowing agents, foam regulators, polymer processing aids, in the etching of plastic, as anti-blocking agents for rubber, and as curatives in the production of plastic and rubber. Fluoropolymers can increase the processing efficiency and quality of plastic and rubber.<sup>109</sup> The use of PFAS in the production of plastic and rubber may explain why PFAS are found, for example, in artificial turf.<sup>110</sup> For more information, see ESI-1 Section 2.14 and the Appendix.

#### *Coatings, paints and varnishes*

The data from the SPIN database show that large amounts of fluoropolymers (more than 3000 t between 2000 and 2017) have been used in coatings and paints in the Nordic countries between 2000 and 2017. Fluoropolymers can be used to impart oil- and water-repellency to the paints or

coatings, and fluoropolymers are also used as anti-stick and anticorrosive coatings. For more information, see ESI-1 Section 2.8 and the Appendix.

## 6.5 Use and implications of the present study

The large number of uses that exist for PFAS, together with the large number of individual substances, makes their regulation and eventual phase-out very challenging. The approach of allowing PFAS only in “essential uses”, as suggested for example in the EU strategy paper “Elements for an EU-strategy for PFAS”,<sup>5</sup> will not be easy to implement if regulators try to assess all uses individually. An alternative approach could be to deem all PFAS uses as “non-essential” unless producers or users make a convincing case for essentiality, and that authorities set a sunset clause on “essential uses”.

The number of use categories for both non-essential and essential cases is critical to estimate the amount of work that would need to be done, for example, to prepare a restriction proposal under REACH (as planned by five European countries<sup>31</sup>). The descriptions in the present study of where and why PFAS are used can be used to provide an overview of the uses and may also facilitate an understanding of what alternatives need to be developed and with which priority.

The information in this study may also help regulators and scientists determine which PFAS to measure in contaminated areas, in humans, in surrounding communities, and in products. To facilitate the identification of PFAS in various matrices, we provide the ESI-3 file, which contains for each use category the name, CAS number, and exact monoisotopic mass of the substance. The ESI-3 file also includes information on whether PFAS were identified in a patent, detected analytically in products or reported as employed substances. Laboratories could use modern analytical methods such as suspect-screening analysis utilising accurate mass spectrometry to identify novel and emerging PFAS listed in ESI-3.<sup>60,111</sup> Patented substances may be less likely to be on the market and could be excluded or given a lower priority or weighting in suspect screening workflows. Similar lists (such as the ESI-3) are provided by the OECD/UNEP Global PFC Group,<sup>2</sup> Zhang et al. (2020),<sup>99</sup> the US EPA, the NORMAN Substance Database<sup>79</sup> and others. An overview is provided under [https://comptox.epa.gov/dashboard/chemical\\_lists](https://comptox.epa.gov/dashboard/chemical_lists). However, only a few of these lists also contain information on uses.

The ESI-3 may also be valuable for identifying sources of PFAS in the environment. Some uses may impart characteristic PFAS “fingerprints” (i.e. PFAS contamination patterns) to environmental samples that could be used to identify a source, e.g. through statistical methods.<sup>112</sup> On the other hand, many environments will be impacted by multiple sources and such fingerprinting methods could be challenging in practice.

## 7 Conclusions

The present study is the first of its kind to systematically compile a wide range of known as well as poorly documented uses of PFAS. The compilation is not exhaustive, but it is still possible to demonstrate that PFAS are used in almost all industry branches and in many consumer products. Some consumer products even have multiple applications of PFAS within the same product. A cell phone for example may contain fluoropolymer-insulated wiring, PFAS in the circuit boards/semiconductors, and a screen coated with a fingerprint-resistant fluoropolymer. The search for alternatives is therefore a challenging and extensive task and is important in all use categories.

However, it seems particularly critical to us to replace PFAAs and their precursors in fire-fighting foams, processing aids for the polymerization of fluoropolymers and in the surface protection of textiles, apparel, leather, carpets, and paper. Hydrofluorocarbons seem to be used most in the electronics industry and in machinery and equipment. Replacing them in these categories will therefore be an important but challenging task. A search for alternatives to fluoropolymers will be important in the production of plastic and rubber and in coatings, paints, and varnishes.

A matching database of viable alternatives to PFAS would be a logical progression of the present study. It would also be helpful if environmental protection agencies, for example the US EPA, could create a ranking of PFAS uses (without providing tonnages) based on the data they have collected. A ranking without exact figures would still be better than the current situation, in which very little is known about the quantitatively most important use categories due to CBI. The TSCA reform in the US was unfortunately unsuccessful in reducing industry's excessive use of CBI. On the one hand, CBI may protect a specific industry's business, but on the other hand it also results in less protection for consumers, users, and workers against the chemicals. Even regulators are left in the dark about volumes, use categories, and PFAS used, which limits their ability to assess and prevent harm to humans and the environment.

## 8 Acknowledgement

We thank Stellan Fischer for his help with the data in the SPIN database. J. Glüge acknowledges the financial support of the Swiss Federal Office for the Environment (FOEN). The authors also thank the Global PFAS Science Panel (GPSP) and the Tides Foundation for supporting this cooperation (grant 1806-52683). In addition, R. Lohmann acknowledges funding from the US National Institute of Environmental Health Sciences (grant P42ES027706); DeWitt from the US Environmental Protection Agency (83948101), the US National Institute of Environmental Health Sciences (1P43ES031009-01) and the North Carolina Policy Collaboratory; C. Ng from the National Science Foundation (grant 1845336) and D. Herzke thanks the Norwegian Strategic Institute Program, granted by the Norwegian Research Council "Arctic, the herald of Chemical Substances of Environmental Concern, CleanArctic", 117031). We acknowledge contributions from A. Lindstrom (U.S. Environmental Protection Agency), L. Vierke (German Environment Agency), S. Patton (Health and Environment Program, Commonweal) and M. Miller (National Institute of Environmental Health Sciences, US). The views expressed in this article are those of the authors and do not necessarily represent the views or policies of the European Environment Agency.

## 9 References

1. Buck RC, Franklin J, Berger U, et al. Perfluoroalkyl and polyfluoroalkyl substances in the environment: Terminology, classification, and origins. *Integr Environ Assess Manag*. 2011;7(4):513-541. doi:10.1002/ieam.258
2. OECD. *Toward a New Comprehensive Global Database of Per- and Polyfluoroalkyl Substances (PFASs) - Series on Risk Management Nr. 39.*; 2018. [http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=ENV-JM-MONO\(2018\)7&doclanguage=en](http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=ENV-JM-MONO(2018)7&doclanguage=en).

3. Kissa E. *Fluorinated Surfactants and Repellents*. Marcel Dekker AG; 2001.
4. Cousins IT, Ng C, Wang Z, Scheringer M. Why is High Persistence Alone a Major Cause of Concern? *Environ Sci Process Impacts*. 2019;0-2. doi:10.1039/C8EM00515J
5. Sweden\_and\_other\_EU\_countries. *Elements for an EU-Strategy for PFASs*; 2019.
6. Cousins IT, Goldenman G, Herzke D, et al. The concept of essential use for determining when uses of PFASs can be phased out. *Environ Sci Process Impacts*. 2019;1-13. doi:10.1039/C9EM00163H
7. Thomas RR. Fluorinated surfactants. In: Farn RJ, ed. *Chemistry and Technology of Surfactants*. Blackwell Publishing; 2006.
8. Buck RC, Murphy PM, Pabon M. Chemistry, Properties, and Use of Commercial Fluorinated Surfactants. In: Knepper TP, Lange FT, eds. *The Handbook of Environmental Chemistry - Polyfluorinated Chemicals and Transformation Products*. Vol 17. Springer Berlin Heidelberg; 2012:1-24. doi:10.1007/978-3-642-21872-9
9. Britannica. Surface tension. <https://www.britannica.com/science/surface-tension>. Published 2020. Accessed August 26, 2020.
10. Alexander S, Smith GN, James C, et al. Low-surface energy surfactants with branched hydrocarbon architectures. *Langmuir*. 2014;30(12):3413-3421. doi:10.1021/la500332s
11. Fowkes FM. Contact Angle, Wettability, and Adhesion, Copyright, Advances in Chemistry Series. In: Gould RF, ed. *Advances in Chemistry*. Washington DC; 1964. doi:10.1021/ba-1964-0043.fw001
12. Wang Z, Cousins IT, Scheringer M, Hungerbühler K. Fluorinated alternatives to long-chain perfluoroalkyl carboxylic acids (PFCAs), perfluoroalkane sulfonic acids (PFASs) and their potential precursors. *Environ Int*. 2013;60(2013):242-248. doi:10.1016/j.envint.2013.08.021
13. Ameduri B. Fluoropolymers: The Right Material for the Right Applications. *Chem - A Eur J*. 2018;24(71):18830-18841. doi:10.1002/chem.201802708
14. Boucher JM, Cousins IT, Scheringer M, Hungerbühler K, Wang Z. Toward a Comprehensive Global Emission Inventory of C4-C10 Perfluoroalkanesulfonic Acids (PFASs) and Related Precursors: Focus on the Life Cycle of C6- and C10-Based Products. *Environ Sci Technol Lett*. 2019;6(1):1-7. doi:10.1021/acs.estlett.8b00531
15. Wang Z, Cousins IT, Scheringer M, Buck RC, Hungerbühler K. Global emission inventories for C4–C14 perfluoroalkyl carboxylic acid (PFCA) homologues from 1951 to 2030, Part I: production and emissions from quantifiable sources. *Environ Int*. 2014;70:62-75. doi:10.1016/j.envint.2014.04.013
16. Wang Z, Cousins IT, Berger U, Hungerbühler K, Scheringer M. Comparative assessment of the environmental hazards of and exposure to perfluoroalkyl phosphonic and phosphinic acids (PFPA and PFPiAs): Current knowledge, gaps, challenges and research needs. *Environ Int*. 2016;89-90:235-247. doi:10.1016/j.envint.2016.01.023
17. Wang Z, Boucher JM, Scheringer M, Cousins IT, Hungerbühler K. Toward a Comprehensive Global Emission Inventory of C4-C10 Perfluoroalkanesulfonic Acids (PFASs) and Related Precursors: Focus on the Life Cycle of C8-Based Products and Ongoing Industrial Transition. *Environ Sci Technol*. 2017;51(8):4482-4493. doi:10.1021/acs.est.6b06191
18. Wang Z, Goldenman G, Tugran T, McNeil A, Jones M. *Per- and Polyfluoroalkylether Substances: Identity, Production and Use*; 2020. doi:10.6027/NA2020-901

19. Prevedouros K, Cousins IT, Buck RC, Korzeniowski SH. Sources, fate and transport of perfluorocarboxylates. *Environ Sci Technol*. 2006;40(1):32-44. doi:10.1021/es0512475
20. Norwegian Environment Agency. *Investigation of Sources of PFBS into the Environment (M-759)*.; 2017.
21. Norwegian Environment Agency. *Investigation of Sources to PFHxS in the Environment (M-961)*.; 2018.
22. OECD. *Hazard Assessment of Perfluorooctane Sulfonate (PFOS) and Its Salts*.; 2002.
23. POPRC. *Risk Profile: Perfluorohexane Sulfonic Acid (CAS No: 355-46-4, PFHxS), Its Salts and PFHxS-Related Compounds - Addendum (UNEP/POPS/POPRC.14/6/Add.1)*.; 2018.
24. POPRC. *Technical Paper on the Identification and Assessment of Alternatives to the Use of Perfluorooctane Sulfonic Acid, Its Salts, Perfluorooctane Sulfonyl Fluoride and Their Related Chemicals in Open Applications (UNEP/POPS/POPRC.8/INF/17/Rev.1)*.; 2012.
25. POPRC. *Consolidated Guidance on Alternatives to Perfluorooctane Sulfonic Acid and Its Related Chemicals (UNEP/POPS/POPRC.12/INF/15/Rev.1)*.; 2016.
26. POPRC. *Risk Profile on Pentadecafluorooctanoic Acid (CAS No: 335-67-1, PFOA, Perfluorooctanoic Acid), Its Salts and PFOA-Related Compounds - Addendum (UNEP/POPS/POPRC.12/11/Add.2)*.; 2016.
27. POPRC. *Risk Management Evaluation on Pentadecafluorooctanoic Acid (CAS No: 335-67-1, PFOA, Perfluorooctanoic Acid), Its Salts and PFOA-Related Compounds - Addendum (UNEP/POPS/POPRC.13/7/Add.2)*.; 2017.
28. POPRC. *Addendum to the Risk Management Evaluation on Perfluorooctanoic Acid (PFOA), Its Salts and PFOA-Related Compounds (UNEP/POPS/POPRC.14/6/Add.2)*.; 2018.  
<http://chm.pops.int/TheConvention/POPsReviewCommittee/Meetings/POPRC14/Overview/t/abid/7398/Default.aspx>.
29. POPRC. *Report on the Assessment of Alternatives to Perfluorooctane Sulfonic Acid, Its Salts and Perfluorooctane Sulfonyl Fluoride (UNEP/POPS/POPRC.14/INF/13)*.; 2019.
30. FluoroIndustry. FluoroCouncil. <https://fluorocouncil.com/applications/>. Published 2019. Accessed March 22, 2019.
31. ECHA. Five European states call for evidence on broad PFAS restriction. <https://echa.europa.eu/de/-/five-european-states-call-for-evidence-on-broad-pfas-restriction>. Published 2020. Accessed May 13, 2020.
32. Gardiner J. Fluoropolymers: Origin, Production, and Industrial and Commercial Applications. *Aust J Chem*. 2015;68(1):13-22. doi:10.1071/CH14165
33. Herzke D, Posner S, Olsson E. *Survey, Screening and Analyses of PFCs in Consumer Products*.; 2009. [www.swereaivf.se](http://www.swereaivf.se).
34. Hodgkins LM. Per- and polyfluoroalkyl substances in the Royal Canadian Navy. 2018.
35. KEMI Swedish Chemical Agency. *Occurrence and Use of Highly Fluorinated Substances and Alternatives*.; 2015.
36. Millet GH, Kosmala JL. Fluorine-Containing Polymers, Polychlorotrifluoroethylene. In: *Kirk-Othmer Encyclopedia of Chemical Technology*. Hoboken, NJ, USA: John Wiley & Sons, Inc.; 2000:1-6. doi:10.1002/0471238961.1615122513091212.a01
37. Savu P. Fluorine-Containing Polymers, Perfluoroalkanesulfonic Acids. In: *Kirk-Othmer*



- Encyclopedia of Chemical Technology*. Hoboken, NJ, USA: John Wiley & Sons, Inc.; 2000:1-7. doi:10.1002/0471238961.1605180619012221.a01
38. Wang Y, Chang W, Wang L, et al. A review of sources, multimedia distribution and health risks of novel fluorinated alternatives. *Ecotoxicol Environ Saf*. 2019;182(July). doi:10.1016/j.ecoenv.2019.109402
39. Norden. *Per- and Polyfluorinated Substances in the Nordic Countries - Use, Occurrence and Toxicology*; 2013.
40. Banks RE, Smart BE, Tatlow JC. *Organofluorine Chemistry*. (Banks RE, Smart BE, Tatlow JC, eds.). Boston, MA: Springer US; 1994. doi:10.1007/978-1-4899-1202-2
41. Costello MG, Flynn RM, Owens JG. Fluoroethers and Fluoroamines. In: *Kirk-Othmer Encyclopedia of Chemical Technology*. Vol 11. Hoboken, NJ, USA: John Wiley & Sons, Inc.; 2000:1-12. doi:10.1002/0471238961.0612211506122514.a01.pub2
42. Dohany JE. Fluorine-Containing Polymers, Poly(Vinylidene Fluoride). In: *Kirk-Othmer Encyclopedia of Chemical Technology*. Hoboken, NJ, USA: John Wiley & Sons, Inc.; 2000. doi:10.1002/0471238961.1615122504150801.a01
43. Ebnesajjad S, Snow LG. Fluorine-Containing Polymers, Poly(Vinyl Fluoride). In: *Kirk-Othmer Encyclopedia of Chemical Technology*. Hoboken, NJ, USA: John Wiley & Sons, Inc.; 2000. doi:10.1002/0471238961.1615122505021405.a01
44. Norden. SPIN - Substances in preparations in nordic countries. <http://www.spin2000.net/spinmyphp/>. Published 2020. Accessed April 8, 2020.
45. CAS. SciFinder. <https://scifinder-n.cas.org/>. Published 2019. Accessed November 5, 2019.
46. Google\_patents. Google patents. <https://patents.google.com>. Published 2019. Accessed December 5, 2019.
47. Peters P. *Personal Communication*; 2020.
48. F2\_Chemicals. Fluorocarbons. [http://www.f2chemicals.com/full\\_range.html](http://www.f2chemicals.com/full_range.html). Published 2019. Accessed September 25, 2019.
49. 3M. *3M™ Novec™ 7000 Engineered Fluid - Product Information*; 2014. <http://multimedia.3m.com/mws/mediawebserver?66666UuZjcFSLXTtIXftMxMVEVuQEcuZgVs6EVs6E666666-->.
50. 3M. *3M™ Novec™ 7100 Engineered Fluid - Product Information*; 2009.
51. 3M. *3M™ Novec™ 7500 Engineered Fluid - Product Information*; 2008.
52. 3M. *3M™ Novec™ 7200 Engineered Fluid - Product Information*; 2009. <https://multimedia.3m.com/mws/media/1998190/3mtm-novectm-7200-engineered-fluid.pdf>.
53. Chemours. *Vertrel™ X-DF - Drying Agent*; 2019. <https://www.chemours.com/en/brands-and-products/vertrel/products/xdf>.
54. Schulze P-E, Norin H. *Fluorinated Pollutants in All-Weather Clothing*; 2006.
55. Peaslee GF, Wilkinson JT, McGuinness SR, et al. Another Pathway for Firefighter Exposure to Per- and Polyfluoroalkyl Substances: Firefighter Textiles. *Environ Sci Technol Lett*. 2020:0-5. doi:10.1021/acs.estlett.0c00410
56. Janousek RM, Lebertz S, Knepper TP. Previously unidentified sources of perfluoroalkyl and

- polyfluoroalkyl substances from building materials and industrial fabrics. *Environ Sci Process Impacts*. 2019. doi:10.1039/c9em00091g
57. Zhu H, Kannan K. A pilot study of per- and polyfluoroalkyl substances in automotive lubricant oils from the United States. *Environ Technol Innov*. 2020;19:100943. doi:10.1016/j.eti.2020.100943
  58. Nørgaard AW, Wolkoff P, Lauritsen FR. Characterization of nanofilm spray products by mass spectrometry. *Chemosphere*. 2010;80(11):1377-1386. doi:10.1016/j.chemosphere.2010.06.004
  59. Nørgaard AW, Hansen JS, Sørli JB, et al. Pulmonary toxicity of perfluorinated silane-based nanofilm spray products: Solvent dependency. *Toxicol Sci*. 2014;137(1):179-188. doi:10.1093/toxsci/kft225
  60. Barzen-Hanson KA, Roberts SC, Choyke S, et al. Discovery of 40 Classes of Per- and Polyfluoroalkyl Substances in Historical Aqueous Film-Forming Foams (AFFFs) and AFFF-Impacted Groundwater. *Environ Sci Technol*. 2017;51(4):2047-2057. doi:10.1021/acs.est.6b05843
  61. Dauchy X, Boiteux V, Bach C, Rosin C, Munoz JF. Per- and polyfluoroalkyl substances in firefighting foam concentrates and water samples collected near sites impacted by the use of these foams. *Chemosphere*. 2017;183:53-61. doi:10.1016/j.chemosphere.2017.05.056
  62. Place BJ, Field JA. Identification of novel fluorochemicals in aqueous film-forming foams used by the US military. *Environ Sci Technol*. 2012;46(13):7120-7127. doi:10.1021/es301465n
  63. Backe WJ, Day TC, Field JA. Zwitterionic, cationic, and anionic fluorinated chemicals in aqueous film forming foam formulations and groundwater from U.S. military bases by nonaqueous large-volume injection HPLC-MS/MS. *Environ Sci Technol*. 2013;47(10):5226-5234. doi:10.1021/es3034999
  64. Rotander A, Kärrman A, Toms LML, Kay M, Mueller JF, Gómez Ramos MJ. Novel fluorinated surfactants tentatively identified in firefighters using liquid chromatography quadrupole time-of-flight tandem mass spectrometry and a case-control approach. *Environ Sci Technol*. 2015;49(4):2434-2442. doi:10.1021/es503653n
  65. Mumtaz M, Bao Y, Liu L, Huang J, Cagnetta G, Yu G. Per- and Polyfluoroalkyl Substances in Representative Fluorocarbon Surfactants Used in Chinese Film-Forming Foams: Levels, Profile Shift, and Environmental Implications. *Environ Sci Technol Lett*. 2019;6(5):259-264. doi:10.1021/acs.estlett.9b00154
  66. Gebbink WA, Ullah S, Sandblom O, Berger U. Polyfluoroalkyl phosphate esters and perfluoroalkyl carboxylic acids in target food samples and packaging-method development and screening. *Environ Sci Pollut Res*. 2013;20(11):7949-7958. doi:10.1007/s11356-013-1596-y
  67. Dimzon IK, Trier X, Frömel T, Helmus R, Knepper TP, De Voogt P. High Resolution Mass Spectrometry of Polyfluorinated Polyether-Based Formulation. *J Am Soc Mass Spectrom*. 2016;27(2):309-318. doi:10.1007/s13361-015-1269-9
  68. Kotthoff M, Müller J, Jüring H, Schlummer M, Fiedler D. Perfluoroalkyl and polyfluoroalkyl substances in consumer products. *Environ Sci Pollut Res*. 2015;22(19):14546-14559. doi:10.1007/s11356-015-4202-7
  69. Bečanová J, Melymuk L, Vojta Š, Komprdová K, Klánová J. Screening for perfluoroalkyl acids in consumer products, building materials and wastes. *Chemosphere*. 2016;164:322-329. doi:10.1016/j.chemosphere.2016.08.112

70. Blom C, Hanssen L. *Analysis of Per- and Polyfluorinated Substances in Articles (M-360)*.; 2015.
71. Xiao F, Golovko SA, Golovko MY. Identification of novel non-ionic, cationic, zwitterionic, and anionic polyfluoroalkyl substances using UPLC–TOF–MS E high-resolution parent ion search. *Anal Chim Acta*. 2017;988:41-49. doi:10.1016/j.aca.2017.08.016
72. Borg D, Ivarsson J. *Analysis of PFASs and TOF in Products*.; 2017. <http://urn.kb.se/resolve?urn=urn:nbn:se:norden:org:diva-4901>.
73. Vejrup, Kark V, Lindblom B. *Survey of Chemical Substances in Consumer Products - Analysis of Perfluorooctanesulfonate Compounds in Impregnating Agents, Wax and Floor Polish Products*.; 2002.
74. Dinglasan-Panlilio MJA, Mabury SA. Significant residual fluorinated alcohols present in various fluorinated materials. *Environ Sci Technol*. 2006;40(5):1447-1453. doi:10.1021/es051619
75. Fiedler S, Pfister G, Schramm KW. Poly- and perfluorinated compounds in household consumer products. *Toxicol Environ Chem*. 2010;92(10):1801-1811. doi:10.1080/02772248.2010.491482
76. GMI. *Fluorotelomers Market Report*.; 2016.
77. GMI. *Fluorochemicals Market Report*.; 2018.
78. GMI. *Perfluoropolyether Market Report*.; 2019. <https://www.gminsights.com/industry-analysis/perfluoropolyether-market>.
79. Norman. Norman Substance Database.
80. Wang Z, Cousins IT, Scheringer M, Buck RC, Hungerbühler K. Global emission inventories for C4–C14 perfluoroalkyl carboxylic acid (PFCA) homologues from 1951 to 2030, part II: The remaining pieces of the puzzle. *Environ Int*. 2014;69:166-176. doi:10.1016/j.envint.2014.04.006
81. AGC. Fluoroplastics. <https://www.agcce.com/fluoroplastics/>. Published 2018. Accessed June 6, 2020.
82. Edelrid. Das weltweit erste PFC freie Kletterseil. <https://www.edelrid.de/de/microsite/kletterseil-swift-eco-dry.php>. Published 2020. Accessed April 24, 2020.
83. Opinion.org. Fake Market Research. <https://opinion.org/market-research-industry-clogged-with-spam/>. Published 2018. Accessed February 13, 2020.
84. ECHA. Fighting fire with fluorine-free foams. <https://echa.europa.eu/fluorine-free-foams>. Accessed June 18, 2020.
85. DOD. DOD Funds Firefighting Foam Research for a PFAS-Free Alternativ. <https://www.defense.gov/Explore/News/Article/Article/2018096/dod-funds-firefighting-foam-research-for-a-pfas-free-alternative/>. Published 2019. Accessed June 18, 2020.
86. ChemSec. PFC-free food packaging tray. <https://marketplace.chemsec.org/Alternative/PFC-free-food-packaging-tray-354>. Accessed June 18, 2020.
87. ChemicalWatch. Denmark announces advisory ban on PFCs in food packaging. <https://chemicalwatch.com/36900/denmark-announces-advisory-ban-on-pfcs-in-food-packaging>. Published 2015. Accessed June 18, 2020.
88. Rudolf. BIONIC-FINISH®ECO. <https://www.rudolf.de/en/technology/bionic-finish-eco/>. Accessed June 18, 2020.

89. SympaTex. Our solution: Sympatex avoids harmful chemistry. <https://www.sympatex.com/en/sustainability/our-solution-closing-the-loop/reduction-in-the-use-of-chemicals/>. Accessed June 18, 2020.
90. DEPA. *Alternatives to Perfluoroalkyl and Polyfluoro- Alkyl Substances (PFAS) in Textiles.*; 2015. <http://www2.mst.dk/Udgiv/publications/2015/05/978-87-93352-16-2.pdf>.
91. Schellenberger S, Gillgard P, Stare A, et al. Facing the rain after the phase out: Performance evaluation of alternative fluorinated and non-fluorinated durable water repellents for outdoor fabrics. *Chemosphere*. 2018;193:675-684. doi:10.1016/j.chemosphere.2017.11.027
92. Pan Y, Zhang H, Cui Q, et al. First Report on the Occurrence and Bioaccumulation of Hexafluoropropylene Oxide Trimer Acid: An Emerging Concern. *Environ Sci Technol*. 2017;51(17):9553-9560. doi:10.1021/acs.est.7b02259
93. Gebbink WA, Van Asseldonk L, Van Leeuwen SPJ. Presence of Emerging Per- and Polyfluoroalkyl Substances (PFASs) in River and Drinking Water near a Fluorochemical Production Plant in the Netherlands. *Environ Sci Technol*. 2017;51(19):11057-11065. doi:10.1021/acs.est.7b02488
94. Lindstrom AB, Galloway JE, Strynar MJ, et al. Emerging Per- and Polyfluoroalkyl Substances (PFAS). Highly Fluorinated Compounds Social and Scientific Discovery Northeastern University Social Science Environmental Health Research Institute, Boston. 2017.
95. Lin AYC, Panchangam SC, Lo CC. The impact of semiconductor, electronics and optoelectronic industries on downstream perfluorinated chemical contamination in Taiwanese rivers. *Environ Pollut*. 2009;157(4):1365-1372. doi:10.1016/j.envpol.2008.11.033
96. Tang CY, Fu QS, Robertson AP, Criddle CS, Leckie JO. Use of reverse osmosis membranes to remove perfluorooctane sulfonate (PFOS) from semiconductor wastewater. *Environ Sci Technol*. 2006;40(23):7343-7349. doi:10.1021/es060831q
97. Hauser H, Füglistler L, Scheffelmaier T. *Verwendung von Fluortensiden in Der Galvanikbranche.*; 2020.
98. NIH. Pubchem. U.S. National Library of Medicine National Center for Biotechnology Information. <https://pubchem.ncbi.nlm.nih.gov/>. Published 2019. Accessed September 25, 2019.
99. Zhang X, Sun X, Jiang R, Zeng EY, Sunderland EM, Muir DCG. Screening New Persistent and Bioaccumulative Organics in China's Inventory of Industrial Chemicals. *Environ Sci Technol*. 2020. doi:10.1021/acs.est.0c01898
100. CSRwire. 3M Phasing Out Some of its Specialty Materials. [https://www.csrwire.com/press\\_releases/25065-3M-Phasing-Out-Some-of-its-Specialty-Materials](https://www.csrwire.com/press_releases/25065-3M-Phasing-Out-Some-of-its-Specialty-Materials). Published 2000. Accessed June 6, 2020.
101. USEPA. Fact Sheet: 2010/2015 PFOA Stewardship Program. <https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/fact-sheet-20102015-pfoa-stewardship-program>. Accessed June 8, 2020.
102. BloombergLaw. Older PFAS That EPA Thought Obsolete Still Used, Agency Told. 2020. <https://news.bloomberglaw.com/environment-and-energy/older-pfas-that-epa-thought-obsolete-still-used-agency-told>.
103. Cousins IT, Vestergren R, Wang Z, Scheringer M, McLachlan MS. The precautionary principle and chemicals management: The example of perfluoroalkyl acids in groundwater. *Environ Int*. 2016;94:331-340. doi:10.1016/j.envint.2016.04.044

104. Munoz G, Desrosiers M, Duy SV, et al. Environmental Occurrence of Perfluoroalkyl Acids and Novel Fluorotelomer Surfactants in the Freshwater Fish *Catostomus commersonii* and Sediments Following Firefighting Foam Deployment at the Lac-Mégantic Railway Accident. *Environ Sci Technol*. 2017;51(3):1231-1240. doi:10.1021/acs.est.6b05432
105. Angusfire. AR FFFP - Alcohol resistant flim forming fluoroprotein. <http://angusfire.co.uk/products/foam-concentrates/product-range/ar-fffp/>. Published 2019. Accessed October 23, 2019.
106. Korzenioswski SH, Buck RC, Kempisty DM, Pabon M. Fluorosurfactants in Firefighting Foams: Past and Present (Chapter 1). In: Kempisty DM, Xing Y, Racz L, eds. *Perfluoroalkyl Substances in the Environment*. CRC Press; 2019.
107. Heydebreck F, Tang J, Xie Z, Ebinghaus R. Emissions of Per- and Polyfluoroalkyl Substances in a Textile Manufacturing Plant in China and Their Relevance for Workers' Exposure. *Environ Sci Technol*. 2016;50(19):10386-10396. doi:10.1021/acs.est.6b03213
108. Holmquist H, Schellenberger S, van der Veen I, Peters GM, Leonards PEG, Cousins IT. Properties, performance and associated hazards of state-of-the-art durable water repellent (DWR) chemistry for textile finishing. *Environ Int*. 2016;91:251-264. doi:10.1016/j.envint.2016.02.035
109. SpecialChem. What are Fluoropolymers-based PPA? <https://polymer-additives.specialchem.com/centers/fluoropolymers-as-polymer-processing-aid>. Published 2020. Accessed June 4, 2020.
110. Unknown. Polyethylene composition for artificial turf. 2006.
111. Wang Y, Yu N, Zhu X, et al. Suspect and Nontarget Screening of Per- and Polyfluoroalkyl Substances in Wastewater from a Fluorochemical Manufacturing Park. *Environ Sci Technol*. 2018;52(19):11007-11016. doi:10.1021/acs.est.8b03030
112. Washington JW, Rosal CG, McCord JP, et al. Nontargeted mass-spectral detection of chloroperfluoropolyether carboxylates in New Jersey soils. *Science (80- )*. 2020;368(6495):1103-1107. doi:10.1126/science.aba7127

# 10 Appendix

**Table 4:** Overview of the uses of PFAS, the function of the PFAS in the uses and the properties of the employed PFAS that make them valuable for this application.

Use category/subcategory	Function of PFAS	Properties of the PFAS employed
<b>Industry branch</b>		
<b>Aerospace</b>		
- Phosphate ester-based brake and hydraulic fluids	corrosion protection	altering the electrical potential at the metal surface
- Gyroscopes	flotation fluids in gyroscopes	?
- Wire and cable	high-temperature endurance, fire resistance, and high-stress crack resistance	non-flammable polymers, stable
- Turbine-engine	use as lubricant	corrosion resistant, stable, non-reactive, operate at a wide temperature range
- Turbine-engine	use as elastomeric seals	operate at a wide temperature range
- Thermal control and radiator surfaces	reject waste heat	survival over a wide operating temperature range, low solar absorbance, high thermal emittance, and freedom from contamination by outgassing
- Coating	protect underlying polymers from atomic oxygen attack	non-reactive, very stable
- Propellant system	elastomers compatible to aggressive fuels and oxidizers	non-reactive, very stable
- Jet engine/satellite instrumentation	use as lubricant	long-term retention of viscosity, low volatility in vacuum and their fluidity at extremely low temperatures
<b>Biotechnology</b>		
- Cell cultivation	supply of oxygen and other gases to microbial cells	great capacity to dissolve gases
- Ultrafiltration and microporous membranes	prevent bacterial growth	?
<b>Building and Construction</b>		
- Architectural membranes e.g. in roofs	resistance to weathering, dirt repellent, light	oleophobic and hydrophobic, low surface tension, beneficial weight-to-surface ratio
- Greenhouse	transparent to both UV and visible light, resistant to weathering, dirt repellent	oleophobic and hydrophobic, low surface tension
- Cement additive	reduce the shrinkage of cement	?
- Cable and wire insulation, gaskets & hoses	high-temperature endurance, fire resistance, and high-stress crack resistance	non-flammable polymers, stable
<b>Chemical industry</b>		
- Fluoropolymer processing aid	emulsify the monomers, increase the rate of polymerization, stabilize fluoropolymers	fluorinated part is able to dissolve monomers, non-fluorinated part is able to dissolve in water
- Production of chlorine and caustic soda (with asbestos diaphragms cells)	binder for the asbestos-fibre-based diaphragms	?
- Production of chlorine and caustic soda (with fluorinated membranes)	stable membrane in strong oxidizing conditions and at high temperatures	stable, non-reactive

<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
- Processing aids in the extrusion of high- and liner low-density polyethylene film	eliminate melt fracture and other flow-induced imperfections	low surface tension
- Tantalum, molybdenum, and niobium processing	cutting or drawing oil	non-reactive, stable
- Chemical reactions	inert reaction media (especially for gaseous reactants)	non-reactive, stable
- Polymer curing	medium for crosslinking of resins, elastomers and adhesives	?
- Ionic liquids	raw materials for ionic liquids	?
- Solvents	dissolve other substances	bipolar character of some of the PFAS
<b>Electroless plating</b>	disperses the pitch fluoride in the plating solution	low surface tension
<b>Electroplating (metal plating)</b>		
- Chrome plating	prevent the evaporation of chromium (VI) vapour	lower the surface tension of the electrolyte solution, very stable in strongly acidic and oxidizing conditions
- Nickel plating	non-foaming surfactant	low surface tension
- Nickel plating	increase the strength of the nickel electroplate by eliminating pinholes, cracks, and peeling	low surface tension
- Copper plating	prevent haze by regulating foam and improving stability	low surface tension
- Tin plating	help to produce a plate of uniform thickness	low surface tension
- Alkaline zinc and zinc alloy plating		
- Deposition of fluoropolymer particles onto steel	supported by fluorinated surfactants	cationic and amphoteric fluorinated surfactants impart a positive charge to fluoropolymer particles which facilitates the electroplating of the fluoropolymer
<b>Electronic industry</b>		
- Testing of electronic devices and equipment	inert fluids for electronics testing	non-reactive
- Heat transfer fluids	cooling of electrical equipment	good heat conductivity
- Solvent systems and cleaning	form the basis of cleaning solutions	non-flammable, low surface tension
- Carrier fluid/lubricant deposition	dissolve and deposit lubricants on a range of substrates during the manufacturing of hard disk drives	?
- Etching of piezoelectric ceramic filters	etching solution	acidic
<b>Energy sector</b>		
- Solar collectors and photovoltaic cells	high vapour barrier, high transparency, great weatherability and dirt repellency	oleophobic and hydrophobic, low surface tension
- Photovoltaic cells	adhesives with PFAS hold mesh cathode in place	lower the surface tension of the adhesive
- Wind mill blades	coating	high weatherability
- Coal-based power plants	polymeric PFAS filter remove fly ash from the hot smoky discharge	stable, non-reactive
- Coal-based power plants	separation of carbon dioxide in flue gases	lower the surface tension of the aqueous solution
- Lithium batteries	binder for electrodes	almost no reactivity with the electrodes and electrolyte

<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
- Lithium batteries	prevent thermal runaway reaction	good heat absorption of first layer and good heat conductivity of second layer
- Lithium batteries	improve the oxygen transport of lithium-air batteries	great capacity to dissolve gases
- Lithium batteries	electrolyte solvents for lithium-sulfur batteries	bipolar character of some of the PFAS
- Ion exchange membrane in vanadium redox batteries	polymeric PFAS are used as membranes	resistance to acidic environments and highly oxidizing species
- Zinc batteries	prevent formation of dendrites, hydrogen evolution and electrode corrosion due to adsorption onto the electrode surface	low surface tension, non-reactive
- Alkaline manganese batteries	MnO <sub>2</sub> cathodes containing carbon black are treated with a fluorinated surfactant	?
- Polymer electrolyte fuel cells	polymeric PFAS are used as membranes	ion conductance
- Power transformers	cooling liquid	good heat conductivity
- Conversion of heat to mechanical energy	heat transfer fluids	good heat conductivity
<b>Food production</b>		
- Wineries and dairies	final filtration before bottling with polymeric PFAS	resist degradation
<b>Machinery and equipment</b>		
	?	?
<b>Manufacture of metal products</b>		
- Manufacture of basic metals	inhibit the formation of acid mist during the electrowinning of copper	lower the surface tension of the aqueous solution
- Manufacture of fabricated metal products	?	?
- Pickling of steel wires	acid-pickling promoter	?
- Treatment of coating of metal surfaces	promote the flow of metal coatings, prevent cracks in the coating during drying	lower the surface tension of the coating
- Treatment of coating of metal surfaces	corrosion inhibitor on steel	non-reactive
- Etching of aluminium in alkali baths	improving the efficient life of the alkali baths	?
- Phosphating process for aluminium	fluoride-containing phosphating solutions help to dissolve the oxide layer of the aluminium	?
- Cleaning of metal surfaces	disperse scum, speed runoff of acid when metal is removed from the bath, increase the bath life	?
- Water removal from processed parts	solvent displacement	low surface tension
<b>Mining</b>		
- Ore leaching in copper and gold mines	increase wetting of the sulfuric acid or cyanide that leaches the ore	low surface tension
- Ore leaching in copper and gold mines	acid mist suppressing agents	low surface tension
- Ore floating	create stable aqueous foams to separate the metal salts from soil	low surface tension



<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
- Separation of uranium contained in sodium carbonate and/or sodium bicarbonate solutions by nitrogen floatation - Concentration of vanadium compounds	improve the separation  destruction of the mineral structure, increases the specific surface area and pore channel thus facilitating vanadium leaching	?  acidity
<b>Nuclear industry</b>		
- Lubricants for valves and ultracentrifuge bearings in UF6 enrichment plants	PFAS are used as the lubricants	stable to aggressive gases
<b>Oil &amp; Gas industry</b>		
- Drilling fluid - Drilling - insulating material for cable and wire - Chemical driven oil production - Chemical driven oil production - Chemical driven gas production  - Chemical driven gas production  - Oil and gas transport - Oil and gas transport  - Oil and gas storage - Oil and gas storage  - Oil containment (injection a chemical barrier into water) - Oil and fuel filtration	foaming agent polymeric PFAS are used as insulating material increase the effective permeability of the formation foaming agent for fracturing subterranean formations change low-permeability sandstone gas reservoir from strong hydrophilic to weak hydrophilic eliminate reservoir capillary forces, dissolve partial solid, dis-assemble clogging, increase efficiency of displacing water with gas lining of the pipes is made out of polymeric PFAS reduce the viscosity of crude oil for pumping from the borehole through crude oil-in-water emulsions aqueous layer with PFAS prevents evaporation loss floating layer of cereal treated with PFAs prevents evaporation loss prevents spreading of oils or gasoline on water  polymeric PFAS are used as membranes	low surface tension withstand high temperatures low surface tension low surface tension hydrophobic and oleophobic properties  lower surface tension of the material  non-reactive (corrosion resistant) hydrophobic and oleophobic properties  lower the surface tension of the aqueous solution low surface tension  ?  non-reactive (corrosion resistant)
<b>Pharmaceutical industry</b>		
- Reaction vessels, stirrers, and other components - Ultrapure water systems - Packaging - Manufacture of "microporous" particles	use of polymeric PFAS instead of stainless steel polymeric PFAS are used as filter polymeric PFAS form moisture barrier film processing aid	? low surface tension hydrophobic ?
<b>Photographic industry</b>		
- Processing solutions - Processing solutions - Photographic materials, such as films and papers	antifoaming agent prevent formation of air bubbles in the solution wetting agents, emulsion additives, stabilizers and antistatic agent	lower the surface tension of the solution lower the surface tension of the solution low surface tension, low dielectric constant

<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
- Photographic materials, such as films and papers	prevent spot formation and control edge uniformity in multilayer coatings	low surface tension
- Paper and plates	anti-reflective agents	low refractive index
<b>Production of plastic and rubber</b>		
- Separation of mould and moulded material	mould release agent	hydrophobic and oleophobic properties
- Separation of mould and moulded material	reduce imperfections in the moulded surface	low surface tension
- Foam blowing	foam blowing agent	low surface tension
- Polyol foams	foam regulator	10.1.1.1.1.1.1 lower the surface tension of the foam
- Polymer processing aid	increase processing efficiency and quality of polymeric compounds	lower the surface tension of the polymeric products
- Etching of plastic	wetting agent	low surface tension
- Production of rubber	antiblocking agent	low surface tension
- Fluoroelastomer formulation	additive in curatives	?
<b>Semiconductor industry</b>		
- Photoresist (itself)	photoresist matrix, changes solubility when exposed to light	?
- Photoresist (photosensitizer)	increase the photosensitivity of the photoresist	?
- Photoresist (photo-acid generator)	generate strong acids by light irradiation	able to generate strong acids
- Photoresist (quencher)	controlling the diffusion of the acid to unexposed region	?
- Antireflective coating	provide low reflectivity	low refractive index
- Developer	facilitate the control of the development process	?
- Rinsing solution	rinsing the photoresist to remove the developer	low surface tension
- Etching	wetting agent	low surface tension
- Etching	reduce the reflection of the etching solution	low refractive index
- Etching	etching agent in dry etching	strong acids
- Cleaning of silicon wafers	etch cleaning	strong acids
- Cleaning of integrated circuit modules	remove cured epoxy resins	?
- Cleaning vapour deposition chamber	remove dielectric film build up	generation of reactive oxygen species
- Wafer thinning	non-stick coating composition on carrier wafer	low surface tension
- Vacuum pumps	working fluid	stable, non-reactive
- Technical equipment in contact with process chemical or reactive plasma	polymeric PFAS are used in inert moulds, pipes and elastomers	stable, non-reactive
- Multilayer circuit board	bonding ply composition	low dielectric constant, low dissipation factor
<b>Textile production</b>		
- Dyeing and bleaching of textiles	wetting agent	low surface tension
- Dyeing process using sulphur dyes	antifoaming agent	low surface tension
- Dye transfer material	release agent	low surface tension
- Textile treatment baths	antifoaming agent	low surface tension
- Fibre finishes	emulsifying agent	hydrophobic and oleophobic properties

Use category/subcategory	Function of PFAS	Properties of the PFAS employed
<b>Watchmaking industry</b> - Lubricants - Drying as production step after aqueous cleaning	form an oil layer and reduced wear solvents in solvent displacement drying	non-reactive (do not oxidize, resistant to corrosion) low surface tension
<b>Wood industry</b> - Drum filtration during bleaching - Coating for wood substrate - Wood particleboard	the used coarse fabric is made out of polymeric PFAS clear coating is made out of polymeric PFAS part of adhesive resin	stable stable, non-reactive low surface tension
<b>Other use areas</b>		
<b>Aerosol propellant</b>	aerosol propellant	non-flammable, stable, non-reactive
<b>Air conditioning</b>	working fluid	non-flammable, stable, non-reactive
<b>Antifoaming agent</b>	prevent foaming	low surface tension
<b>Ammunition</b>	make the final product rubbery and reduce the likelihood of an unplanned explosion due to shock; enable long-term storage without degradation of the polymer	long-term stability without degradation
<b>Apparel</b> - Breathable membranes  - Long-lasting durable water repellent finish	polymeric PFAS are used as membranes  provide water and oil repellence, stain resistance and soil release	high permeability to water vapour, but resist passage of liquid water lower surface tension of the fabric, hydrophobic and oleophobic properties
<b>Automotive</b> - Car body - Automotive waxes  - Windshield wiper fluid - Car body - Engine and steering system - Engine oil coolers - Cylinder head coatings and hoses - Cylinder head coatings and hoses - Electronics - Fuel lines, steel hydraulic brake tubes - Interior - Brake pad additives	weather resistance paint, no-wax brilliant top coat aid spreading, improve the resistance of the polish to water and oil prevent icing of the wind shield light, stable polymeric PFAS are used as sealants and bearings heat transfer fluid increase the fuel efficiency reduce the fugitive gasoline vapour emissions cables and wires corrosion protection dirt repellent in carpets and seats ?	low surface tension lower the surface tension of the wax, oleophobic  ? beneficial weight-to-surface ratio, stable operate at a wide temperature range, non-reactive good heat conductivity ? low surface tension high-temperature endurance, fire resistance non-reactive, stable low surface tension, oleophobic ?

Use category/subcategory	Function of PFAS	Properties of the PFAS employed
<b>Cleaning compositions</b>		
- Cleaning compositions for hard surfaces	enhance wettability	lower the surface tension of the cleaning product
- Carpet and upholstery cleaners	provide stain resistance and repel soil	low surface tension, oleophobic
- Cleaning compositions for adhesives	?	?
- Dry cleaning fluids	stabilizer, improve the removal of hydrophilic soil	hydrophobic and oleophobic, low surface tension
- Cleaning of reverse osmosis membranes	remove calcium sulphate	?
<b>Coatings, paints and varnishes</b>		
- Paints	emulsifier for the binder, dispersant for the pigments, wetting agent	hydrophobic and oleophobic, low surface tension
- Paints	enhance the protective properties of anticorrosive paints	non-reactive
- Paints	antifouling on ships	?
- Paints and coatings	anti-crater, improved surface appearance, better flow and levelling, reduced foaming, decreased block, open-time extension, oil- and water repellency, dirt pickup resistance	low surface tension, oleophobic
- Paints and coatings	form second coat on a first coat	low surface tension
- Coatings	antistick and anticorrosive coatings	low surface tension, non-reactive
- Coatings	highly durable and weatherable	stable, non-reactive
<b>Conservation of books and manuscripts</b>	preserve historical manuscripts	permeability to water vapour, but resist passage of liquid water
<b>Cook- and bakeware</b>	prevent food from sticking to the pan/ baking ware	low surface tension, non-reactive, stable at high temperatures
<b>Dispersions</b>	disperse solutions	low surface tension
<b>Electronical devices</b>		
- Printed circuit boards	use fibre-reinforced fluoropolymer layer	low dielectric constant
- Capacitors	separation of high voltage components (dielectric fluid)	high dielectric breakdown strength, non-flammable
- Acoustical equipment	provide an electrical signal in response to mechanical or thermal signals	piezoelectric and pyroelectric properties
- Liquid crystal displays (LCDs)	provide the liquid crystal with a dipole moment	dipoles
- Liquid crystal displays (LCDs)	polymeric PFAS provide moisture sensitive coating for displays	hydrophobic
- Light management films in flat panel display	reduced static electricity build-up and dust attraction during fabrication	low dielectric constant
- Razors	polymeric PFFAs is used on the razor	?
- Electroluminescent lamps	polymeric PFAS is used as coating	?
<b>Fingerprint development</b>	solvent	?
<b>Fire-fighting foam</b>		

<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
- Fluoroprotein (FP) foams - Film-forming fluoroprotein (FFFP) foam - Alcohol-resistant film forming fluoroprotein (AR-FFFP) foam - Aqueous film-forming foams (AFFF) - Alcohol-resistant aqueous film forming foam (AR-AFFF)	fuel repellents film formers, foam stabilizers film formers, foam stabilizers film formers foam stabilizers	low surface tension lower the surface tension of water lower the surface tension of water lower the surface tension of water low surface tension
<b>Flame retardants</b> - Polycarbonate resin - Other plastic	flame retardants flame retardants	non-flammable non-flammable
<b>Floor covering including carpets and floor polish</b> - Soil-release finishes for carpets  - Aftermarket carpet protection  - Resilient linoleum - Laminated floor covering - Floor polish	improve wetting and levelling provide water and oil repellence, stain resistance and soil release provide water and oil repellence, stain resistance and soil release ? ? improve levelling and wetting	low surface tension low surface tension, hydrophobic and oleophobic  low surface tension, hydrophobic and oleophobic  ? ? low surface tension
<b>Glass</b> - Surface treatment - Surface treatment - Surface treatment - Surface treatment - Etching and polishing - Drying as production step in glass finishing	make glass surfaces hydrophobic and oleophobic prevents misting of glass dirt-repellent fire-or weather resistant increase the speed of etching, improve wetting solvents in solvent displacement drying	hydrophobic and oleophobic hydrophobic low surface tension non-flammable, stable low surface tension low surface tension
<b>Household applications</b> - Threads and joints	polymeric PFAS is used for sealing	?
<b>Laboratory supplies, equipment and instrumentation</b> - Consumable materials (vials, caps, tape) - Personal protective equipment (gloves) - Particle filters - Solvents - LC instruments - LC columns - Reverse phase LC-solvents - Seals and membranes in UPLCs, autoclaves and ovens - Oils and greases in pumps - Sterilization of an insulated vessel	made out of polymeric PFAS ? minimize the sorption of compounds to the filter itself dissolve other substances polymeric PFAS are used in the solvent degasser some columns are based on polymeric PFAS can contain PFAS are made out of polymeric PFAS form a thick oil layer and reduced wear sterilization medium	? ? low surface tension hydrophobic and oleophobic non-reactive ? ? ? work over a wide temperature range non-reactive, non-flammable ?

<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
- Electroplotting	protein-sequencing membranes are made out of polymeric PFAS	?
- Analysing the phosphoamino content in proteins	protein-sequencing membranes are made out of polymeric PFAS	?
<b>Leather</b>		
- Manufacturing of genuine leather	improve the efficiency of hydrating, pickling, degreasing and tanning	?
- Repellent treatment (genuine leather)	provide water and oil repellence, stain resistance and soil release	hydrophobic and oleophobic , low surface tension
- Manufacturing of synthetic leather	polymer melt additives that impart oil and water repellency to the finished fibres	hydrophobic and oleophobic
- Shoe brighteners	improve the levelling of shoe brighteners	low surface tension
- Impregnation spray	provide water and oil repellence, stain resistance and soil release	low surface tension
<b>Lubricants and Greases</b>		
	form a thick oil layer and reduced wear	non-reactive, non-flammable, operate also at high temperatures, do not form sludge or varnish
<b>Medical utensils</b>		
- Electronic devices that rely on high frequency signals (defibrillators, pacemakers, cardiac resynchronization therapy (CRT), positron-emission tomography (PET) and magnetic resonance imaging (MRI) devices)	high dielectric insulators	high dielectric breakdown strength
- Video endoscope	use in charge-coupled device colour filters	?
- Microbubble-based ultrasound contrast agents	fluorinated gas inner core, which provides osmotic stabilization and contributes to interfacial tension reduction	low solubility in aqueous media (dissolve more slowly)
- X-ray imaging	contrast enhancement agents	radio-opaque
- Magnetic resonance imaging	contrast agent	lack of a <sup>19</sup> F endogenous background signal in vivo and high magnetic resonance sensitivity of <sup>19</sup> F atoms
- Proton and <sup>19</sup> F NMR imaging	contrast agents	lack of fluorine in organs and tissue
- Computed tomography and sonography	contrast agents	lack of fluorine in organs and tissue
- Radio-opaque materials	polymeric PFAS has been used	radio-opaque
- Surgical drapes and gowns	improve water-, oil- and dirt-resistance	hydrophobic and oleophobic, low surface tension
- X-Ray films	wetting agents, emulsion additives, stabilizers and antistatic agent	low surface tension, low dielectric constant
- Dispersant	facilitate the dispersion of cell aggregates	low surface tension
- Contact Lenses	raw material	
- Retinal detachment surgery and proliferative vitreoret.	endotamponade gases	high specific gravity, low surface tension, and low viscosity
- Retinal detachment surgery and proliferative vitreoret.	intraoperative tool during vitreoretinal surgery	high specific gravity, low surface tension, and low viscosity
- Eye drops	delivery agent	unique combination of apolarity and amphiphility
- Filters, tubing, O-rings, seals and gaskets in dialysis machines	made out of polymeric PFAS	low surface tension
- Dialysis membranes	made out of polymeric PFAS	low surface tension

<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
<ul style="list-style-type: none"> <li>- Catheter, stents, and needles</li> <li>- Surgical patches and vascular catheter</li> <li>- Blood transfer and artificial blood</li> <li>- Organ perfusion</li> <li>- Percutaneous transluminal coronary angioplasty</li> <li>- Toothpaste</li> <li>- Dental floss</li>   <li>- UV-hardened dental restorative materials</li> <li>- Ventilation of respiratory airway</li> <li>- Anaesthesia</li> <li>- Artificial heart pump</li> <li>- Wound care</li> </ul>	<p>provide low-friction and clot-resistant coatings</p> <p>use of polymeric PFAS</p> <p>oxygen carrier</p> <p>oxygen carrier</p> <p>oxygen carrier</p> <p>enhances fluorapatite formation and inhibits caries</p> <p>allows the narrow ribbon to slip easily between close-pressed teeth</p> <p>improve the wetting of the set materials</p> <p>?</p> <p>polymeric PFAS is used to dry or humidify breath</p> <p>blood compatible and durable</p> <p>cleaning burn residues</p>	<p>low surface tension</p> <p>?</p> <p>great capacity to dissolve gases</p> <p>great capacity to dissolve gases</p> <p>great capacity to dissolve gases</p> <p>low surface tension</p> <p>low surface tension</p> <p>low surface tension</p> <p>?</p> <p>hydrophobic</p> <p>non-reactive, stable</p> <p>dissolve hydrocarbon</p>
<b>Metallic and ceramic surfaces</b>	generates easily removable sludge	hydrophobic and oleophobic
<b>Music instruments</b>		
<ul style="list-style-type: none"> <li>- Guitar strings</li> <li>- Piano keys</li> <li>- Piano</li> </ul>	<p>prevent loss of vibration due to residue build up</p> <p>contain polymeric PFAS</p> <p>eliminate squeaks in piano key</p>	<p>?</p> <p>?</p> <p>?</p>
<b>Optical devices</b>		
<ul style="list-style-type: none"> <li>- Glass fibre optics</li> <li>- Optical lenses</li> </ul>	<p>able to include rare earth in glass fibre optics</p> <p>provide optical lenses with low refractive index and high transparency</p>	<p>?</p> <p>low refractive index</p>
<b>Paper and packaging</b>		
<ul style="list-style-type: none"> <li>- Paper and cardboard</li> <li>- Manufacturing of paper</li> </ul>	<p>provide water- and oil repellency</p> <p>release agent for paper-coating compositions</p>	<p>hydrophobic and oleophobic</p> <p>low surface tension</p>
<b>Particle physics</b>		
<ul style="list-style-type: none"> <li>- Particle accelerators</li> </ul>	part of the detection assemblies	non-reactive, stable, high ionization charge density
<b>Personal care products</b>		
<ul style="list-style-type: none"> <li>- Cosmetics</li> <li>- Cosmetics</li> <li>- Cosmetics</li> <li>- Cosmetics</li> <li>- Cosmetics</li> <li>- Hair-conditioning formulations</li> </ul>	<p>emulsifiers, lubricants, or oleophobic agents</p> <p>make creams etc. penetrate the skin more easily</p> <p>make the skin brighter</p> <p>make the skin absorb more oxygen</p> <p>make the makeup more durable and weather resistant</p> <p>enhance wet combing and render hair oleophobic</p>	<p>hydrophobic, low surface tension</p> <p>great capacity to dissolve gases</p> <p>hydrophobic and oleophobic, stable, non-reactive</p>
<b>Pesticides</b>		

<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
- Insecticide against the common housefly and carmite mite	suffocation of the insect by the adsorbed fluorinated surfactant	?
- Insecticide against ants and cockroaches	?	?
- Formulation additives	anti-foaming agent	low surface tension
- Formulation additives	dispersant, facilitate the spreading of plant protection agents on insects and plant leaves	low surface tension
- Formulation additives	dispersant, increase uptake by insects and plants	low surface tension
- Formulation additive	wetting agent for leaves	low surface tension
<b>Pharmaceuticals</b>		
- Active ingredient (Fulvestrant)	estrogen antagonists, inhibits the growth stimulus that the estrogen exert on cells	?
- Active ingredient	pharmaceutical combination of dabigatran and proton pump inhibitors	?
- Formulation additives	dispersant in self-propelling aerosol pharmaceuticals	low surface tension
- Formulation additives	solvent	hydrophobic and oleophobic
<b>Pipes, pumps, fittings and liners</b>		
- Pipes, pipe plugs, seal glands, pump parts, fasteners, fittings and liners	polymeric PFAS are used for these applications	stable, non-reactive, low surface tension, hydrophobic and oleophobic
- Working fluid for pumps in the electronics industry	stable to reactive gases and aluminium chloride	extremely stable, non-reactive
<b>Plastic and rubber</b>		
- Plastic	polymeric PFAS micropowder as additive ?	?
- Thermoplastic	plasticizer	?
- ABS laminates	contain polymeric PFAS for improved weather resistance	non-reactive, stable
- Bonding of rubber to steel	allow adhesiveless bonding	low surface tension
- Rubber and plastic	antistatic agent	low dielectric constant
<b>Printing (inks)</b>		
- Toner and printer ink	enhance ink flow and levelling, improve wetting, aid pigment dispersion	low surface tension
- Toner and printer ink	impart water resistance to water-based inks	hydrophobic
- Ink-jet recording heads	make them ink repellent	low surface tension
- Recording and printing paper	?	?
- Lithographic printing plates	?	?
<b>Refrigerant systems</b>		
- Refrigerant fluid system	heat transfer fluid	good heat conductivity
- Refrigerant compressor	lubricants	non-flammable
<b>Resins</b>		



<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
<ul style="list-style-type: none"> <li>- Resin</li> <li>- Resin for coating of glass, aluminium or mild steel</li> <li>- Polycarbonate resins</li> <li>- Composite resins</li> <li>- Composite resins</li> </ul>	<ul style="list-style-type: none"> <li>improve weatherability and elasticity</li> <li>water- and oil repellent</li> <li>flame retardant for polycarbonate resins</li> <li>improve wetting of fibres or fillers</li> <li>speed the escape of bubbles trapped in the viscous resin</li> </ul>	<ul style="list-style-type: none"> <li>non-reactive, stable</li> <li>hydrophobic and oleophobic</li> <li>non-flammable</li> <li>low surface tension</li> <li>low surface tension</li> </ul>
<b>Sealants and adhesives</b> <ul style="list-style-type: none"> <li>- Sealants</li> <li>- Silicone rubber seals</li> <li>- Adhesives</li>   <li>- Adhesives</li> </ul>	<ul style="list-style-type: none"> <li>can be made out of polymeric PFAS</li> <li>prevents soiling</li> <li>improve levelling, spreading, and the penetration of the adhesive into the pore structure of the substrates</li> <li>antistatic agent</li> </ul>	<ul style="list-style-type: none"> <li>operate at a wide temperature range, non-reactive, stable</li> <li>low surface tension, hydrophobic and oleophobic</li> <li>low surface tension</li>   <li>low dielectric constant</li> </ul>
<b>Soldering</b> <ul style="list-style-type: none"> <li>- Vapour phase fluids in vapour phase soldering</li> <li>- Fluxing agent in solder paste</li> </ul>	<ul style="list-style-type: none"> <li>heat transfer medium</li> <li>low-foaming noncorrosive wetting agent</li> </ul>	<ul style="list-style-type: none"> <li>good heat conductivity</li> <li>non-reactive, stable, low surface tension</li> </ul>
<b>Soil remediation</b> <ul style="list-style-type: none"> <li>- Vapour barrier material on top of contaminated soil</li> <li>- Surfactants to mobilize pollutants</li> </ul>	<ul style="list-style-type: none"> <li>evaporation retarder</li> <li>surfactants to mobilize soil-bound contaminants in remediation</li> </ul>	<ul style="list-style-type: none"> <li>?</li> <li>stable, non-degradable (during photodegradation)</li> </ul>
<b>Sport article</b> <ul style="list-style-type: none"> <li>- Ski wax</li> <li>- (Sailing) boat equipment</li>   <li>- Tennis rackets</li> <li>- Bicycle</li> <li>- Climbing ropes</li>   <li>- Fishing lines</li> <li>- Golf gloves</li> </ul>	<ul style="list-style-type: none"> <li>highly water repellent</li> <li>weather protection of textiles; anti-fouling protection of ship hulls</li> <li>used in coatings for tennis rackets</li> <li>lubricants</li> <li>provide water repellence, stain resistance and soil release</li>   <li>no water absorption, invisible in water, high knot strength</li> <li>Antifouling protection for the natural sheep leather of the glove</li> </ul>	<ul style="list-style-type: none"> <li>low surface tension, hydrophobic</li> <li>non-reactive, stable, hydrophobic and oleophobic</li>   <li>?</li> <li>hydrophobic</li> <li>low surface tension, hydrophobic</li>   <li>hydrophobic</li> <li>?</li> </ul>
<b>Stone, concrete and tile</b>	<ul style="list-style-type: none"> <li>impart oil and water repellency to the surface; delay oxidation and ageing of surface</li> </ul>	<ul style="list-style-type: none"> <li>low surface tension, hydrophobic and oleophobic</li> </ul>
<b>Textile and upholstery</b> <ul style="list-style-type: none"> <li>- Surface treatment</li>   <li>- Waving yarn</li> </ul>	<ul style="list-style-type: none"> <li>provide water and oil repellence, stain resistance and soil release</li> <li>facilitate waving</li> </ul>	<ul style="list-style-type: none"> <li>low surface tension, hydrophobic and oleophobic</li>   <li>?</li> </ul>
<b>Tracing and tagging</b>		

<b>Use category/subcategory</b>	<b>Function of PFAS</b>	<b>Properties of the PFAS employed</b>
- Tracking air-borne pollutants	tracer in air	non-radioactive, chemically and thermally stable, do not occur naturally, have very low atmospheric background concentrations
- Testing ventilation systems	tracer in air	"
- Mapping gas and petroleum reservoirs	tracer in gas or petroleum	"
- Leak detection in cables, pipelines, landfill waste and underground storage tanks	tracer in leaking material	"
- Tracking of marked items	tracer in the marked item	"
<b>Water and effluent treatment</b>		
- Filter membranes	polymeric PFAS minimize the sorption of compounds to the filter itself	low surface tension
<b>Wire and Cable</b>	provide high-temperature endurance, fire resistance, and high-stress crack resistance	non-flammable, operate at a wide temperature range