

A Proof of $P = NP$

Frank Vega

Information Physics Institute, Miami, Florida, United States; vega.frank@gmail.com

Abstract: The P versus NP problem is a cornerstone of theoretical computer science, asking whether problems that are easy to check are also easy to solve. "Easy" here means solvable in polynomial time, where the computation time grows proportionally to the input size. While this problem's origins can be traced to John Nash's 1955 letter, its formalization is credited to Stephen Cook and Leonid Levin. Despite decades of research, a definitive answer remains elusive. Central to this question is the concept of NP-completeness. If even one NP-complete problem, like SAT, could be solved efficiently, it would imply that all NP problems could be solved efficiently, proving $P=NP$. This research proposes a groundbreaking claim: SAT, traditionally considered NP-complete, can be solved in polynomial time, establishing the equivalence of P and NP.

Keywords: complexity classes; graph; polynomial time; completeness; reduction

1. Introduction

The P versus NP problem is a fundamental question in computer science that asks whether problems whose solutions can be easily checked can also be easily solved [1]. "Easily" here means solvable in polynomial time, where the computation time grows proportionally to the input size [1,2]. Problems solvable in polynomial time belong to the class P, while NP includes problems whose solutions can be verified efficiently given a suitable "certificate" [1,2]. Alternatively, P and NP can be defined in terms of deterministic and non-deterministic Turing machines with polynomial time complexity [1,2].

The central question is whether P and NP are the same. Most researchers believe that P is a strict subset of NP, meaning that some problems are inherently harder to solve than to verify. Resolving this problem has profound implications for fields like cryptography and artificial intelligence [3,4]. The P versus NP problem is widely considered one of the most challenging open questions in computer science. Techniques like relativization and natural proofs have yielded inconclusive results, suggesting the problem's difficulty [5,6].

The P versus NP problem is often described as a "holy grail" of computer science. A positive resolution could revolutionize our understanding of computation and potentially lead to groundbreaking algorithms for critical problems. The problem is listed among the Millennium Prize Problems. While recent years have seen progress in related areas, such as finding efficient solutions to specific instances of NP-complete problems, the core question of P versus NP remains unanswered [3]. A polynomial time algorithm for any NP-complete problem would directly imply P equals NP [7]. Our work focuses on presenting such an algorithm for a well-known NP-complete problem.

2. Background and ancillary results

NP-complete problems are the Everest of computational challenges. Despite the ease of verifying proposed solutions with a succinct certificate, finding these solutions efficiently remains an elusive goal. A problem is classified as NP-complete if it satisfies two stringent criteria within computational complexity theory:

1. **Efficient Verifiability:** Solutions can be quickly checked using a concise proof [7].
2. **Universal Hardness:** Every problem in the class NP can be reduced to this problem without significant computational overhead [7].

The implications of finding an efficient algorithm for a single NP-complete problem are profound. Such a breakthrough would serve as a master key, unlocking efficient solutions for all problems in NP, with transformative consequences for fields like cryptography, artificial intelligence, and planning [3,4].

Illustrative examples of NP-complete problems include:

- **Boolean Satisfiability (SAT) Problem:** Given a logical expression in conjunctive normal form, determine if there exists an assignment of truth values to its variables that makes the entire expression true [8].
- **Boolean 3-Satisfiability (3SAT) Problem:** Given a Boolean formula in conjunctive normal form with exactly three literals per clause, determine if there exists a truth assignment to its variables that makes the formula evaluate to true [8].
- **Not-All-Equal 3-Satisfiability (NAE-3SAT) Problem:** Given a Boolean formula in conjunctive normal form with exactly three literals per clause, decide if there exists a satisfying truth assignment such that each clause has at least one true variable and at least one false variable [8].

The provided examples represent a small subset of the extensively studied NP-complete problems relevant to our current work. The following problems can be solved in polynomial time:

Definition 1. Exact Cover Packing by 2-Sets (X2SCP) Problem

INSTANCE: A universe set U , a collection of $C = S_1, \dots, S_n$ of 2-elements sets with $S_i \subseteq U$ and a positive integer $k \leq n$, where every element in U appears exactly twice in the collection C .

QUESTION: Is there a partition of m sets S'_1, \dots, S'_m with $k \leq m \leq n$ such that $S'_i \cap S'_j = \emptyset$ for $1 \leq i \neq j \leq m$ and $S'_1 \cup \dots \cup S'_m = U$?

REMARKS: By employing matching techniques, both the Set Packing and Exact Cover problems, where each set contains exactly two elements, can be efficiently solved in polynomial time [8].

Definition 2. Edge-Weighted Matching (EWM) Problem

INSTANCE: An undirected graph $G = (V, E)$ with positive integer weights on the edges.

ANSWER: Find a matching of maximum weight. A matching is a subset of edges $E' \subseteq E$ such that no two edges in E' share a common endpoint.

REMARKS: Solvable in polynomial time [9–11].

Formally, a Boolean formula ϕ is composed of:

1. Boolean variables: x_1, x_2, \dots, x_n ;
2. Boolean connectives: Any Boolean function with one or two inputs and one output, such as \wedge (AND), \vee (OR), \neg (NOT), \Rightarrow (IMPLICATION), \Leftrightarrow (IF AND ONLY IF);
3. and parentheses.

A truth assignment for a Boolean formula ϕ is a mapping from the variables of ϕ to the Boolean values $\{true, false\}$. A truth assignment is satisfying if it makes ϕ evaluate to true. A Boolean formula is satisfiable if it has at least one satisfying truth assignment. A literal is a Boolean variable or its negation. A Boolean formula is in Conjunctive Normal Form (CNF) if it is a conjunction (AND) of clauses, where each clause is a disjunction (OR) of one or more literals [7]. The SAT problem asks whether a given Boolean formula in CNF is satisfiable [8]. A 3CNF formula is a CNF formula in which each clause contains exactly three distinct literals [7]. For example, the following formula is in 3CNF:

$$(x_1 \vee \neg x_2 \vee x_3) \wedge (\neg x_1 \vee x_3 \vee x_2) \wedge (\neg x_1 \vee \neg x_3 \vee x_2).$$

The first clause, $(x_1 \vee \neg x_2 \vee x_3)$, contains the three literals x_1 , $\neg x_2$ and x_3 . The version of SAT where formulas are in 3CNF is called 3SAT [7]. We formally define the following problem:

Definition 3. Monotone Not-All-Equal 3-Satisfiability (NAE-3MSAT) Problem

INSTANCE: A Boolean formula in 3CNF with monotone clauses (meaning the variables are never negated).

QUESTION: Is there exists a satisfying truth assignment such that each clause has at least one true variable and at least one false variable?

REMARKS: This problem is complete for NP [12]. Here, the certificate is a valid satisfying truth assignment, meaning it satisfies the NAE-3MSAT condition for each clause.

By presenting the NP-completeness and a polynomial time solution to SAT, we would establish a proof that P equals NP.

3. Main Result

Even though the following reductions are widely known, we will rely on them as supporting results in our analysis [8].

Theorem 1. *The problem SAT can be reduced to 3SAT in polynomial time.*

Proof. We will not delve into the specific steps of this reduction, as it is a standard technique in computer science [7]. To reduce a general SAT instance to a 3SAT formula, we can follow these steps:

1. **Expand Clauses with Few Literals:** To ensure that all clauses contain exactly three literals, we introduce two new variables and expand clauses with at most two literals into clauses with three literals by considering all possible combinations of the new variables, both negated and positive. For instance, consider the two new variables A and B . A single-literal clause (x) can be equivalently expressed as:

$$(x \vee A \vee B) \wedge (x \vee \neg A \vee \neg B) \wedge (x \vee A \vee \neg B) \wedge (x \vee \neg A \vee B).$$

Similarly, a two-literal clause $(x \vee y)$ is equivalent to:

$$(x \vee y \vee A) \wedge (x \vee y \vee \neg A) \wedge (x \vee y \vee B) \wedge (x \vee y \vee \neg B).$$

Note that the same variables A and B are used in both cases.

2. **Identify Long Clauses:** Find all clauses with more than three literals.
3. **Introduce New Variables:** For a clause with n literals (where $n > 3$), introduce $n - 3$ new variables.
4. **Create New Clauses:** Create a chain of clauses with three literals each, using the original literals and the new variables. Ensure that the satisfiability of the original clause is preserved in this chain of new clauses. To exemplify, consider a clause containing four literals, $(x \vee y \vee z \vee w)$. By introducing a single additional variable, D , this clause can be logically represented as the conjunction of the following two clauses:

$$(x \vee y \vee \neg D) \wedge (D \vee z \vee w).$$

By systematically applying this reduction to each clause, we can transform any SAT instance into an equivalent 3SAT formula. This reduction demonstrates that 3SAT is at least as hard as the general SAT problem, and thus, it is an NP-complete problem. \square

Theorem 2. *The problem 3SAT can be reduced to NAE-3SAT in polynomial time.*

Proof. Any 3SAT formula ϕ can be reduced to an equivalent NAE-3SAT instance. We assume that no clause contains a literal and its negation. Such tautological clauses can be removed. We also remove clauses containing literals whose negations do not appear in the 3SAT instance. This reduction involves the following steps:

- **Variable Introduction:**

1. **Global Variable:** Introduce a new variable w that does not appear in ϕ .
2. **Clause Variables:** For each clause $c_i = (x \vee y \vee z)$ in ϕ , introduce a new variable a_i .

- **Clause Construction:**

- **Clause Reduction:** For each clause $c_i = (x \vee y \vee z)$, construct two NAE-3SAT clauses:
 - * $(x \vee y \vee a_i) \wedge (z \vee \neg a_i \vee w)$.

By construction, a satisfying truth assignment for ϕ corresponds to a valid satisfying truth assignment for the NAE-3SAT instance when w is assigned the value false, and vice versa. When w is true, we can obtain a satisfying truth assignment for ϕ by negating all the values in a valid satisfying truth assignment for the NAE-3SAT instance. This reduction demonstrates that NAE-3SAT is NP-complete. \square

Theorem 3. *The problem NAE-3SAT can be reduced to NAE-3MSAT in polynomial time.*

Proof. It is well-known that any Boolean formula ϕ in NAE-3SAT can be reduced to an equivalent NAE-3MSAT instance. This reduction involves the following steps:

- **Variable Introduction:**

1. **Literal Variables:** For each variable x in ϕ , introduce two variables: x_+ representing the positive literal x and x_- representing the negative literal $\neg x$. Additionally, we introduce three new variables a_x , b_x , and c_x for each variable x in ϕ .

- **Clause Construction:**

1. **Clause Reduction:** For each clause $c_i = (x \vee y \vee z)$, construct one NAE-3MSAT clause:
 - $(x_{s_x} \vee y_{s_y} \vee z_{s_z})$, where s_v is $+$ if literal $v \in \{x, y, z\}$ is positive and $-$ otherwise.
2. **Variable Consistency:** For each variable x in ϕ , construct four NAE-3MSAT clauses:
 - $(x_+ \vee x_- \vee a_x)$, $(x_+ \vee x_- \vee b_x)$, $(x_+ \vee x_- \vee c_x)$, and $(a_x \vee b_x \vee c_x)$. These clauses ensure that exactly one of x_+ and x_- is true.

By construction, a valid satisfying truth assignment for ϕ corresponds to a valid satisfying truth assignment for the NAE-3MSAT instance, and vice versa. Thus, this reduction proves that NAE-3MSAT is NP-complete. \square

This is a Main Insight.

Theorem 4. *The problem NAE-3MSAT can be reduced to X2SCP in polynomial time.*

Proof. To better visualize this polynomial time reduction, we will use a graphical representation of the sets involved. To represent a NAE-3MSAT formula ϕ as a collection of sets C over a universe U , we introduce a gadget for each variable x in ϕ . To enforce consistency, we connect all positive literals of a variable x to the logical constraints of the clauses where they appear. This ensures that if a positive literal of x is chosen in one clause, all other positive literals of x must also be selected, effectively "covering" all occurrences of x . The connection between variable x and clauses c_h , c_i , and c_j is illustrated in Figures 1 and 2. These figures correspond to selecting the sets

$$\begin{aligned} & \{\neg x_h, v_{h,i}\}, \{\neg x_i, v_{i,j}\}, \{\neg x_j, v_{j,h}\}, \\ & \{u_{h,i}, x_i\}, \{u_{i,j}, x_j\}, \{u_{j,h}, x_h\}, \\ & \{v_{h,i}, w_{h,j}\}, \{w_{h,j}, u_{i,j}\}, \\ & \{v_{i,j}, w_{i,h}\}, \{w_{i,h}, u_{j,h}\}, \\ & \{v_{j,h}, w_{j,i}\}, \{w_{j,i}, u_{h,i}\}, \end{aligned}$$

after of introducing the new elements $v_{h,i}, v_{i,j}, v_{j,h}, u_{h,i}, u_{i,j}, u_{j,h}, w_{h,j}, w_{i,h},$ and $w_{j,i}$, where dashed vertices correspond to the literals of x that are absent from clauses c_h, c_i, c_j in ϕ .




Figure 1. x -gadget for the occurrences of x in clauses c_h, c_i, c_j of ϕ .




Figure 2. Covering all occurrences of x .

The topology of the gadget ensures consistency. The construction (e.g., Figures 1 and 2) guarantees that if any positive vertex is matched with some vertices outside of the gadget then all negative vertices can only be matched inside this gadget, and vice versa. Thus, the "availability" of a vertex to be matched by an outside vertex corresponds to the truth assignment.

To represent each clause $c_i = (x \vee y \vee z)$ in ϕ , we employ a gadget consisting of three sets: $\{\neg x_i, y_i\}$, $\{\neg y_i, z_i\}$, and $\{\neg z_i, x_i\}$. This gadget, illustrated in Figure 3, is used to encode each clause within the overall construction. By ensuring that exactly one of these sets is chosen, we satisfy the NAE-3MSAT condition for clause c_i . If all variables in c_i have the same truth assignment, none of these sets can be selected. Conversely, if c_i is satisfied under the NAE-3MSAT condition, then exactly one of these sets can be covered.




Figure 3. c_i -gadget corresponding to the clause $c_i = (x \vee y \vee z)$ in ϕ .

A Boolean formula ϕ satisfies the NAE-3MSAT constraints if and only if its corresponding collection of sets C can be partitioned into at least $7 \cdot m$ disjoint sets, where m is the number of clauses

in ϕ . This equivalence follows directly from the construction of C , which is designed to faithfully represent the logical structure of ϕ over the universe U .

The collection of sets C incorporates two types of set:

1. **Variable Sets:** The construction depicted in Figures 1 and 2 enables the selection of two sets for each variable occurrence within a clause of ϕ . Since each clause comprises three distinct variables, there are precisely $6 \cdot m$ such sets.
2. **Clause Sets:** The final step in Figure 3 enforces the NAE-3MSAT condition by requiring each clause in ϕ to choose exactly one set. This guarantees the existence of precisely m clause sets that induce a valid satisfying truth assignment for ϕ .

Hence, a valid satisfying truth assignment for ϕ directly corresponds to a partition of C into at least $7 \cdot m$ disjoint sets: $6 \cdot m$ variable sets and m clause sets. Conversely, any such partition of C can be interpreted as a valid satisfying truth assignment for ϕ . This one-to-one correspondence establishes the equivalence between the valid satisfiability of ϕ and the existence of $7 \cdot m$ disjoint sets in C covering U , where each element in U belongs to exactly two sets in C . \square

This is a key finding.

Theorem 5. $X2SCP \in P$.

Proof. Given an X2SCP instance defined by a universe of elements U and a collection of $C = S_1, \dots, S_n$ of 2-elements sets with $S_i \subseteq U$, where every element in U appears exactly twice in the collection C and the goal is to select at least k mutually disjoint sets from C that cover U , we construct an equivalent EWM instance as follows:

1. Construct an Edge-Weighted Graph:

- **Vertices:**

- Create a vertex for each element $u_i \in U$.
- Create two vertices $S_{j,i}$ and $S_{j,l}$ for each set $S_j = \{u_i, u_l\} \in C$.

- **Edges:**

- For each set $S_j = \{u_i, u_l\} \in C$, create three edges:
 - * An edge between the vertex representing element u_i and the vertex $S_{j,i}$.
 - * An edge between the vertex representing element u_l and the vertex $S_{j,l}$.
 - * An edge between the vertices $S_{j,i}$ and $S_{j,l}$.
- **Weights:** Assign a weight of 1 to all edges.

2. Equivalence of Solutions:

- **X2SCP to EWM:**

- A solution to the X2SCP instance (a set of k disjoint sets covering U) can be directly mapped to a maximum weight matching in the EWM instance with

$$(n - k) + 2 \cdot k = n + k$$

edges: $(n - k)$ representing the uncovered sets and $2 \cdot k$ representing the covered sets.

- For each covered set $S_j = \{u_i, u_l\}$ in the X2SCP solution, select the two corresponding edges in the EWM graph: the edge between u_i and $S_{j,i}$, and the edge between u_l and $S_{j,l}$.
- For each uncovered set $S_j = \{u_i, u_l\}$ in the X2SCP solution, select the single corresponding edge in the EWM graph: the edge between $S_{j,i}$ and $S_{j,l}$.
- Since the X2SCP solution covers all elements in U with disjoint sets, the selected edges in the EWM graph will form a valid matching (no two edges share a common vertex).

- **EWM to X2SCP:**

- A maximum weight matching of $n + k$ edges in the EWM instance corresponds to a solution to the X2SCP instance.
- For each pair of edges $(u_i, S_{j,i})$ and $(u_l, S_{j,l})$ incident in the matching, select the corresponding set S_j in the X2SCP solution.
- Since the selected edges in the EWM graph form a matching, no two selected sets in the X2SCP solution will share an element, ensuring mutual disjointness.
- Since the maximum weight matching covers all element vertices, the selected sets in the X2SCP solution will cover all elements in U .

This construction demonstrates a polynomial-time reduction from X2SCP to EWM. The key observation is that selecting disjoint sets in X2SCP directly translates to finding a maximum weight matching in the constructed graph, and vice versa. This reduction allows us to leverage efficient algorithms for solving the EWM problem to find solutions for the X2SCP problem. \square

This is the Main Theorem.

Theorem 6. $SAT \in P$.

Proof. This follows directly from Theorems 1, 2, 3, 4, and 5. \square

This is the definitive result.

Theorem 7. $P = NP$.

Proof. Cook's Theorem states that every NP problem can be reduced to SAT in polynomial time [8]. Given that SAT is an NP-complete problem, a polynomial time solution for it, as presented here, would directly imply P equals NP. \square

4. Conclusion

A definitive proof that P equals NP would fundamentally reshape our computational landscape. The implications of such a discovery are profound and far-reaching:

- **Algorithmic Revolution.**

- The most immediate impact would be a dramatic acceleration of problem-solving capabilities. Complex challenges currently deemed intractable, such as protein folding, logistics optimization, and certain cryptographic problems, could become efficiently solvable [3,4]. This breakthrough would revolutionize fields from medicine to cybersecurity. Moreover, everyday optimization tasks, from scheduling to financial modeling, would benefit from exponentially faster algorithms, leading to improved efficiency and decision-making across industries [3,4].

- **Scientific Advancements.**

- Scientific research would undergo a paradigm shift. Complex simulations in fields like physics, chemistry, and biology could be executed at unprecedented speeds, accelerating discoveries in materials science, drug development, and climate modeling [3,4]. The ability to efficiently analyze massive datasets would provide unparalleled insights in social sciences, economics, and healthcare, unlocking hidden patterns and correlations [3,4].

- **Technological Transformation.**

- Artificial intelligence would be profoundly impacted. The development of more powerful AI algorithms would be significantly accelerated, leading to breakthroughs in machine learning, natural language processing, and robotics [3,4]. While the cryptographic landscape would face challenges, it would also present opportunities to develop new, provably secure encryption methods [3,4].

- **Economic and Societal Benefits.**

- The broader economic and societal implications are equally significant. A surge in innovation across various sectors would be fueled by the ability to efficiently solve complex problems. Resource optimization, from energy to transportation, would become more feasible, contributing to a sustainable future [3,4].

In conclusion, a proof of $P = NP$ would usher in a new era of computational power with transformative effects on science, technology, and society.

References

1. Cook, S.A. The P versus NP Problem, Clay Mathematics Institute. <https://www.claymath.org/wp-content/uploads/2022/06/pvsnp.pdf>, 2022. Accessed December 12, 2024.
2. Sudan, M. The P vs. NP problem. <http://people.csail.mit.edu/madhu/papers/2010/pnp.pdf>, 2010. Accessed December 12, 2024.
3. Fortnow, L. Fifty years of P vs. NP and the possibility of the impossible. *Communications of the ACM* **2022**, *65*, 76–85. doi:10.1145/3460351.
4. Aaronson, S. $P \stackrel{?}{=} NP$. *Open Problems in Mathematics* **2016**, pp. 1–122. doi:10.1007/978-3-319-32162-2_1.
5. Baker, T.; Gill, J.; Solovay, R. Relativizations of the $P = ? \mathcal{N}P$ Question. *SIAM Journal on Computing* **1975**, *4*, 431–442. doi:10.1137/0204037.
6. Razborov, A.A.; Rudich, S. Natural Proofs. *Journal of Computer and System Sciences* **1997**, *1*, 24–35. doi:10.1006/jcss.1997.1494.
7. Cormen, T.H.; Leiserson, C.E.; Rivest, R.L.; Stein, C. *Introduction to Algorithms*, 3rd ed.; The MIT Press, 2009.
8. Garey, M.R.; Johnson, D.S. *Computers and Intractability: A Guide to the Theory of NP-Completeness*, 1 ed.; San Francisco: W. H. Freeman and Company, 1979.
9. Karp, R.M.; Upfal, E.; Wigderson, A. Constructing a perfect matching is in random NC. *Combinatorica* **1986**, *6*, 35–48. doi:10.1007/BF02579407.
10. Galil, Z. Efficient algorithms for finding maximum matching in graphs. *ACM Computing Surveys (CSUR)* **1986**, *18*, 23–38. doi:10.1145/6462.6502.
11. Greenlaw, R.; Hoover, H.J.; Ruzzo, W.L. *Limits to Parallel Computation: P-Completeness Theory*; Oxford University Press, USA, 1995.
12. Schaefer, T.J. The complexity of satisfiability problems. STOC '78: Proceedings of the tenth annual ACM symposium on Theory of computing, 1978, pp. 216–226. doi:10.1145/800133.804350.