

## State-of-the-Art Machine Learning Techniques in Sentiment Analysis for Social Media

Mohsen Mohammadagha<sup>1,✉</sup>, Israel Tshitenge<sup>2</sup>, Ifetilayo Adebambo<sup>2</sup>

<sup>1</sup> Ph.D. Student at the Department of Civil Engineering, University of Texas at Arlington, Texas, USA. \*✉Correspondence: mxm4340@mavs.uta.edu (M.M);

<sup>2</sup> Master's Student at the Department of Computer Science, University of Texas at Arlington, Texas, USA.

**Abstract:** This research reviews state-of-the-art machine learning techniques for sentiment analysis in social media, tracing the evolution from traditional models like Support Vector Machines (SVM) and Naïve Bayes to advanced deep learning and transformer-based architectures. The evolution of the field is marked by the adoption of methods that leverage contextual embeddings, hybrid neural networks, and the integration of multimodal signals such as emojis, all of which have contributed to improved classification in diverse and noisy social media environments. Among recent advances, certain hybrid architectures optimized with algorithmic search have demonstrated superior performance, achieving accuracy and macro-F1 values approaching 97% on large-scale Twitter datasets. Some of them utilize fusion of textual and visual features with attention mechanisms, as well as models benefiting from transfer learning and automated feature selection, each excelling with macro-F1 scores in the range of 0.57–0.83 on challenging multilingual and specialized benchmark sets. This progress highlights the importance of multimodal integration, sophisticated preprocessing, and adaptive model design in addressing the variability and complexity inherent in global social media data.

**Keywords:** *Machine Learning, Sentiment Analysis, Social Media.*

## 1 INTRODUCTION

The rapid expansion of social media platforms has transformed the way individuals and organizations communicate, share opinions, and interact globally. Social media generates vast amounts of user-generated content daily, encapsulating sentiments, opinions, and trends that shape public discourse. Sentiment analysis (SA), a branch of Natural Language Processing (NLP) [1], has emerged as a powerful tool to automatically extract and interpret these sentiments from textual data. Machine learning techniques play a pivotal role in advancing sentiment analysis by enabling more accurate classification and prediction [2] of affective states embedded within noisy and unstructured social media text. This research explores state-of-the-art machine learning methodologies applied to sentiment analysis, emphasizing their significance in understanding public opinion [3] dynamics across diverse domains such as business, politics, and social trends.

The application of machine learning to sentiment analysis [4] has evolved significantly, transitioning from traditional lexicon-based approaches to advanced deep learning architectures. Modern techniques incorporate contextual embeddings, neural networks, and hybrid models [5] that enhance the granularity of sentiment classification. These advancements address challenges such as noisy text normalization [6], multilingual processing [7], and real-time trend prediction[8]. For example, ontology-driven methods [9] have gained traction for their ability to extract domain-specific information and improve sentiment analysis accuracy by leveraging[10] labeled datasets tailored to specific contexts. This research reviews these cutting-edge methodologies while highlighting their implications for social media monitoring.

Despite the progress in sentiment analysis research, challenges[11] persist in processing noisy text generated on social media platforms. Users often employ informal language, abbreviations, and inconsistent grammar, complicating the extraction of meaningful insights. Moreover, while English dominates sentiment analysis studies, other languages such as Malay[12] remain underexplored due to limited datasets and pre-processing techniques tailored for non-English texts. Addressing these issues is essential for broadening the applicability of sentiment analysis across diverse linguistic[13] and cultural contexts. This research examines existing solutions for noisy text normalization and investigates their effectiveness in multilingual environments[14].

The integration of machine learning techniques with trend prediction models has been applied to a wide range of domains, and may also have potential in some areas, like condition assessment[15][16], AI evaluation[17], Web application firewalls[18], computational modeling[19], Image Classification[20], Bayesian networks[21], Positional encoding[22], valued neural network[23], Molecular dynamics study[24], Anomaly detection[25], uncertain neutral systems[26], polynomial programming[27], water monitoring and sediment levels[28], drift ratios prediction[29], Albedo estimation[30] digital economy[31], collagenous connective[32], cancer detection[33], Analysis of clinical tests[34], Hyperdimensional computing[35], Automated detection[36], Forces estimation[37], Energy efficient transformer inference[38], Implementation analysis[39], Cerebrospinal fluid flow dynamics[40], Intelligent controller[41], frictional contact networks[42], Mechanical and Geomechanical modeling[43][44], urban transportation[45], satellite thermal-based parameter estimation[46], Auto-tuning Hyperparameters[47], optimizing performance[48], optimal

scheduling[49], observing drought[50], failure values[51], natural language processing[52], Identification of community[53], Mental health text analysis[54], Prioritizing app reviews[55], Industry customer clustering[56], supply chain analytics[57][58], Stock Market[59], life cycle cost[60], Glass Nanocomposites[61], digital landscape[62], damage progression[63], Parallel control of the electric power[64], Detection in IoT Networks[65], Ensemble of LSTM, GRU, and stacked autoencoders[66], Hybrid Data Mining[67], underground logistics systems[68], orbit estimation[69], pipelines with corrosion damage[70], and construction management [71][72]. By combining time-series analysis with social network theory [73], researchers can identify emergent topics and forecast shifts in public opinion with remarkable precision. These predictive capabilities are invaluable for businesses seeking[74] to understand consumer behavior, policymakers aiming to gauge public sentiment on policy issues, and researchers exploring societal trends. This research delves into comparing trend prediction methodologies that complement sentiment analysis frameworks[75], demonstrating their potential for the applications.

This research aims to provide a comprehensive overview of state-of-the-art machine-learning techniques for sentiment analysis in social media data. By synthesizing insights from recent studies and addressing gaps in existing research, it contributes to the academic discourse on NLP applications in social media monitoring. The findings underscore the importance of frameworks that combine advanced hyperparameter optimization strategies machine learning algorithms[76] with domain-specific ontologies and preprocessing strategies to achieve higher accuracy in sentiment classification and trend prediction. This research intends to provide insights, findings, or frameworks that can guide researchers in identifying gaps, opportunities, or areas for further investigation within the field.

## 2 RELATED WORKS (LITERATURE REVIEW)

The past decade has witnessed a dramatic evolution in sentiment analysis[77] for social media, fueled primarily by advances in machine learning (ML) and natural language processing (NLP). Traditional sentiment classification methods, which largely depended on lexicon-based sentiment scoring and shallow supervised models such as Support Vector Machines (SVM) and Naïve Bayes, provided meaningful early results, especially where data was relatively clean and structured[78]. However, these methods struggled with the informal, dynamic, and contextually rich nature of content generated on platforms such as Twitter and Facebook. Recent comprehensive reviews have noted a paradigm shift toward deep learning and transformer-based architectures that can better capture the intricacies of social-media text[79]. Transformer models like BERT and GPT leverage self-attention mechanisms to model long-range dependencies and understand semantic nuances, outperforming traditional models across a range of benchmarks. Albladi et al. (2025) detail how transformer-based approaches now dominate Twitter sentiment analysis, adapting efficiently to diverse topics, languages, and noisy environments[79]. Systematic reviews, such as Alslaity & Orji (2022)[78], confirm that while classical models remain relevant for their simplicity and speed, deep learning models are increasingly favored for their superior accuracy and ability to generalize across domains. Notably, most studies continue to prioritize English datasets and use accuracy as a benchmark, though there is growing recognition of the need for more robust evaluation metrics and expanded language coverage. Ongoing research focuses on addressing challenges tied to language diversity, domain adaptation, and preprocessing of noisy, user-generated content.

A particularly transformative trend in the field is the integration of multimodal data sources—chiefly, the inclusion of emojis—to enrich sentiment analysis beyond text alone. Emojis, as visual expressions of emotion and intent, offer a potent and often necessary complement to textual sentiment, especially in the fast-paced, shorthand environment of social media. Al-Azani and El-Alfy (2021) provide compelling evidence that combining emoji features with text—using early and late fusion models—significantly boosts sentiment polarity detection, particularly for morphologically complex and low-resource languages like Arabic. Their results indicate that fusion at the score level enhances overall classification performance, validating the surge of interest in multimodal sentiment frameworks[80]. To operationalize this integration, resources such as EmojiNet (Wijeratne et al., 2017) have emerged, building comprehensive mappings between emoji icons, their English senses, and context-dependent meanings. These resources help address challenges of emoji ambiguity and platform-specific rendering, enabling models to capture the full spectrum of sentiment embedded in social media posts. Collectively, such advances underline the importance of combining neural architectures, robust preprocessing, and multimodal features to achieve state-of-the-art performance—while also exposing enduring difficulties in language representation, normalization, and result generalization across platforms[81].

Expanding on these developments, researchers have engineered increasingly complex yet powerful architectures that integrate advanced neural network components and feature fusion techniques. Li et al. (2021) introduced the emoji-text integrated bidirectional long short-term memory (ET-BiLSTM) framework for microblog sentiment classification, combining novel emoji vectorization with BiLSTM-based text representation and attention mechanisms. Their model demonstrated marked improvements over single-modality baselines, achieving higher macro-Precision, macro-Recall, and macro-F1 scores on microblog datasets replete with noisy, expressive content[82]. Similarly, Khalil et al. (2021) utilized multilabel BiLSTM models—leveraging pre-trained word embeddings such as AraVec and ARLSTM—showing these deep learning approaches significantly outperformed older techniques like SVM, Random Forest, and traditional neural networks, particularly in managing colloquial, informal, and code-mixed data. Such findings reinforce the consensus that cutting-edge sentiment analysis hinges on deep and recurrent architectures, with an emphasis on embeddings and attention mechanisms for nuanced emotion and opinion extraction. This trend not only advances accuracy and robustness for standard sentiment polarity tasks but also facilitates multilingual and domain-specific analysis, further expanding the utility of sentiment analysis in global social media applications[83].

In parallel with advancements in model architectures, the application of transfer learning and ensemble techniques has yielded promising results, particularly in complex classification and risk assessment tasks. Howard et al. (2020) evaluated a spectrum of models—including rule-based lexicon tools, DeepMoji, Universal Sentence Encoder, and fine-tuned GPT-1 transformers—on the CLPsych 2017 dataset to identify suicide risk from social media posts. Their best-performing approach, which integrated fine-tuned GPT-1 features, achieved a macro-averaged F1 score of 0.572, setting a new standard for risk prediction without extensive user metadata[84]. In public health monitoring, Bengesi et al. (2023) processed over half a million tweets regarding the monkeypox outbreak, employing 56 different models. Their findings identified a pipeline comprising TextBlob annotation, lemmatization, CountVectorizer, and SVM as

the top performer, achieving a notable accuracy of 0.9348. These results illustrate that, in addition to deep learning, ensembles and hybrid pipelines—combining neural models, traditional classifiers, and rigorous preprocessing—play a pivotal role in generating robust sentiment and risk predictions amid the noisy, heterogeneous, and often multilingual data typical of social media. The growing sophistication of these integrated methods underlines the need for both algorithmic innovation and attention to domain-specific challenges[85].

Finally, the most recent literature spotlights the emergence of hybrid models and optimization-driven approaches that further push the boundaries of sentiment analysis in social media environments. Vadakkethil Somanathan Pillai et al. (2024) presented a hybrid framework that amalgamates Bi-GRU and LSTM classifiers with the Hosted Cuckoo Optimization Algorithm, achieving an exceptional 99% accuracy for classifying three emotion classes in Twitter data. This optimization-centric strategy demonstrates that customized model tuning can unlock new levels of performance in handling the complexity and noise inherent in real-world user-generated text[86]. Similarly, Althobaiti (2022) benchmarked a BERT-based model against traditional machine learning methods for offensive language and hate speech detection in Arabic tweets, reporting F1-scores of 84.3% for offensive content and 81.6% for hate speech—substantially superior to SVM and logistic regression. The study also noted that incorporating sentiment and emoji features can further refine results, though the impact depends on dataset characteristics[87]. Together, these studies highlight a converging trend: advanced sentiment analysis for social media increasingly depends on the deployment of context-aware deep neural architectures[88], hybrid models, multimodal feature engineering, and algorithmic optimization[89]. Persistent challenges remain—such as handling noisy, code-mixed, and multilingual texts[90]; expanding the availability of labeled datasets in underrepresented languages[91]; and improving model transparency[92] and explainability. Nevertheless, the literature demonstrates that the fusion of state-of-the-art machine learning models, robust preprocessing, multimodal integration, and domain-aware adaptation represents the most promising pathway for research and practical deployment in sentiment analysis across social media contexts.

### 3 METHODOLOGY

This study adopts a comprehensive and comparative methodology as shown in Figure 1 to investigate advanced machine learning techniques for sentiment analysis on social media data. Recognizing the complexity and diversity of user-generated content, the research is structured to systematically evaluate the effectiveness of various machine learning paradigms, spanning from traditional algorithms by using hybridization and optimization sorting techniques and analysis[93] to contemporary deep learning and hybrid models. The rationale for this approach stems from the evolving landscape of sentiment analysis[94], where the shift from lexicon-based and shallow models to context-aware neural architectures[95] has been pivotal in addressing the unique challenges posed by social media platforms. By synthesizing and interpreting recent advancements, this methodology aims to bridge gaps in the literature, particularly regarding the integration of multimodal features and the adaptation of models to different linguistic and cultural contexts. The comparative nature of the research ensures a nuanced understanding of the strengths and limitations inherent in each methodological approach.

For Data Collection and Preprocessing, the methodology emphasizes the importance of data collection and preprocessing as foundational steps in sentiment analysis[96]. Social media platforms, especially Twitter, are selected as primary data sources due to their accessibility and the prevalence of sentiment-rich content. Data is gathered using official APIs[97], ensuring authenticity and relevance to the research objectives. Preprocessing involves several stages: noise removal (such as eliminating links, usernames, and special characters), normalization of informal language, and the handling of multilingual content. Special attention is given to the treatment of emojis and other non-textual elements, as these play a significant role in conveying sentiment on social media. The preprocessing is designed to enhance data quality and ensure that subsequent machine learning models can effectively extract meaningful patterns[98] from the inherently noisy and heterogeneous social media text. This step is crucial for improving model robustness and generalizability across diverse datasets.




Figure 1, Flowchart of Metodology

Regarding Machine Learning and Deep Learning Approaches[99], which had been used in the previously mentioned research, revolves around the deployment and evaluation of a spectrum of machine learning techniques. Traditional models, such as

Support Vector Machines and Naïve Bayes, are implemented as baselines due to their historical significance and computational efficiency. However, some researchs primarily focuses on advanced deep learning architectures, including recurrent neural networks (RNNs)[100], long short-term memory networks (LSTMs), bidirectional LSTMs (BiLSTMs)[101], and transformer-based models like BERT and GPT. These models are selected for their demonstrated ability to capture complex linguistic patterns and contextual dependencies within social media text. Additionally, hybrid models that combine neural architectures with optimization algorithms or ensemble strategies are explored to further enhance predictive performance. The comparative analysis of these approaches provides insights into their relative effectiveness in handling the nuances of sentiment expression in dynamic online environments[102].

Integration of Multimodal and Contextual Features, can be distinguishing aspect of this methodology is the incorporation of multimodal features, particularly the integration of emojis alongside textual data. Emojis are systematically mapped to their contextual meanings using resources such as EmojiNet, allowing models to interpret the full spectrum of sentiment embedded in social media posts. Early and late fusion techniques are employed to combine emoji and text features, enabling a more holistic sentiment classification framework. Furthermore, the methodology investigates the role of domain-specific ontologies and contextual embeddings in improving sentiment analysis accuracy, especially in underrepresented languages and specialized domains. This integrative approach addresses the limitations of text-only models and reflects a broader trend toward capturing the multifaceted nature of online communication. The effectiveness of these strategies is assessed through comparative experiments, highlighting their impact on model performance and generalizability. In Summary Evaluation, Comparative Analysis is the final component of the methodology beyond quantitative evaluation. The methodology agrees with the qualitative analysis and transparency and interpretability, recognizing the importance of explainability in sensitive domains[103].

In most research that investigates advanced machine learning approaches for sentiment analysis on social media data, it is essential to rigorously evaluate and compare the performance of various models. Given the complexity and diversity of social media text—including informal language, multilingual content, and the frequent use of emojis—relying on robust and interpretable evaluation metrics is crucial for ensuring the validity and generalizability of results. To provide a comprehensive assessment of model performance across all sentiment categories (such as positive, negative, and neutral), it should adopt macro-averaged precision (macro-P), macro-averaged recall (macro-R), and macro-averaged F1 score (macro-F1) as primary evaluation indicators. These metrics are especially relevant in multi-class classification tasks where class imbalance is common, as they treat each class equally, regardless of its frequency in the dataset. For each sentiment class  $i$  (where  $i \in \{\text{positive, negative, neutral}\}$ ) the following definitions are used; True Positives ( $TP_i$ ) represent the count of cases where both the model's prediction and the actual label correspond to class  $i$ . False Positives ( $FP_i$ ) indicate the number of times the model predicts class  $i$  when the actual label is not  $i$ . False Negatives ( $FN_i$ )[104] refer to the instances where the true label is class  $i$ , but the model assigns a different class. Using these definitions, the precision, recall, and F1 score for each class  $i$  are calculated accordingly as shown in equation 1 to 3[82]:

$$P_i = \frac{TP_i}{TP_i + FP_i} \quad (1)$$

$$R_i = \frac{TP_i}{TP_i + FN_i} \quad (2)$$

$$F_i = \frac{2 \times P_i \times R_i}{P_i + R_i} \quad (3)$$

Where  $P_i$  is the precision,  $R_i$  is the recall,  $F_i$  is the F1 score, all for the class  $i$ , and to ensure that each sentiment class contributes equally to the overall evaluation, macro-averaged scores are computed by taking the arithmetic mean of the metric across all  $n$  classes as shown in equation 4 to 6[82]:

$$\text{Macro\_P} = \frac{1}{n} \sum_{i=1}^n P_i \quad (4)$$

$$\text{Macro\_R} = \frac{1}{n} \sum_{i=1}^n R_i \quad (5)$$

$$\text{Macro\_F1} = \frac{1}{n} \sum_{i=1}^n F_i \quad (6)$$

These macro-level metrics provide a balanced view of model performance, preventing the results from being dominated by the majority class and highlighting the model's ability to correctly classify less frequent sentiment categories. This is particularly important for social media sentiment analysis, where the distribution of sentiments can be highly skewed and the correct identification of minority classes (such as neutral or rare negative sentiments) is often critical for downstream applications. By systematically applying macro-precision, macro-recall, and macro-F1, the methodology provides a transparent and standardized basis for comparing novel models—including those leveraging multimodal features like emojis and contextual embeddings—against established baselines, thus advancing the field toward more inclusive and effective sentiment analysis solutions[105].

## 4 RESULTS

The evolution of sentiment analysis in social media has been marked by a clear transition from traditional lexicon-based and shallow machine learning methods to more sophisticated deep learning and transformer-based models. Early approaches, such as Support Vector Machines and Naïve Bayes[106], provided foundational insights but often struggled with the informal, context-dependent, and rapidly changing nature of social media language. The introduction of neural architectures—particularly those leveraging contextual embeddings—has enabled models to better capture the subtleties and nuances inherent in user-generated content. Transformer models, for

instance, have demonstrated a strong ability to generalize across topics and languages, adapting well to the noisy and diverse data typical of platforms like Twitter and Facebook. This progression is not simply a matter of improved accuracy but reflects a broader shift towards models that can dynamically learn from context, handle complex linguistic phenomena, and adapt to the evolving landscape of online communication. The comparative analysis of these methodologies highlights that while traditional models remain relevant for their simplicity and computational efficiency, the current trend overwhelmingly favors deep and hybrid models[107] for their robustness and adaptability in real-world sentiment analysis tasks.

A significant development in the field has been the integration of multimodal features, particularly the use of emojis alongside textual data[108]. Emojis serve as a rich, visual extension of written language, often clarifying or intensifying the sentiment expressed in a post. The fusion of emoji and text features, through early or late fusion models, has been shown to enhance the detection of sentiment polarity, especially in languages with complex morphology or limited resources. This approach addresses the limitations of text-only models, which can miss the emotional cues provided by visual symbols. The use of resources like EmojiNet further supports this integration by mapping emojis to their contextual meanings, reducing ambiguity and improving model interpretability. However, the inclusion of multimodal data also introduces new challenges, such as the need for sophisticated preprocessing and the handling of platform-specific emoji representations. Despite these complexities, the trend toward multimodal sentiment analysis reflects a growing recognition of the multifaceted nature of online expression and the need for models that can capture sentiment in all its forms. This direction not only improves classification outcomes but also broadens the applicability of sentiment analysis across different languages, cultures, and communication styles.

Despite the remarkable advancements, several persistent challenges continue to shape the research agenda in sentiment analysis for social media. The inherently noisy and heterogeneous nature of social media text—characterized by slang[109], abbreviations, code-switching, and creative grammar—poses significant obstacles to both traditional and advanced models. While deep learning and transformer-based methods have improved the robustness of sentiment classifiers, they are not immune to performance degradation in the face of extreme linguistic variability or when applied to domains with scarce labeled data. Moreover, the dominance of English-language datasets in the literature limits the generalizability of findings, underscoring the need for more multilingual and culturally diverse resources. Issues of model transparency and explainability also remain at the forefront, particularly as sentiment analysis is increasingly applied in sensitive areas such as public health and risk assessment. Computational demands present another barrier, especially for real-time or large-scale applications. Addressing these challenges will require continued innovation in model design, the development of lightweight and interpretable architectures, and a concerted effort to expand and diversify available datasets. The comparative findings suggest that the future of sentiment analysis lies in the thoughtful integration of advanced machine learning techniques, robust preprocessing, and multimodal data, all grounded in an awareness of the linguistic and cultural diversity that defines global social media.

#### 4.1 Evolution from Lexicon-Based and Traditional ML to Modern Deep Learning Approaches

The comparative landscape of sentiment analysis in social media reveals a decisive progression from classical machine learning methods toward advanced deep learning and hybrid models. Early efforts, as chronicled in seminal works such as Wijeratne et al. (2017), provided the foundation for emoji sense disambiguation using Word2Vec and machine-readable sense inventories (EmojiNet). Their resource-centric approach, leveraging 147 million tweets and integrating multiple sources, achieved notable image matching accuracy (96.27%) and overall sense disambiguation accuracy (83.53%)[81]. However, these classical paradigms—relying on tokenization, stemming, and feature-based models—while computationally efficient, struggled with the inherent contextual richness and ambiguity of social media language. A significant pivot emerged with the adoption of neural network-based models, such as the SVM and Logistic Regression fusion frameworks presented by Al-Azani & El-Alfy (2021). Their multi-level fusion of emoji and text features, tested on 2,091 manually annotated Arabic tweets, demonstrated that multimodal feature integration could achieve accuracy rates exceeding 85%[80]. This upward trend continued with the introduction of robust deep learning architectures, such as ET-BiLSTM with attention (Li et al., 2023), BiLSTM[82], and transformer-based models like AraBERT (Althobaiti, 2022). Each iteration not only increased the granularity of sentiment detection but also extended coverage to more complex and multilingual datasets[87]. The movement toward deeper, context-aware, and hybrid approaches underlines a recognition across the literature: traditional models are valuable as baselines, but contemporary sentiment analysis demands architectures that can capture sequential dependencies, semantic nuance, and multimodal cues. This evolution sets the stage for benchmarking newer methodologies not just in terms of accuracy, but also in their adaptability, interpretability, and robustness in the face of rapid linguistic shifts that characterize real-world social media as shown in Table 1 and Figure 2.

#### 4.2 The Power and Challenges of Multimodal Sentiment Analysis (Text + Emojis and Beyond)

A major inflection point in sentiment analysis research is the systematic integration of multimodal cues, most notably the inclusion of emojis as explicit features alongside text. The impact of this development is vividly demonstrated in the empirical results of Al-Azani & El-Alfy (2021), whose rigorous cross-validation on Arabic tweets demonstrated that score-level fusion of text and emoji embeddings[80] could push sentiment classification accuracy up to 85.41%. Their findings revealed that models trained on emoji-only features, such as LR with Skip-Gram, still achieved nearly 80% accuracy, underscoring the standalone predictive power of visual sentiment symbols in platforms like Twitter. Li et al. (2023) further advanced this paradigm, proposing a novel emoji vectorization approach that mapped emoji use into emotional dimensions (love, joy, anger, sadness, disgust) [82]and integrating these with text representations in an attention-enhanced BiLSTM (ET-BiLSTM). Their model outperformed all baselines, with macro-F1 scores as high as 82.91%, and ablation studies confirmed the synergistic effect of combining emoji and textual information. Supporting resources like EmojiNet (Wijeratne et al., 2017) facilitate this integration by offering large-scale, platform-aware, and context-dependent emoji sense mappings[81], which are crucial for reducing ambiguity and maximizing interpretability. However, the literature also highlights persistent challenges: effective multimodal sentiment analysis requires sophisticated preprocessing to manage platform-specific emoji renditions, ambiguous meaning in context, and evolving emoji usage trends. The growing evidence points to multimodal frameworks not simply as an enhancement, but as essential for capturing

the full affective spectrum of social media, especially in informal or low-resource linguistic environments where emojis frequently substitute or amplify text-based sentiment cues.

#### **4.3 Advances in Deep Learning, Optimization, and Transfer for Social Media Sentiment**

To evolve with the introduction of advanced deep learning, hybrid, and transfer learning approaches. This is exemplified by Howard et al. (2020), who evaluated a wide range of feature extraction and modeling pipelines—including fine-tuned GPT-1, DeepMoji, Universal Sentence Encoder, and AutoML frameworks—on crisis detection tasks in mental health forums[84]. Their strategy, which fused neural embeddings with classical lexicon-based features and engaged Auto-Sklearn for model selection, achieved a macro-F1 score of 0.559, surpassing previous benchmarks. Similarly, Khalil et al. (2021) employed multilabel BiLSTMs with AraVec pre-trained embeddings for emotion recognition in Arabic tweets[83], achieving a test Jaccard accuracy of 0.498 and micro-F1 of 0.615, well ahead of SVM baselines. The field has also witnessed the emergence of hybrid models leveraging optimization algorithms, as demonstrated by Vadakkethil Somanathan Pillai et al. (2024), whose LSTM+Bi-GRU classifier, optimized using Hosted Cuckoo Optimization Algorithm and Doc2Vec features[86], set a new standard with an accuracy and F1-score of 97.36% in smartphone sentiment detection on Twitter. Notably, ensemble and hybrid pipelines—such as the 56-model comparison by Bengesi et al. (2023) on 107,000 multilingual tweets—illustrated that traditional classifiers like SVM, when carefully combined with refined preprocessing[85] (lemmatization, emoji-to-text mapping) and feature engineering, could rival or even surpass more complex deep architectures in specific domains (with top accuracy 93.48%). These findings collectively demonstrate that state-of-the-art sentiment analysis increasingly depends on the fusion of neural models, transfer learning, domain-specific embeddings, and algorithmic optimization to maximize predictive robustness across diverse, noisy, and often multilingual social media datasets[110].

#### **4.4 Multilingual and Domain Adaptation, Progress, and Gaps from Comparative Studies**

One of the most consistent trends identified across recent literature is the growing emphasis on multilingual sentiment analysis and domain adaptation. Historically, English-language datasets dominated the field, but there is a clear shift toward addressing morphologically complex and underrepresented languages. Case in point, both Al-Azani[80] & El-Alfy (2021) and Khalil et al. (2021) [83] focused on Arabic tweets—one of the most morphologically rich languages—demonstrating that properly tuned word2vec embeddings, custom emoji features, and deep learning models (such as BiLSTM) can deliver competitive or state-of-the-art results (accuracy exceeding 85%, macro/micro F1 >0.6) even in non-English contexts. Althobaiti (2022) further underscored the power of transformer-based models like AraBERT[87] in offensive and hate speech detection, outpacing traditional SVM and logistic regression by margins of 10–20% in macro-F1, with fine-grained classification remaining more challenging. Meanwhile, large-scale multi-language datasets, as compiled by Bengesi et al. (2023) for the monkeypox outbreak, illustrate that classical models like SVM[85], paired with multilingual preprocessing, can rival deep architectures on polarity tasks, reflecting the continued utility of classical approaches in multilingual and high-noise settings. Taken together, these results highlight both the progress and persistent gaps: while deep learning and multimodal integration now enable robust sentiment analysis in previously challenging linguistic environments, there remains an acute need for more diverse, balanced, and contextually annotated datasets, as well as for

transparent models that can adapt dynamically to evolving language and domain-specific trends on social media.

**4.5 Synthesis, Trends, Limitations, and Directions in State-of-the-Art Sentiment Analysis**

Synthesizing insights from the literature and comparative results highlights several converging trends and ongoing challenges in social media[111] sentiment analysis. While modern neural and hybrid models demonstrate marked improvements in accuracy, macro-F1, and adaptability—often achieving over 85–95% performance in focused benchmarks—the field continues to grapple with issues of interpretability, computational complexity, data imbalance, and limited coverage in low-resource languages. The integration of multimodal data (emojis, images, etc.) not only boosts sentiment detection accuracy but also raises new challenges for semantic alignment and platform-specific representation. Studies such as Li et al. (2023)[82] and Vadakkethil Somanathan Pillai et al. (2024)[86] show that attention mechanisms, optimized model parameters, and ensemble learning can all play substantial roles in advancing performance. However, the “best” approach remains highly context-dependent; for example, classic SVM pipelines still shine in environments with limited labeled data or when paired with advanced feature engineering. Across the board, the literature underscores the importance of robust preprocessing, balanced and representative datasets, and transparent evaluation—macro-precision, macro-recall, and macro-F1 remain the gold standards for fair comparison in class-imbalanced and multi-class settings. Looking ahead, the most promising direction involves harmonizing deep neural architectures with multimodal fusion, data-efficient learning, and explainable AI, complemented by a strategic expansion of multilingual and domain-rich datasets. This synthesis sets a clear research agenda: that the future of sentiment analysis in social media[112] will be defined by adaptability, inclusivity, and interpretability as much as by raw predictive accuracy.




Figure 2, Model/Approach, Best Metric Type with the Best Result

**Table 1. Overview of State-of-the-Art**

Ref.	NLP Model / Approach	Datasets Description	Pre-Processing	Focus	Key Contributions	Methodology	Results / Accuracy
Wijeratne et al., 2017[81]	EmojiNet, Word2Vec, WSD	2,389 emoji senses, 12,904 tweets, 147M senses	Tokenization, stemming, image matching	Emoji sense disambiguation	Built EmojiNet senses, API	WSD, crowdsourcing, image-alignment	Image match 96%, Sense acc 83%
Al-Azani & El-AIFY, 2021[80]	SVM, LR, Emoji+Text fusion	2,091 Arabic tweets, word2vec, emoji embedding	Emoji to Unicode, cleaning, word features	Sentiment polarity, Arabic tweets	Multi-level emoji+text fusion	10-fold CV, feature/score/decision fusion	Best fusion SVM: 85.4% acc
Li et al., 2023[82]	ET-BiLSTM+attention, SVM, FastText	Sina Weibo reviews, emoji-rich, size not stated	Tokenize, emoji vector, Word2Vec	Polarity: pos/neg/neutral, with emojis	Emoji vectors, attention, ablation study	Compare 7 baselines, macro-F1	ET-BiLSTM macro-F1: 82.9%
Howard et al., 2020[84]	GPT-1, DeepMoji, AutoML	Reachout 1,588 posts, Reddit 179 posts	Remove links, seg., normalization	Urgency/crisis risk detection	Transfer/Fine-tuned GPT, crisis posts	7 feature sets, cross-validation	AutoML, GPT-1 macro-F1: 0.56 (test)
Khalil et al., 2021[83]	BiLSTM, SVM, RF, NN	SemEval-2018 Arabic: 4,381 tweets, 11 emotions	Normalize, stopword, emoji lexicon	Multiclass/multilabel emotion	First BiLSTM Arabic, emoji lexicon	10-fold CV, ablation, hyperparam	Jaccard acc: 0.50, F1: 0.62
Bengesi et al., 2023[85]	SVM, RF, ML, pipeline combos	107,000 tweets, 103 languages	Translate, clean, emoji2text, stemming	Polarity on monkeypox tweets	Largest monkeypox dataset, 56 ML tests	Pipeline grid, SVM best	SVM/TextBlob/lemma acc 93.5%
Pillai et al., 2024[86]	LSTM+Bi-GRU+HCOA hybrid	32,420 tweets, Kaggle crypto 10k	Pattern, stop, TF-IDF, Doc2Vec	Polarity, smartphone/crypto tweets	HCOA-tuned hybrid, best tested	Compare 7 models, train/test split	Hybrid F1: 97.4%, acc: 97.4%
Althobaiti, 2022[87]	AraBERT, SVM, LR, emoji2text	12,698 Arabic tweets, 7 classes	Clean, emoji2text, sentiment add	Offensive/hate/fine-grained	Emoji/sent augment Arabic BERT	3 tasks √ó 5 prep types	AraBERT F1: 85.9% (dev), 84.3% (test)

In summary, Recent advancements in sentiment analysis for social media highlight a decisive shift from traditional approaches like SVM and Naïve Bayes toward deep learning, transformers (e.g., BERT, GPT), and hybrid multimodal models. Classic methods, while foundational, often lag in handling social media’s informal, highly contextual language. Modern models leverage contextual embeddings, optimized neural networks, and the fusion of text with emojis to better capture nuance and emotion. Multimodal integration, as shown by the use of emoji features alongside text (e.g., Al-Azani & El-Alfy[80], Li et al.)[82], consistently improves accuracy—sometimes by over 5%. Multilingual research and resource development have enabled robust sentiment detection in languages such as Arabic and across diverse domains. Transfer learning and ensemble/hybrid models (e.g., GPT-1 with AutoML, Bi-GRU+LSTM+HCOA) achieve top results, with macro-F1 and accuracy exceeding 90% in specialized benchmarks. However, challenges persist: handling code-mixing, ensuring model interpretability, and expanding datasets for underrepresented languages. The consensus is that integrating multimodal signals, robust preprocessing, and domain-rich data with advanced architectures is key to accurate, scalable, and inclusive sentiment analysis across global social media as shown in Table 2.

**Table 2, Summary of results**

Study	Model(s) / Approach	Dataset & Size	Best Accuracy / F1	Notable Features
Pillai et al., 2024[86]	Hybrid LSTM+Bi-GRU+HCOA	32,420 smartphone tweets, crypto	97.4% (Acc, F1)	Deep/hybrid, optimized, large dataset
Bengesi et al., 2023[85]	SVM (best pipeline)	107,000 tweets, 103 languages	93.5% (Accuracy)	Multilingual, traditional ML w/ tuning
Li et al., 2023[82]	ET-BiLSTM + attention	Sina Weibo, emoji-rich	82.9% (Macro-F1)	Emoji vectors, BiLSTM, attention
Al-Azani & El-Alfy, 2021[80]	SVM, Emoji+Text fusion	2,091 Arabic tweets	85.4% (Accuracy)	Multimodal fusion, SVM, Arabic
Althobaiti, 2022[87]	AraBERT (fine-tuned)	12,698 Arabic tweets (7 classes)	84.3% (Macro-F1)	Transformer, emoji & sentiment features
Khalil et al., 2021[83]	BiLSTM + AraVec	4,381 Arabic tweets, 11 emotions	0.50 (Jaccard), F1: 0.62	Multilabel emotion, deep learning
Howard et al., 2020[84]	GPT-1 (fine-tuned) + AutoML	1,588 crisis forum posts	0.56 (Macro-F1)	Transfer learning, crisis detection

## 5 DISCUSSION

The comparative evaluation of state-of-the-art machine learning techniques[113] for sentiment analysis in social media reveals a field that is both rapidly evolving and inherently multidimensional. Analysis of recent benchmark studies demonstrates a paradigm shift from early reliance on lexicon-based approaches and shallow models such as Support Vector Machines (SVM) to the adoption of deep neural architectures, transformers, and hybrid multimodal systems[93]. The progression is evident in the contrast between classic models, which have provided reliable baselines but often underperform in the face of noisy, contextually complex user-generated content, and

the new generation of algorithms that leverage contextual embeddings, attention mechanisms, and domain-specific feature engineering. For instance, while traditional SVM pipelines may achieve commendable results in multilingual or highly structured datasets—as evidenced by Bengesi et al. (2023) who reached 93% accuracy in a large-scale, multilingual monkeypox Twitter dataset—the preponderance of recent literature supports the competitive edge of deep learning and hybrid models. Models such as the hybrid LSTM+Bi-GRU with optimization (Pillai et al., 2024) achieved record accuracy and F1 scores exceeding 97% on large, emotion-rich corpora. Similarly, the ET-BILSTM model (Li et al., 2023), fusing emojis and textual features with an attention mechanism, outperformed both classical and simpler deep learning baselines, achieving a macro-F1 of over 82%.

A significant factor driving these advances is the integration of multimodal cues, with emojis emerging as a critical variable for capturing nuanced emotional signals in social media. Studies consistently show that multimodal feature fusion, such as combining emoji embeddings with textual data, provides a tangible accuracy boost—sometimes by upwards of five percentage points—over text-only approaches. This is particularly evident in low-resource and morphologically rich languages, where conventional models frequently fail to capture the full expressive range of sentiment. The strategic utilization of resources like EmojiNet and domain-adapted embeddings (e.g., AraBERT for Arabic or custom emoji vectorization for Chinese microblogs) has enabled models to disambiguate sentiment even in challenging linguistic environments. Transfer learning and optimization algorithms have further bolstered generalizability and efficiency, as demonstrated by Howard et al. (2020) with fine-tuned GPT-1 models for crisis risk detection, and by custom hybrid ensembles in emotion and event detection tasks. Nevertheless, the empirical results also suggest that classical models, when equipped with advanced preprocessing and annotation (e.g., lemmatization, emoji mapping), remain viable contenders in certain scenarios, particularly where computational resources are limited or interpretability is paramount.

Despite these promising developments, several persistent challenges shape the research agenda: handling extreme linguistic diversity and code-mixed content, ensuring performance robustness across domains, and addressing the need for transparent, explainable AI. The dominance of English-language and well-resourced datasets continues to restrict the generalizability of most state-of-the-art models, marginalizing non-English speakers and low-resource domains. Additionally, the inclusion of multimodal data such as emojis, while advantageous, raises new complexities in semantic mapping and cross-platform consistency. Moving forward, the comparative synthesis of results underscores that further methodological innovation is needed—not only to improve raw predictive accuracy, but also to promote fairness, transparency, and inclusivity in global sentiment analysis.

## 6 CONCLUSION

The findings from this review highlight how the landscape of sentiment analysis on social media has matured into a domain that is both technologically advanced and methodologically diverse. The transition from traditional lexicon-based and shallow machine learning models to deep learning [114] and transformer-based architectures has been pivotal in addressing the unique challenges posed by social media data. These challenges include the prevalence of informal language, frequent use of slang and emojis, and the rapid evolution of online discourse. Modern models, particularly those leveraging contextual embeddings and multimodal data, have demonstrated a

remarkable ability to capture nuanced[115] sentiment and adapt to the dynamic nature of social platforms. However, the research also reveals persistent limitations. While deep learning models excel in extracting context and managing large-scale data, they often require extensive labeled datasets and significant computational resources, which can be prohibitive for real-time or resource-constrained applications. Moreover, the dominance of English-language datasets continues to restrict the generalizability of current models, with languages[116] such as Malay, Arabic, and others remaining underrepresented in both research and available resources. Another critical issue is the difficulty in interpreting the decisions of complex neural models, which raises concerns about transparency and trust, especially in sensitive domains like public health, politics, and crisis management. The integration of emojis and other multimodal features has improved sentiment detection, particularly in low-resource languages and informal contexts, but it has also introduced new challenges related to data preprocessing and semantic ambiguity. Overall, while the field has made significant strides in accuracy and robustness, the need for explainable, multilingual, and resource-efficient models remains a pressing concern. The comparative analysis underscores that future progress will depend on addressing these challenges through methodological innovation, expanded dataset diversity, and a deeper integration of linguistic and cultural context[117].

The current landscape of sentiment analysis for social media reflects a domain that has matured through a combination of technological innovation and methodological rigor. The move from traditional lexicon-based, bag-of-words, and classical machine learning techniques to advanced deep learning and transformer models has fundamentally altered both the capability and scope of sentiment detection. Modern approaches, especially those leveraging contextual embeddings, attention-based architectures, and the fusion of multimodal features, have unlocked new levels of accuracy and robustness, as demonstrated by leading models like hybrid LSTM+Bi-GRU (Pillai et al., 2024)[86], ET-BILSTM (Li et al., 2023)[82], and fine-tuned transformer models for non-English languages. This evolution has been particularly impactful in datasets characterized by informal language, frequent use of emojis, and dynamic conversational context. Benchmarks now regularly report macro-F1 scores and accuracies surpassing 80% and, in some specialized applications, exceeding 95%, marking a dramatic improvement from the early SVM- and Naïve Bayes-based systems.

However, these gains come with notable caveats. The performance of deep and hybrid models is closely tied to the availability of large, carefully labeled datasets, substantial computational resources, and intricate preprocessing. Their complexity can also hinder transparency and interpretability, raising valid concerns for domains where trust and explainability are fundamental. Furthermore, the field continues to grapple with issues of generalizability, as most state-of-the-art models are developed and validated primarily on English-language and high-resource datasets. This restricts the applicability of advances to global, multilingual social media ecosystems, where sentiment analysis could provide the greatest societal value. Additional challenges include the persistent difficulty in handling code-mixed, slang-heavy, or ambiguous text, and the need for frequent model updates to stay current with the evolving language trends of online communities[118].

Despite these challenges, the trajectory of research and application underscores a clear path forward: future progress depends on the continued fusion of

advanced neural and hybrid algorithms with robust, multilingual, and multimodal resources. Expanding dataset diversity and coverage, improving model interpretability, and developing resource-efficient architectures will be essential for the next generation of sentiment analysis tools. These priorities not only promise increased accuracy but also more equitable and actionable insights, supporting a wide range of applications from consumer analytics to public health and crisis management. The evidence from recent comparative benchmarks thus affirms that the field stands poised to deliver sentiment analysis solutions that are more accurate, inclusive, and responsive to the complexities[119] of global social media.

In summary, this study reviews machine learning techniques for social media sentiment analysis, benchmarking them across diverse datasets and methodologies. The best performance was achieved by the hybrid LSTM+Bi-GRU model, optimized with the Hosted Cuckoo Optimization Algorithm, which reached 97.36% accuracy and F1-score on a Twitter dataset, due to its effective combination of sequential modeling[86] and algorithmic optimization (Pillai et al., 2024). The second-ranked ET-BILSTM model, integrating emoji-text fusion and attention[82], obtained a macro-F1 of 82.91% on Chinese microblogs, leveraging multimodal features for richer sentiment detection (Li et al., 2023). Third, a fine-tuned GPT-1 with AutoML pipeline scored macro-F1 0.572 on the CLPsych 2017 set, benefitting from transfer learning and automated[84] feature selection (Howard et al., 2020). Evaluated datasets ranged from 2,091 annotated tweets to over 147 million multilingual posts.

## 7 RECOMMENDATION

Drawing on the comparative synthesis of state-of-the-art methods and persistent challenges in social media sentiment analysis, several concrete recommendations emerge for researchers. First, there is an urgent need to expand and diversify labeled datasets[120]. Multilingual and culturally adaptive sentiment resources should be prioritized to bridge the gap between English-centric research and the global reality of social media discourse. This includes targeted efforts to annotate data in underrepresented languages, dialects, and topical domains, thereby improving the inclusivity and generalizability of sentiment analysis frameworks. Second, the development of lightweight, explainable, and resource-efficient models must become a central focus, especially for applications in real-time monitoring, mobile deployment, or services in resource-constrained environments. Simplified architectures, model pruning, and the incorporation of interpretable algorithms will balance predictive power with transparency—crucial for fostering trust where sentiment insights inform sensitive decisions. Third, the integration of multimodal features (including emojis, images, and audio) should be systematically advanced, but always with rigorous preprocessing and semantic mapping strategies to manage ambiguity and cross-platform variation. Research should continue to explore early, late, and hybrid fusion techniques, as the literature consistently demonstrates their effectiveness in boosting performance across languages and genres. Finally, ongoing model maintenance is vital: social media language evolves rapidly, and sentiment models should be routinely updated with new data, emergent trends, and evolving emoji sets. The establishment of continuous learning, domain adaptation strategies, and regular benchmarking against evolving datasets will help ensure that models remain robust and relevant. This includes addressing privacy concerns, mitigating algorithmic bias[121], and collaboration with domain experts—including linguists, sociologists, and professional researchers—will further enrich model development and validation, ensuring that sentiment analysis tools are both technically sound and contextually aware.

## 8 REFERENCES

- [1] Y. A. Solangi, Z. A. Solangi, S. Aarain, A. Abro, G. A. Mallah, and A. Shah, "Review on Natural Language Processing (NLP) and Its Toolkits for Opinion Mining and Sentiment Analysis," *2018 IEEE 5th International Conference on Engineering Technologies and Applied Sciences, ICETAS 2018*, Jul. 2018, doi: 10.1109/ICETAS.2018.8629198.
- [2] S. Y. Yoo, J. I. Song, and O. R. Jeong, "Social media contents based sentiment analysis and prediction system," *Expert Syst Appl*, vol. 105, pp. 102–111, Sep. 2018, doi: 10.1016/J.ESWA.2018.03.055.
- [3] X. Du, M. Kowalski, A. S. Varde, G. de Melo, and R. W. Taylor, "Public opinion matters," *ACM SIGWEB Newsletter*, vol. 2019, no. Autumn, pp. 1–15, Feb. 2020, doi: 10.1145/3352683.3352688.
- [4] A. Alslaity and R. Orji, "Machine learning techniques for emotion detection and sentiment analysis: current state, challenges, and future directions," *Behaviour & Information Technology*, vol. 43, no. 1, pp. 139–164, Jan. 2024, doi: 10.1080/0144929X.2022.2156387.
- [5] R. Punithavathi, M. Premkumar, G. Sinha, and K. Chandrasekaran, "Transforming sentiment analysis for e-commerce product reviews: Hybrid deep learning model with an innovative term weighting and feature selection," *Inf Process Manag*, vol. 61, no. 3, p. 103654, May 2024, doi: 10.1016/J.IPM.2024.103654.
- [6] M. Arora and V. Kansal, "Character level embedding with deep convolutional neural network for text normalization of unstructured data for Twitter sentiment analysis," *Soc Netw Anal Min*, vol. 9, no. 1, pp. 1–14, Dec. 2019, doi: 10.1007/S13278-019-0557-Y/METRICS.
- [7] E. Boiy and M. F. Moens, "A machine learning approach to sentiment analysis in multilingual web texts," *Inf Retr Boston*, vol. 12, no. 5, pp. 526–558, Sep. 2009, doi: 10.1007/S10791-008-9070-Z/TABLES/14.
- [8] S. Das, R. K. Behera, M. Kumar, and S. K. Rath, "Real-Time Sentiment Analysis of Twitter Streaming data for Stock Prediction," *Procedia Comput Sci*, vol. 132, pp. 956–964, Jan. 2018, doi: 10.1016/J.PROCS.2018.05.111.
- [9] A. Kumar and A. Joshi, "Ontology driven sentiment analysis on social web for government intelligence," *ACM International Conference Proceeding Series*, vol. Part F127653, pp. 134–139, Mar. 2017, doi: 10.1145/3055219.3055229.
- [10] M. Giatsoglou, M. G. Vozalis, K. Diamantaras, A. Vakali, G. Sarigiannidis, and K. C. Chatzisavvas, "Sentiment analysis leveraging emotions and word embeddings," *Expert Syst Appl*, vol. 69, pp. 214–224, Mar. 2017, doi: 10.1016/J.ESWA.2016.10.043.

- [11] M. Wankhade, A. C. S. Rao, and C. Kulkarni, "A survey on sentiment analysis methods, applications, and challenges," *Artificial Intelligence Review* 2022 55:7, vol. 55, no. 7, pp. 5731–5780, Feb. 2022, doi: 10.1007/S10462-022-10144-1.
- [12] M. F. R. Abu Bakar, N. Idris, L. Shuib, and N. Khamis, "Sentiment Analysis of Noisy Malay Text: State of Art, Challenges and Future Work," *IEEE Access*, vol. 8, pp. 24687–24696, 2020, doi: 10.1109/ACCESS.2020.2968955.
- [13] E. M. Mercha and H. Benbrahim, "Machine learning and deep learning for sentiment analysis across languages: A survey," *Neurocomputing*, vol. 531, pp. 195–216, Apr. 2023, doi: 10.1016/J.NEUCOM.2023.02.015.
- [14] D. Vilares, M. A. Alonso, and C. Gómez-Rodríguez, "Supervised sentiment analysis in multilingual environments," *Inf Process Manag*, vol. 53, no. 3, pp. 595–607, May 2017, doi: 10.1016/J.IPM.2017.01.004.
- [15] M. Mohammadagha, M. Najafi, V. Kaushal, A. Mahmoud, and A. Jibreen, "Machine Learning Models for Reinforced Concrete Pipes Condition Prediction: The State-of-the-Art Using Artificial Neural Networks and Multiple Linear Regression in a Wisconsin Case Study," Feb. 2025, Accessed: Apr. 18, 2025. [Online]. Available: <https://arxiv.org/abs/2502.00363v1>
- [16] L. Rahimikhameneh, J. Montgomery, A. A. Reyna, and F. O'Donnell, "Monitoring and Assessment of Landslides Along Alabama Highways," *Auburn University. Highway Research Center*, no. 931–054, Oct. 2024, doi: 10.21949/1503647.
- [17] D. Charkhian and B. Moghaddami, "HOW CAN AI EVALUATE AND IMPROVE INCLUSIVITY IN UNIVERSITY PORTALS, WITH A FOCUS ON CULTURAL, LINGUISTIC, AND ACCESSIBLE REQUIREMENTS?," *INTED2025 Proceedings*, pp. 1584–1589, Mar. 2025, doi: 10.21125/INTED.2025.0486.
- [18] V. Babaey and A. Ravindran, "GenSQLi: A Generative Artificial Intelligence Framework for Automatically Securing Web Application Firewalls Against Structured Query Language Injection Attacks.," *Future Internet*, vol. 17, no. 1, p. 8, Jan. 2025, doi: 10.3390/FI17010008.
- [19] A. DEYLAMI and H. HABASHI, "A computational model for elastic analysis of steel moment frames with RBS connection," *Fourth International Conference on Advances in Steel Structures*, pp. 321–326, Jan. 2005, doi: 10.1016/B978-008044637-0/50047-0.
- [20] S. Vasheghani and S. Sharifi, "Dynamic Ensemble Learning for Robust Image Classification: A Model-Specific Selection Strategy," 2025, doi: 10.2139/SSRN.5215134.
- [21] F. Salboukh, A. Jahanimoghadam, and Y. Mousavi, "Discovering new interaction between genes in extrahepatic Cholangiocarcinoma using Bayesian networks," *Network*

*Modeling Analysis in Health Informatics and Bioinformatics*, vol. 14, no. 1, pp. 1–17, Dec. 2025, doi: 10.1007/S13721-024-00500-2/FIGURES/8.

- [22] Q. Yuan, K. Chen, Y. Yu, N. Q. K. Le, and M. C. H. Chua, “Prediction of anticancer peptides based on an ensemble model of deep learning and machine learning using ordinal positional encoding,” *Brief Bioinform*, vol. 24, no. 1, pp. 1–10, Jan. 2023, doi: 10.1093/BIB/BBAC630.
- [23] V. K. Shukla, M. C. Joshi, P. K. Mishra, Y. Mousavi, M. R. Zadeh, and A. Fekih, “Predefined Synchronization of Mixed and Leakage-Delayed Quaternion-Valued Neural Network,” *Int J Dyn Control*, vol. 13, no. 2, pp. 1–28, Feb. 2025, doi: 10.1007/S40435-024-01525-1/METRICS.
- [24] M. Sohrabian, S. Ranjbareslamloo, B. Arab, and M. Vaseghi, “Enhancing mechanical properties of PCL Biopolymers with APTES-Functionalized Bioactive Glass Nanoparticles: A molecular dynamics study,” *Comput Mater Sci*, vol. 255, p. 113930, Jun. 2025, doi: 10.1016/J.COMMATSCI.2025.113930.
- [25] G. Ghajari, M. K. Pk, and F. Amsaad, “Hybrid Efficient Unsupervised Anomaly Detection for Early Pandemic Case Identification,” *Proceedings of the IEEE National Aerospace Electronics Conference, NAECON*, pp. 279–284, 2024, doi: 10.1109/NAECON61878.2024.10670679.
- [26] Z. S. Aghayan, A. Alfi, Y. Mousavi, and A. Fekih, “Robust Delay-Dependent Output-Feedback PD Controller Design for Variable Fractional-Order Uncertain Neutral Systems With Time-Varying Delays,” *IEEE Trans Syst Man Cybern Syst*, 2025, doi: 10.1109/TSMC.2024.3508573.
- [27] A. Papi, A. Jabbarzadeh, and A. Aazami, “Global optimization of mixed-integer polynomial programming problems: A new method based on Grobner Bases theory,” *Journal of Industrial and Systems Engineering*, vol. 11, no. Special issue: 14th International Industrial Engineering Conference, pp. 1–15, Sep. 2018, Accessed: Apr. 26, 2025. [Online]. Available: [https://www.jise.ir/article\\_69140.html](https://www.jise.ir/article_69140.html)
- [28] M. Moradi, H. Ahmari, and Q. A. E Mowla, “Impact of Bridge Construction on Suspended Sediment Levels in Walnut Creek, Texas,” in *World Environmental & Water Resources Congress 2025*, Anchorage, May 2025.
- [29] S. Zehsaz, S. Kameshwar, and F. Soleimani, “Kernel-based Column Drift Ratios Prediction in Highway Bridges,” 2024, doi: 10.11159/icceia24.164.
- [30] F. N. Gourabi, M. Kiani, and S. H. Pourtakdoust, “On-Line Orbit and Albedo Estimation Using a Strong Tracking Algorithm via Satellite Surface Temperature Data,” *IEEE Trans Aerosp Electron Syst*, vol. 57, no. 3, pp. 1443–1454, Jun. 2021, doi: 10.1109/TAES.2020.3043522.

- [31] M. Entezami, S. Basirat, B. Moghaddami, D. Bazmandeh, and D. Charkhian, "Examining the Importance of AI-Based Criteria in the Development of the Digital Economy: A Multi-Criteria Decision-Making Approach," *Journal of Soft Computing and Decision Analytics*, vol. 3, no. 1, pp. 72–95, Feb. 2025, doi: 10.31181/JSCDA31202555.
- [32] R. Nouri *et al.*, "Unveiling putative modulators of mutable collagenous tissue in the brittle star *Ophiomastix wendtii*: an RNA-Seq analysis," *BMC Genomics*, vol. 25, no. 1, p. 1013, Dec. 2024, doi: 10.1186/S12864-024-10926-7/FIGURES/7.
- [33] M. Deldadehasl, M. Jafari, and M. R. Sayeh, "Dynamic Classification Using the Adaptive Competitive Algorithm for Breast Cancer Detection," *Journal of Data Analysis and Information Processing*, vol. 13, no. 2, pp. 101–115, Apr. 2025, doi: 10.4236/JDAIP.2025.132006.
- [34] M. Abdollahi *et al.*, "Post-Stroke Functional Changes: In-Depth Analysis of Clinical Tests and Motor-Cognitive Dual-Tasking Using Wearable Sensors," *Bioengineering 2024, Vol. 11, Page 349*, vol. 11, no. 4, p. 349, Apr. 2024, doi: 10.3390/BIOENGINEERING11040349.
- [35] G. Ghajari, A. Ghimire, E. Ghajari, and F. Amsaad, "Network Anomaly Detection for IoT Using Hyperdimensional Computing on NSL-KDD," Mar. 2025, Accessed: May 02, 2025. [Online]. Available: <https://arxiv.org/pdf/2503.03031>
- [36] V. Babaey and A. Ravindran, "GenXSS: an AI-Driven Framework for Automated Detection of XSS Attacks in WAFs," in *SoutheastCon 2025*, IEEE, Mar. 2025, pp. 1519–1524. doi: 10.1109/SOUTHEASTCON56624.2025.10971558.
- [37] B. Hamed, N. Kalantaryardebily, A. Alipanahi, and S. Taheri, "Estimating Tire Forces Using MLP Neural Network and LM Algorithm: A Comparative Study," *Universal Journal of Mechanical Engineering*, vol. 11, no. 3, pp. 64–81, 2023, doi: 10.13189/ujme.2023.110302.
- [38] A. Kermani, E. Zeraatkar, and H. Irani, "Energy-Efficient Transformer Inference: Optimization Strategies for Time Series Classification," Feb. 2025, Accessed: May 02, 2025. [Online]. Available: <https://arxiv.org/pdf/2502.16627>
- [39] G. Abdolazadeh, S. M. Asce, ; S Yasaman Ahmadi, and J. I. Lather, "Implementation Analysis of a Simulation-Aided Redesigned Emergency Department before and after the Emergence of COVID-19," *Computing in Civil Engineering 2023: Visualization, Information Modeling, and Simulation - Selected Papers from the ASCE International Conference on Computing in Civil Engineering 2023*, pp. 104–111, 2024, doi: 10.1061/9780784485231.013.
- [40] F. Shojaeianforoud and M. Lahooti, "Cerebrospinal fluid flow dynamics in the aqueduct of Sylvius for rigid and deformable brain models," *Comput Biol Med*, vol. 190, p. 110047, May 2025, doi: 10.1016/J.COMPBIOMED.2025.110047.

- [41] A. N. Azari and G. Sarfi, "Robust Intelligent Controller for Voltage Stabilization of dc-dc Boost Converters," *International Research Journal of Engineering and Technology*, vol. 9001, Mar. 2018, Accessed: May 02, 2025. [Online]. Available: <https://hal.science/hal-02117947>
- [42] A. Aminimajd, J. Maia, and A. Singh, "Scalability of a graph neural network in accurate prediction of frictional contact networks in suspensions," *Soft Matter*, vol. 21, no. 15, pp. 2826–2835, Apr. 2025, doi: 10.1039/D4SM01391C.
- [43] S. Zehsaz, S. Werth, and M. Shirzaei, "Lake Mead Interaction with Nearby Aquifer System: Evidence from Surface Deformation and Mechanical Models," in *AGU Fall Meeting Abstracts*, Dec. 2022, pp. G53A-02.
- [44] M. Khorrami, S. Werth, S. Zehsaz, and M. Shirzaei, "Drought-induced Lake and Groundwater Storage Decline surrounding Lake Mead from InSAR Observations and Geomechanical Modeling," *AGU Fall Meeting*, vol. 2023, no. 614, pp. NS31A-0614, 2023.
- [45] M. Mohammadagha, S. Asadi, and H. K. Naeini, "Evaluating Machine Learning Performance Using Python for Neural Network Models in Urban Transportation in New York City Case Study," *Authorea Preprints*, Mar. 2025, doi: 10.36227/TECHRXIV.174239957.76698574/V1.
- [46] F. Nasihati Gourabi, M. Kiani, S. H. Pourtakdoust, and A. Labibian, "Simultaneous Orbit, Attitude and Albedo Parameter Estimation Using Satellite Surface Temperature Data," *Sharif Journal of Mechanical Engineering*, vol. 37.3, no. 2, pp. 47–55, Nov. 2021, doi: 10.24200/J40.2021.57732.1583.
- [47] L. Yang and A. Shami, "On hyperparameter optimization of machine learning algorithms: Theory and practice," *Neurocomputing*, vol. 415, pp. 295–316, Nov. 2020, doi: 10.1016/J.NEUCOM.2020.07.061.
- [48] E. Hasani, F. Torabi, and A. Salavati-Zadeh, "Electrochemical simulation of lithium-ion batteries: a novel computational approach for optimizing performance," *Hydrogen, Fuel Cell & Energy Storage*, vol. 11, no. 4, pp. 215–224, Nov. 2024, doi: 10.22104/HFE.2024.7095.1315.
- [49] E. Ghanaee, J. I. Pérez-Díaz, D. Fernández-Muñoz, J. Nájera, M. Chazarra, and S. Castaño-Solis, "Optimal Scheduling of a Hybrid Wind–Battery Power Plant in the Day-Ahead and Reserve Markets Considering Battery Degradation Cost," *2024 International Conference on Smart Energy Systems and Technologies (SEST)*, pp. 1–6, Sep. 2024, doi: 10.1109/SEST61601.2024.10694289.
- [50] S. Zehsaz, "Observing Drought-Induced Crustal Loading Deformation Around Lake Mead Region via GNSS and InSAR: A Comparison with Elastic Loading Models," Virginia Tech, Virginia, 2023.

- [51] F. Shojaeianforoud, B. Coats, and K. Monson, "INCREMENTAL OVERSTRETCH INCREASES FAILURE VALUES OF CEREBRAL BLOOD VESSELS," in *Summer Biomechanics, Bioengineering, and Biotransport Conference*, Jun. 2024, pp. 299–300. Accessed: Apr. 26, 2025. [Online]. Available: [https://sb3c.org/wp-content/uploads/2024/SB3C2024\\_Proceedings\\_Book.pdf](https://sb3c.org/wp-content/uploads/2024/SB3C2024_Proceedings_Book.pdf)
- [52] P. Akbari, M. Gabriel, and C. A. MacKenzie, "Retrieving and Disseminating Information about Disasters through Natural Language Processing Tools," in *IISE Annual Conference Proceedings*, 2022, pp. 1–6.
- [53] G. Ghajari, H. Jazayeri-Rad, and M. A. Dezfooli, "Identification of Community Structures in Networks Employing a Modified Divisive Algorithm," Apr. 2025, Accessed: May 02, 2025. [Online]. Available: <https://arxiv.org/pdf/2504.09769>
- [54] A. Kermani, V. Pérez-Rosas, and V. Metsis, "A Systematic Evaluation of LLM Strategies for Mental Health Text Analysis: Fine-tuning vs. Prompt Engineering vs. RAG," in *Volume: Proceedings of the 10th Workshop on Computational Linguistics and Clinical Psychology (CLPsych 2025)*, Albuquerque, New Mexico, May 2025, pp. 172–180. Accessed: May 02, 2025. [Online]. Available: <https://aclanthology.org/2025.clpsych-1.14/>
- [55] M. Jafari, F. Majidi, and A. Heydarnoori, "Prioritizing App Reviews for Developer Responses on Google Play," in *30th International DMS Conference on Visualization and Visual Languages (DMSVIVA)*, Oct. 2024, pp. 96–103.
- [56] M. Deldadehasl and P. Haddadian Nekah, "A Multilevel Analysis of Hotel Industry Customer Clustering Using a Hybrid Data-Mining Decision-Making Approach," in *Reconceptualizing Marketing in Today's Global Environment. 2022 SMA Conference*, 2022, pp. 440–445. Accessed: Apr. 26, 2025. [Online]. Available: DOI: 10.13140/RG.2.2.16310.82249
- [57] M. Khajehzadeh, Farhad Pazhuheian, F. Seifi, A. Ghorbani, and Golshan Madraki, "A Novel Prescriptive Supply Chain Analytics Model for Monitoring the Relationship Between Influential Variables Across the Supply Chain Network," *OPERATIONS AND SUPPLY CHAIN MANAGEMENT*, 2024, doi: 10.31387/oscm0590441.
- [58] Adel Aazami and Ali Papi, "An integrated model for a multi-product production-inventory-routing problem in a bi-echelon green supply chain," 2019.
- [59] S. Mojtahedi, S. Mashhadi, and A. Savin, "MAX Effect and Investor Sentiment: Evidence from the Swedish Stock Market," *Journal of Business and Management Studies*, vol. 7, no. 2, pp. 184–206, Apr. 2025, doi: 10.32996/JBMS.2025.7.2.13.
- [60] Saeed Sohrabi, Yousef Darestani, William J. Pringle, Daniel M. Dowden, and Payman Dehghanian., "Life Cycle Cost Analysis of Prestressed Concrete Poles Subjected to Wind, Surges, and Waves," *Journal of Structural Engineering*, 2025, doi: 10.1061/JSENDH.STENG-13840.

- [61] S. Ranjbar, M. Vaseghi, M. Sameezadeh, and M. Sohrabian, "The Effect of Secondary Particles on Mechanical Properties of Polycaprolactone/Bioactive glass Nanocomposites," in *Proceedings of the 8 th International Conference on Nanostructures (ICNS8)*, Apr. 2019. Accessed: May 02, 2025. [Online]. Available: <https://www.researchgate.net/publication/352665436>
- [62] Dorsa Charkhian, "Feminism, Media and Technology: Navigating the Digital Landscape," *MAD (MEDIA, ARTS AND DESIGN) ANTHOLOGY III* What if we can be heroes, just for one day? Accessed: Apr. 19, 2025. [Online]. Available: <https://doi.org/10.48341/t92x-tj33>
- [63] F. Shojaeianforoud, L. Marin, W. J. Anderl, M. Marino, B. Coats, and K. L. Monson, "Repeated loading and damage progression in cerebral arteries," *Acta Biomater*, vol. 197, pp. 256–265, May 2025, doi: 10.1016/J.ACTBIO.2025.03.027.
- [64] G. Sarfi, O. Beik, M. Gholamian, and S. Talebzadeh, "Parallel Control of an Electric Power and Propulsion System for an Interplanetary Spacecraft," *IEEE Aerospace Conference Proceedings, 2024*, doi: 10.1109/AERO58975.2024.10521437.
- [65] G. Ghajari, E. Ghajari, H. Mohammadi, and F. Amsaad, "Intrusion Detection in IoT Networks Using Hyperdimensional Computing: A Case Study on the NSL-KDD Dataset," Mar. 2025, Accessed: May 02, 2025. [Online]. Available: <https://arxiv.org/pdf/2503.03037>
- [66] V. Babaey and H. R. Faragardi, "Detecting Zero-Day Web Attacks with an Ensemble of LSTM, GRU, and Stacked Autoencoders," Apr. 2025, Accessed: May 05, 2025. [Online]. Available: <https://arxiv.org/pdf/2504.14122>
- [67] M. Deldadehasl, H. H. Karahroodi, and P. Haddadian Nekah, "Customer Clustering and Marketing Optimization in Hospitality: A Hybrid Data Mining and Decision-Making Approach from an Emerging Economy," Apr. 2025.
- [68] K. Kaur, M. Arjun, V. Kaushal, M. Najafi, and A. Jibreen, "Advantages of Underground Logistics Systems Using Pipelines in Airport Applications," *Pipelines 2023: Planning and Design - Proceedings of Sessions of the Pipelines 2023 Conference*, pp. 552–560, 2023, doi: 10.1061/9780784485019.057.
- [69] Forough Nasihati Gourabi, Maryam Kiani, and Seid H. Pourtakdoust, "Assessment of Earth Albedo Effect on Temperature-based Orbit Estimation," in *Accepted for Iranian society of mechanical engineering (ISME 2019)At: Tehran, Iran*, Jan. 2019.
- [70] M. Farhang, N. Hassani, and A. Seyedkazemi, "Seismic fragility curves for buried steel gas pipelines with corrosion damage," *Innovative Infrastructure Solutions*, vol. 9, no. 2, pp. 1–15, Feb. 2024, doi: 10.1007/S41062-023-01340-1/METRICS.
- [71] Mohsen Mohammadagha, Hajar Kazemi Naeini, Saeed Asadi, Mohammad Najafi, and Vinayak Kasuhal., "Machine Learning Model for Condition Assessment of Trenchless

- Vitrified Clay Pipes,” in *North American Society for Trenchless Technology (NASTT) 2025 No-Dig Show, Mar 2025, Denver, United States.*, Mar. 2025. Accessed: Apr. 18, 2025. [Online]. Available: <https://hal.science/hal-05019707v1>
- [72] Q. A. E. Mowla, H. Ahmari, and M. Moradi, “Soil Erodibility at Bridge Construction Sites,” in *World Environmental and Water Resources Congress 2024*, Reston, VA: American Society of Civil Engineers, May 2024, pp. 1608–1622. doi: 10.1061/9780784485477.141.
- [73] M. Kesavan, J. Karthiraman, T. Ebenezer Rajadurai, and S. Adhithyan, “Stock Market Prediction with Historical Time Series Data and Sentimental Analysis of Social Media Data,” *Proceedings of the International Conference on Intelligent Computing and Control Systems, ICICCS 2020*, pp. 477–482, May 2020, doi: 10.1109/ICICCS48265.2020.9121121.
- [74] J. R. Saura, P. Palos-Sanchez, and A. Grilo, “Detecting Indicators for Startup Business Success: Sentiment Analysis Using Text Data Mining,” *Sustainability 2019, Vol. 11, Page 917*, vol. 11, no. 3, p. 917, Feb. 2019, doi: 10.3390/SU11030917.
- [75] A. R. Pathak, M. Pandey, and S. Rautaray, “Topic-level sentiment analysis of social media data using deep learning,” *Appl Soft Comput*, vol. 108, p. 107440, Sep. 2021, doi: 10.1016/J.ASOC.2021.107440.
- [76] M. Mohammadagha, “Hyperparameter Optimization Strategies for Tree-Based Machine Learning Models Prediction: A Comparative Study of AdaBoost, Decision Trees, and Random Forest,” Apr. 2025, doi: 10.31219/OSF.IO/XBKR5\_V1.
- [77] M. H. Abd El-Jawad, R. Hodhod, and Y. M. K. Omar, “Sentiment analysis of social media networks using machine learning,” *ICENCO 2018 - 14th International Computer Engineering Conference: Secure Smart Societies*, pp. 174–176, Jul. 2018, doi: 10.1109/ICENCO.2018.8636124.
- [78] A. Alslaity and R. Orji, “Machine learning techniques for emotion detection and sentiment analysis: current state, challenges, and future directions,” *Behaviour & Information Technology*, vol. 43, no. 1, pp. 139–164, Dec. 2022, doi: 10.1080/0144929X.2022.2156387.
- [79] A. Albladi, M. Islam, and C. Seals, “Sentiment Analysis of Twitter data using NLP Models: A Comprehensive Review,” *IEEE Access*, 2025, doi: 10.1109/ACCESS.2025.3541494.
- [80] S. Al-Azani and E. S. M. El-Alfy, “Early and Late Fusion of Emojis and Text to Enhance Opinion Mining,” *IEEE Access*, vol. 9, pp. 121031–121045, 2021, doi: 10.1109/ACCESS.2021.3108502.
- [81] S. Wijeratne, L. Balasuriya, A. Sheth, and D. Doran, “EmojiNet: An Open Service and API for Emoji Sense Discovery,” *Proceedings of the International AAAI Conference on*

- Web and Social Media*, vol. 11, no. 1, pp. 437–446, May 2017, doi: 10.1609/ICWSM.V11I1.14857.
- [82] X. Li, J. Zhang, Y. Du, J. Zhu, Y. Fan, and X. Chen, “A Novel Deep Learning-based Sentiment Analysis Method Enhanced with Emojis in Microblog Social Networks,” *Enterp Inf Syst*, vol. 17, no. 5, Feb. 2023, doi: 10.1080/17517575.2022.2037160.
- [83] E. A. H. Khalil, E. M. F. El Houbay, and H. K. Mohamed, “Deep learning for emotion analysis in Arabic tweets,” *J Big Data*, vol. 8, no. 1, pp. 1–15, Dec. 2021, doi: 10.1186/S40537-021-00523-W/TABLES/7.
- [84] D. Howard, M. M. Maslej, J. Lee, J. Ritchie, G. Woollard, and L. French, “Transfer learning for risk classification of social media posts: Model evaluation study,” *J Med Internet Res*, vol. 22, no. 5, p. e15371, May 2020, doi: 10.2196/15371.
- [85] S. Bengesi, T. Oladunni, R. Olusegun, and H. Audu, “A Machine Learning-Sentiment Analysis on Monkeypox Outbreak: An Extensive Dataset to Show the Polarity of Public Opinion From Twitter Tweets,” *IEEE Access*, vol. 11, pp. 11811–11826, 2023, doi: 10.1109/ACCESS.2023.3242290.
- [86] S. E. V. S. Pillai, R. Vallabhaneni, P. K. Pareek, and S. Dontu, “The People Moods Analysing Using Tweets Data on Primary Things with the Help of Advanced Techniques,” *International Conference on Distributed Computing and Optimization Techniques, ICDCOT 2024*, 2024, doi: 10.1109/ICDCOT61034.2024.10516073.
- [87] Maha Jarallah Althobaiti, “BERT-based Approach to Arabic Hate Speech and Offensive Language Detection in Twitter: Exploiting Emojis and Sentiment Analysis - ProQuest,” (*IJACSA*) *International Journal of Advanced Computer Science and Applications*, 2022.
- [88] H. Nguyen and M. Le Nguyen, “A Deep Neural Architecture for Sentence-Level Sentiment Classification in Twitter Social Networking,” *Communications in Computer and Information Science*, vol. 781, pp. 15–27, 2018, doi: 10.1007/978-981-10-8438-6\_2/TABLES/5.
- [89] A. Narayanan, “Understanding Social Media Recommendation Algorithms,” 2023, doi: 10.7916/KHDK-M460.
- [90] M. M. Agüero-Torales, J. I. Abreu Salas, and A. G. López-Herrera, “Deep learning and multilingual sentiment analysis on social media data: An overview,” *Appl Soft Comput*, vol. 107, p. 107373, Aug. 2021, doi: 10.1016/J.ASOC.2021.107373.
- [91] “Virtual communities as breathing spaces for minority languages: Re-framing minority language use in social media,” *Adeptus*, no. 14, pp. 1–24, 2019.
- [92] C. Song and J. Lee, “Citizens’ Use of Social Media in Government, Perceived Transparency, and Trust in Government,” *Public Performance & Management Review*, vol. 39, no. 2, pp. 430–453, Apr. 2016, doi: 10.1080/15309576.2015.1108798.

- [93] M. Mohammadagha, "Hybridization and Optimization Modeling, Analysis, and Comparative Study of Sorting Algorithms: Adaptive Techniques, Parallelization, for Mergesort, Heapsort, Quicksort, Insertion Sort, Selection Sort, and Bubble Sort," Apr. 2025, doi: 10.31224/4537.
- [94] C. Dhaoui, C. M. Webster, and L. P. Tan, "Social media sentiment analysis: lexicon versus machine learning," *Journal of Consumer Marketing*, vol. 34, no. 6, pp. 480–488, 2017, doi: 10.1108/JCM-03-2017-2141/FULL/PDF.
- [95] A. Yadav and D. K. Vishwakarma, "Sentiment analysis using deep learning architectures: a review," *Artif Intell Rev*, vol. 53, no. 6, pp. 4335–4385, Aug. 2020, doi: 10.1007/S10462-019-09794-5/TABLES/11.
- [96] C. Colón-Ruiz and I. Segura-Bedmar, "Comparing deep learning architectures for sentiment analysis on drug reviews," *J Biomed Inform*, vol. 110, p. 103539, Oct. 2020, doi: 10.1016/J.JBI.2020.103539.
- [97] M. Trupthi, S. Pabboju, and G. Narasimha, "Sentiment analysis on twitter using streaming API," *Proceedings - 7th IEEE International Advanced Computing Conference, IACC 2017*, pp. 915–919, Jul. 2017, doi: 10.1109/IACC.2017.0186.
- [98] L. Yue, W. Chen, X. Li, W. Zuo, and M. Yin, "A survey of sentiment analysis in social media," *Knowl Inf Syst*, vol. 60, no. 2, pp. 617–663, Aug. 2019, doi: 10.1007/S10115-018-1236-4/TABLES/7.
- [99] L. C. Chen, C. M. Lee, and M. Y. Chen, "Exploration of social media for sentiment analysis using deep learning," *Soft comput*, vol. 24, no. 11, pp. 8187–8197, Jun. 2020, doi: 10.1007/S00500-019-04402-8/FIGURES/3.
- [100] R. Monika, S. Deivalakshmi, and B. Janet, "Sentiment Analysis of US Airlines Tweets Using LSTM/RNN," *Proceedings of the 2019 IEEE 9th International Conference on Advanced Computing, IACC 2019*, pp. 92–95, Dec. 2019, doi: 10.1109/IACC48062.2019.8971592.
- [101] G. Xu, Y. Meng, X. Qiu, Z. Yu, and X. Wu, "Sentiment analysis of comment texts based on BiLSTM," *IEEE Access*, vol. 7, pp. 51522–51532, 2019, doi: 10.1109/ACCESS.2019.2909919.
- [102] M. Imani and G. A. Montazer, "A survey of emotion recognition methods with emphasis on E-Learning environments," *Journal of Network and Computer Applications*, vol. 147, p. 102423, Dec. 2019, doi: 10.1016/J.JNCA.2019.102423.
- [103] P. Linardatos, V. Papastefanopoulos, and S. Kotsiantis, "Explainable AI: A Review of Machine Learning Interpretability Methods," *Entropy 2021, Vol. 23, Page 18*, vol. 23, no. 1, p. 18, Dec. 2020, doi: 10.3390/E23010018.

- [104] J. P. A. Ioannidis, R. Tarone, and J. K. McLaughlin, "The false-positive to false-negative ratio in epidemiologic studies," *Epidemiology*, vol. 22, no. 4, pp. 450–456, Jul. 2011, doi: 10.1097/EDE.0B013E31821B506E.
- [105] M. Birjali, M. Kasri, and A. Beni-Hssane, "A comprehensive survey on sentiment analysis: Approaches, challenges and trends," *Knowl Based Syst*, vol. 226, p. 107134, Aug. 2021, doi: 10.1016/J.KNOSYS.2021.107134.
- [106] C. Troussas, M. Virvou, K. J. Espinosa, K. Llaguno, and J. Caro, "Sentiment analysis of Facebook statuses using Naive Bayes Classifier for language learning," *IISA 2013 - 4th International Conference on Information, Intelligence, Systems and Applications*, pp. 198–205, 2013, doi: 10.1109/IISA.2013.6623713.
- [107] M. U. Salur and I. Aydin, "A Novel Hybrid Deep Learning Model for Sentiment Classification," *IEEE Access*, vol. 8, pp. 58080–58093, 2020, doi: 10.1109/ACCESS.2020.2982538.
- [108] N. V. Babu and E. G. M. Kanaga, "Sentiment Analysis in Social Media Data for Depression Detection Using Artificial Intelligence: A Review," *SN Comput Sci*, vol. 3, no. 1, pp. 1–20, Nov. 2022, doi: 10.1007/S42979-021-00958-1/METRICS.
- [109] M. S. Neethu and R. Rajasree, "Sentiment analysis in twitter using machine learning techniques," *2013 4th International Conference on Computing, Communications and Networking Technologies, ICCCNT 2013*, 2013, doi: 10.1109/ICCCNT.2013.6726818.
- [110] Z. Wang *et al.*, "Demographic inference and representative population estimates from multilingual social media data," *The Web Conference 2019 - Proceedings of the World Wide Web Conference, WWW 2019*, vol. 12, pp. 2056–2067, May 2019, doi: 10.1145/3308558.3313684.
- [111] E. Di Minin, H. Tenkanen, and T. Toivonen, "Prospects and challenges for social media data in conservation science," *Front Environ Sci*, vol. 3, no. SEP, p. 156137, Sep. 2015, doi: 10.3389/FENVS.2015.00063/BIBTEX.
- [112] F. Neri, C. Aliprandi, F. Capeci, M. Cuadros, and T. By, "Sentiment analysis on social media," *Proceedings of the 2012 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining, ASONAM 2012*, pp. 919–926, 2012, doi: 10.1109/ASONAM.2012.164.
- [113] E. Mjolsness and D. DeCoste, "Machine learning for science: State of the art and future prospects," *Science (1979)*, vol. 293, no. 5537, pp. 2051–2055, Sep. 2001, doi: 10.1126/SCIENCE.293.5537.2051/ASSET/59CAD30D-7FF2-4A1E-ACBC-8B3DDDF483AC/ASSETS/GRAPHIC/SE3619767002.JPEG.
- [114] Q. T. Ain *et al.*, "Sentiment Analysis Using Deep Learning Techniques: A Review," *IJACSA) International Journal of Advanced Computer Science and Applications*, vol. 8, no. 6, 2017, Accessed: Apr. 16, 2025. [Online]. Available: [www.ijacsa.thesai.org](http://www.ijacsa.thesai.org)

- [115] A. Abbasi, Y. Zhou, S. Deng, and P. Zhang, "Text analytics to support sense-making in social media: A language-action perspective," *MIS Q*, vol. 42, no. 2, pp. 427–464, Jun. 2018, doi: 10.25300/MISQ/2018/13239.
- [116] K. Dashtipour *et al.*, "Multilingual Sentiment Analysis: State of the Art and Independent Comparison of Techniques," *Cognit Comput*, vol. 8, no. 4, pp. 757–771, Aug. 2016, doi: 10.1007/S12559-016-9415-7/TABLES/2.
- [117] W. Medhat, A. Hassan, and H. Korashy, "Sentiment analysis algorithms and applications: A survey," *Ain Shams Engineering Journal*, vol. 5, no. 4, pp. 1093–1113, Dec. 2014, doi: 10.1016/J.ASEJ.2014.04.011.
- [118] D. M. E. D. M. Hussein, "A survey on sentiment analysis challenges," *Journal of King Saud University - Engineering Sciences*, vol. 30, no. 4, pp. 330–338, Oct. 2018, doi: 10.1016/J.JKSUES.2016.04.002.
- [119] E. Fersini, E. Messina, and F. A. Pozzi, "Sentiment analysis: Bayesian Ensemble Learning," *Decis Support Syst*, vol. 68, pp. 26–38, Dec. 2014, doi: 10.1016/J.DSS.2014.10.004.
- [120] G. Beigi, X. Hu, R. Maciejewski, and H. Liu, "An overview of sentiment analysis in social media and its applications in disaster relief," *Studies in Computational Intelligence*, vol. 639, pp. 313–340, 2016, doi: 10.1007/978-3-319-30319-2\_13/TABLES/2.
- [121] A. Ceron, L. Curini, and S. M. Iacus, "iSA: A fast, scalable and accurate algorithm for sentiment analysis of social media content," *Inf Sci (N Y)*, vol. 367–368, pp. 105–124, Nov. 2016, doi: 10.1016/J.INS.2016.05.052.