

# Monty-Hall (parameterized strategist-host) Theorem

Dr.(Prof.) Keshava Prasad Halemane,  
Professor - retired from  
Department of Mathematical And Computational Sciences,  
National Institute of Technology Karnataka Surathkal,  
Srinivasnagar, Mangaluru - 575025, India.  
<https://orcid.org/0000-0003-3483-3521>  
Independent Researcher (no funding)  
SASHESHA, 8-129/12 Sowjanya Road, Naigara Hills,  
Bikarnakatte, Kulshekar Post,  
Mangaluru-575005. Karnataka State, India  
<https://www.linkedin.com/in/keshavaprasadahalemane/>  
[k.prasad.h@gmail.com](mailto:k.prasad.h@gmail.com)



## ABSTRACT

The Monty-Hall (parameterized strategist-host) Theorem along with a constructive proof is presented, by solving the corresponding Monty-Hall Problem, wherein the host plays a parameterized strategy on the guest. It establishes the limits on the range of values for the probability of winning the prize. Eight extreme strategies that have been identified and characterized. It is shown that there does not exist any strategy wherein a *switched-choice* will *always (irrespective of the placement of the prize and irrespective of the initial-choice of the guest)* lead to an enhancement in the chances of winning the prize. The classical Monty-Hall Problem is a special case with zero-value for each of the three perturbation parameters.

This is a refutation of the position held by the leading subject matter experts, that a switched-choice always provides an enhancement on the probability of winning the prize in the classical case.

The clearly partitioned three-dimensional discrete event(sample)space along with the corresponding apriori probabilities presented as the input data set is a fail-safe framework to study, analyze and solve the problem; with no possibility of missing any relevant component terms or including any irrelevant ones, while going through the required calculations in order to derive the desired results.

Keywords: Monty-Hall (parameterized strategist-host) Theorem;  
Bayes-Price Rule; Bayes Theorem; Discrete Event (Sample) Space;  
Parameterized Strategy; Perturbation Parameters;

AMS MSC Mathematics Subject Classification: 60A99; 60C99; 62A99; 62C99.

## 1. INTRODUCTION

The *classical* “Monty-Hall Problem”, also referred to as the “Three-Door Problem” is based on a game show “Let’s Make a Deal” wherein the host reveals a losing choice to the guest, who had earlier made an initial choice, and in turn offers the guest an enticing option to switch from the initial choice to a second available choice with an aim to enhance the chances of winning the prize. The most prevalent & widely accepted position, as reported in literature, among the leading subject matter experts, mathematicians, statisticians, logicians, and rational intellectuals, is that an appropriate detailed study & analysis of the scenario using the well accepted standard approach of Probability & Statistics, would lead to a recommendation to the guest to switch to the second available choice based on the knowledge obtained from the host revealing a losing choice.

We present the statement of the Monty-Hall (parameterized strategist-host) Theorem, corresponding to the most general scenario of the Monty-Hall Problem, wherein the host may play a parameterized strategy on the guest, that may at the outset appear to result in a disadvantageous situation for the guest. We provide a constructive proof by solving the corresponding generic Monty-Hall Problem. It establishes the limits on the range of values for the probability of winning the prize, with or without a switched-choice. Eight extreme strategies have been identified and characterized, while establishing that there cannot exist any strategy that would always be disadvantageous for the guest.

## 2. NOTATIONAL DETAILS

Let us develop the notational details by first considering the so-called *classical* Monty-Hall Problem as reported widely in the literature - with a prize hidden behind one of the three doors; a guest making an initial choice of a door to claim the prize; the host who knows the location of the prize as well as the initial choice made by the guest, now *reveals a distinctly different and yet a losing-choice*, by opening a third door. Then the host also offers the guest, an option to switch from the initial-choice to the now available second-choice, anticipating a possible enhancement in the chances of winning the prize, based on the knowledge obtained about a losing-choice.

Let us represent the events/actions associated with the three doors:

- (1)  $xr \in \{1,2,3\}$  be the door  $r$  behind which the reward/prize  $x$  is hidden;
- (2)  $yp \in \{1,2,3\}$  be the initial choice of the door  $p$  chosen by the player/guest  $y$ ;
- (3)  $zq \in \{1,2,3\}$  be the door  $q$  opened by the quizmaster/host  $z$  to reveal a losing choice.

Let the symbol 'ai' denote the event/action  $[E\{(a=i)\}]$  for any 'agent'  $a \in \{x,y,z\}$  and 'door'  $i \in \{r,p,q\} = \{1,2,3\}$ .

It is essential to note here that  $xr$  and  $yp$  are mutually independent of each other as well as independent of  $zq$ ; whereas  $zq$  itself is dependent on both  $xr$  and  $yp$ , since  $\{(zq \neq yp) \ \& \ (zq \neq xr)\}$  as per the rules of the game. Also, note that the focus must be on the decision-making process and the action to be taken by the guest. Therefore, the *problem formulation (modelling)* must necessarily be from the view-point of the guest/player.

### 3. ASSUMPTIONS

From the point of view of the player/guest, it is *assumed* that the reward/prize is hidden randomly (maybe because of lack of any specific knowledge) behind one of the three doors. That is, each of the events  $[xr \in \{1,2,3\}]$  is considered random and equiprobable among the available three alternatives.

Also, the initial-choice of the door  $[yp \in \{1,2,3\}]$  chosen by the player/guest being a random (blind) choice (again because of lack of any specific knowledge) is *assumed* to be equiprobable among the available three alternatives.

The host knows the door behind which the prize is hidden and also the door that is the initial choice of the guest. Therefore, the event/action of the host  $z$  opening door  $q$ ,  $zq \in \{1,2,3\}$  to show a losing choice, is dependent on both  $yp$  and  $xr$ , as per the rules of the game show, that is,  $\{(zq \neq yp) \ \& \ (zq \neq xr)\}$ . This dependency of  $zq$  on  $yp$  and  $xr$  does indeed limit the available options for the host. It turns out that when  $yp \neq xr$  the host doesn't have any option except to turn to the one and only one remaining door  $\{zq \neq (yp \neq xr)\}$ ; whereas when  $yp = xr$  the host has the option of choosing between the two doors, that is,  $\{zq \neq (yp = xr)\}$ . Because the host has this option, at least in a restricted sense, of choosing which of the two doors to open, it introduces an uncertainty for the guest/player to predict/expect/anticipate the host's decision/action in this regard, irrespective of

whether the host adopts any strategy or otherwise. The only knowledge that the guest/player gets from the host's action of opening a door to show a losing-choice is exactly that the specific door is indeed a losing-choice which doesn't have the prize hidden behind it.

#### 4. INPUT DATA SET

In the classical Monty-Hall Problem, it is *assumed* that whenever  $\{zq \neq (yp = xr)\}$  the host's choice between the two available options is indeed random and *equiprobable*. In our supermodel representing the strategist-host, we allow the host to play a generic parameterized strategy defined by three perturbations parameters;  $(-1/2) \leq \{\alpha, \beta, \gamma\} \leq (1/2)$ ; as shown in the corresponding input data set.

The input data set for the generic Monty-Hall (parameterized strategist-host) Problem, presented in Table-1, lists the 12 mutually-exclusive together-exhaustive possible alternatives for the combined-triple-event space along with the relevant apriori probabilities.

Sl.No.	[xr]	[yp]	[xr&yp]	[zq]	[xr&yp&zq]	P[xr]	P[yp]	P[zq (xr&yp)]	P[xr&yp&zq]
01	1	1	11	2	112	1/3	1/3	$(1/2)+\alpha$	$((1/2)+\alpha)/9$
02	1	1	11	3	113	1/3	1/3	$(1/2)-\alpha$	$((1/2)-\alpha)/9$
03	1	2	12	3	123	1/3	1/3	1	1/9
04	1	3	13	2	132	1/3	1/3	1	1/9
05	2	1	21	3	213	1/3	1/3	1	1/9
06	2	2	22	3	223	1/3	1/3	$(1/2)+\beta$	$((1/2)+\beta)/9$
07	2	2	22	1	221	1/3	1/3	$(1/2)-\beta$	$((1/2)-\beta)/9$
08	2	3	23	1	231	1/3	1/3	1	1/9
09	3	1	31	2	312	1/3	1/3	1	1/9
10	3	2	32	1	321	1/3	1/3	1	1/9
11	3	3	33	1	331	1/3	1/3	$(1/2)+\gamma$	$((1/2)+\gamma)/9$
12	3	3	33	2	332	1/3	1/3	$(1/2)-\gamma$	$((1/2)-\gamma)/9$
Twelve Mutually-Exclusive Together-Exhaustive Alternative-Possibilities									
[xr]: prize x behind door r; [yp]: guest y choses door p; [zq]: host z reveals door q									
NOTE: Perturbation parameters $(-1/2) \leq \{\alpha, \beta, \gamma\} \leq (1/2)$ are non-zero for strategist-host									
Table-1: Twelve <i>combined-triplet-event</i> possibilities in three-dimensional discrete event(sample)space along with the apriori probabilities.									

## 5. MONTY-HALL (parameterized strategist-host) THEOREM

The strategy adopted by the host, in the supermodel representing the corresponding Monty-Hall (parametrized strategist-host) Problem, is characterized by the three perturbation parameters,  $(-1/2) \leq \{\alpha, \beta, \gamma\} \leq (1/2)$ ; as presented in the corresponding input data set in Table-1. The default classical case corresponds to the situation with zero-value for each of these three perturbation parameters, with equiprobable alternatives; whereas the non-zero values of the perturbation parameters indicate the extent of deviation from the default classical case.

### THEOREM STATEMENT

Given that the initial choice of the guest is, say door-1 (event [y1]); and that the host opens the door, say door-3 (event [z3]) to reveal a losing choice, that is different from the door behind which the prize is hidden, and also different from the initial choice of the guest; then the probability of the guest winning the prize is given by the *aposteriori* (conditional to [z3]) *probability* of the prize being hidden behind the door-1 (event [x1]); that is,  $P[x1 | z3]$ . This value may be computed by the application of the Bayes-Price Rule (Bayes Theorem) for a three-dimensional discrete event(sample)space. Similarly, the values for  $P[xr | zq]$  are computed for each of the three pairs of valid combinations of  $xr$  and  $zq$ ; for  $xr \in \{1,2,3\}$  and for  $zq \in \{1,2,3\}$  with  $xr \neq zq$ .

#### Claim MHT1:

In the case of the classical Monty-Hall Problem with zero-values for the perturbation parameters;  $P[xr | zq]$  is exactly  $1/2$ . Therefore, the option of the switched-choice doesn't yield any enhancement in the chances of winning the prize.

#### Claim MHT2:

The lower & upper bounds on  $P[xr | zq]$  are given by  $(1/3) \leq P[xr | zq] \leq (2/3)$ ; as listed in Table-2 for each of the 24 distinctly different combinations of the limiting values of the perturbation parameters.

#### Claim MHT3:

Table-3 lists the eight extreme strategies, each identified by its characteristic signature, along with the resultant probability values for the prize being hidden behind each of the remaining two doors other than the specific door opened by the host to reveal a losing-choice. We claim that there does not exist any strategy that the host can play on the guest/player, which would result in a situation wherein a

*switched-choice* will always (irrespective of the placement of the prize and irrespective of the initial-choice of the guest) lead to a universal enhancement/diminishment in the chances of winning the prize.

### PROOF of the Monty-Hall (parameterized strategist-host) Theorem

The proof is simply by solving the problem, following the below enumerated steps. For each required value, a general expression is given first; followed by the specific value.

#### (a) INPUT DATA SET

$$\begin{array}{llllll} P[x1]; & P[x2]; & P[x3]; & P[y1]; & P[y2]; & P[y3]; \\ P[z3 | x1y1]; & P[z3 | x1y2]; & P[z3 | x2y1]; & P[z3 | x2y2]; & & \\ P[z2 | x1y1]; & P[z2 | x1y3]; & P[z2 | x3y1]; & P[z2 | x3y3]; & & \\ P[z1 | x2y2]; & P[z1 | x2y3]; & P[z1 | x3y2]; & P[z1 | x3y3]; & & \end{array}$$

#### (b) JOINT PROBABILITIES FOR INDEPENDENT EVENTS [xr & yp]

$$\begin{array}{lll} P[x1y1] = P[x1]*P[y1]; & P[x1y2] = P[x1]*P[y2]; & P[x1y3] = P[x1]*P[y3]; \\ P[x2y1] = P[x2]*P[y1]; & P[x2y2] = P[x2]*P[y2]; & P[x2y3] = P[x2]*P[y3]; \\ P[x3y1] = P[x3]*P[y1]; & P[x3y2] = P[x3]*P[y2]; & P[x3y3] = P[x3]*P[y3]; \end{array}$$

#### (c) VALIDITY CHECK FOR **NON-ZERO APRIORI** PROBABILITIES

Check and confirm the *validity of input data values* for application of Bayes-Price Rule (Bayes Theorem). The presence of *zero-value* for any of the *apriori probabilities* leading to the intended conditional used to derive the required *aposteriori (conditional) probabilities*, can result in *spurious results*. Appropriate alternative approach may be needed in such cases. The avoidance of *extreme priors* and/or *point-mass-bias* is a *regularity principle*. The nine *joint probabilities* {P[x1y1], P[x1y2], P[x1y3], P[x2y1], P[x2y2], P[x2y3], P[x3y1], P[x3y2], P[x3y3]} listed above, leading to the required conditionality of the host opening a door must necessarily have non-zero values for the valid application of the Bayes Theorem.

#### (d) APRIORI PROBABILITY FOR [z3] – PER RULES OF THE GAME

$$\begin{aligned} P[z3] &= P[z3|x1y1]*P[x1y1] + P[z3|x2y1]*P[x2y1] + P[z3|x1y2]*P[x1y2] + P[z3|x2y2]*P[x2y2]; \\ &= P[x1y1z3] + P[x1y2z3] + P[x2y1z3] + P[x2y2z3]; \\ &= ((1/2)-\alpha)*(1/9) + 1*(1/9) + 1*(1/9) + ((1/2)+\beta)*(1/9); \\ &= (3+\beta-\alpha)/9; \end{aligned}$$

#### (e) APRIORI (conditional w.r.t. x1; marginal w.r.t. yp) PROBABILITY for z3

$$\begin{aligned}
P[z3 | x1] &= (P[z3 | x1y1] * P[x1y1] + P[z3 | x1y2] * P[x1y2]) / (P[x1]); \\
&= (P[z3x1y1] + P[z3x1y2]) / (P[x1]); \\
&= ((1/2)-\alpha) * (1/9) + 1*(1/9) / (1/3); \\
&= ((1/2)-(\alpha/3));
\end{aligned}$$

(f) APOSTERIORI (conditional w.r.t. z3; marginal w.r.t. yp) PROBABILITY for x1

$$\begin{aligned}
P[x1 | z3] &= (P[z3 | x1] * P[x1]) / (P[z3]); \\
&= ((P[z3x1y1] + P[z3x1y2]) / (P[x1y1z3] + P[x1y2z3] + P[x2y1z3] + P[x2y2z3])); \\
&= (((1/2)-(\alpha/3)) * (1/3)) / ((3+\beta-\alpha)/9); \\
&= (1/2)*(3-2\alpha)/(3+\beta-\alpha);
\end{aligned}$$

Similarly we can compute the values for each of the six valid combinations of xr and zq; r ∈ {1,2,3} and q ∈ {1,2,3} with xr ≠ zq; and we get –

$$\begin{aligned}
P[x1 | z3] &= (1/2) * (3-2\alpha)/(3+\beta-\alpha); & P[x2 | z3] &= (1/2) * (3+2\beta)/(3+\beta-\alpha); \\
P[x2 | z1] &= (1/2) * (3-2\beta)/(3+\gamma-\beta); & P[x3 | z1] &= (1/2) * (3+2\gamma)/(3+\gamma-\beta); \\
P[x3 | z2] &= (1/2) * (3-2\gamma)/(3+\alpha-\gamma); & P[x1 | z2] &= (1/2) * (3+2\alpha)/(3+\alpha-\gamma);
\end{aligned}$$

Note that in the case of mutually independent together exhaustive discrete joint event probabilities, it is easier & safe to work directly with the appropriate joint probability values and the appropriate marginal probability values to compute the required aposteriori (conditional) probability values.

END OF COMPUTATION

Claim MHT1:

When each of the three perturbation parameters takes zero-value, the situation corresponds to the default classical case of the Monty-Hall Problem. From the computations shown in the theorem above, it results in each of the above six aposteriori (conditional) probability values take on the value of exactly 1/2. Therefore, it gets established that irrespective of whichever be the door opened by the host (thus revealing a losing choice) each of the remaining two doors have equal probability of having the prize hidden behind it – implying that the so called “switched-choice” is neither better nor worse in terms of the chances of winning, than staying with the “initial-choice” of the guest. This is a clear refutation of the claim by the leading subject matter experts.

Claim MHT2:

Table-2 lists the above six values of aposteriori (conditional) probabilities and their range-limiting bounds, corresponding to the various possible combinations of limiting values of the three perturbation parameters. Note that the first three columns in Table-2 contain the relevant partial signature (refer to the description presented later here below) of the related extreme strategy.

x1y1zq	x2y2zq	x3y3zq	$\alpha=$	$\beta=$	$\gamma=$	P[xr   zq]=	
112	223		$\alpha= 1/2$	$\beta= 1/2$		P[x1   z3]=	$(1/2) * (3-2\alpha)/(3+\beta-\alpha) = 1/3$
112	221		$\alpha= 1/2$	$\beta= -1/2$		P[x1   z3]=	$(1/2) * (3-2\alpha)/(3+\beta-\alpha) = 1/2$
113	223		$\alpha= -1/2$	$\beta= 1/2$		P[x1   z3]=	$(1/2) * (3-2\alpha)/(3+\beta-\alpha) = 1/2$
113	221		$\alpha= -1/2$	$\beta= -1/2$		P[x1   z3]=	$(1/2) * (3-2\alpha)/(3+\beta-\alpha) = 2/3$
112	223		$\alpha= 1/2$	$\beta= 1/2$		P[x2   z3]=	$(1/2) * (3+2\beta)/(3+\beta-\alpha) = 2/3$
112	221		$\alpha= 1/2$	$\beta= -1/2$		P[x2   z3]=	$(1/2) * (3+2\beta)/(3+\beta-\alpha) = 1/2$
113	223		$\alpha= -1/2$	$\beta= 1/2$		P[x2   z3]=	$(1/2) * (3+2\beta)/(3+\beta-\alpha) = 1/2$
113	221		$\alpha= -1/2$	$\beta= -1/2$		P[x2   z3]=	$(1/2) * (3+2\beta)/(3+\beta-\alpha) = 1/3$
	223	331		$\beta= 1/2$	$\gamma= 1/2$	P[x2   z1]=	$(1/2) * (3-2\beta)/(3+\gamma-\beta) = 1/3$
	223	332		$\beta= 1/2$	$\gamma= -1/2$	P[x2   z1]=	$(1/2) * (3-2\beta)/(3+\gamma-\beta) = 1/2$
	221	331		$\beta= -1/2$	$\gamma= 1/2$	P[x2   z1]=	$(1/2) * (3-2\beta)/(3+\gamma-\beta) = 1/2$
	221	332		$\beta= -1/2$	$\gamma= -1/2$	P[x2   z1]=	$(1/2) * (3-2\beta)/(3+\gamma-\beta) = 2/3$
	223	331		$\beta= 1/2$	$\gamma= 1/2$	P[x3   z1]=	$(1/2) * (3+2\gamma)/(3+\gamma-\beta) = 2/3$
	223	332		$\beta= 1/2$	$\gamma= -1/2$	P[x3   z1]=	$(1/2) * (3+2\gamma)/(3+\gamma-\beta) = 1/2$
	221	331		$\beta= -1/2$	$\gamma= 1/2$	P[x3   z1]=	$(1/2) * (3+2\gamma)/(3+\gamma-\beta) = 1/2$
	221	332		$\beta= -1/2$	$\gamma= -1/2$	P[x3   z1]=	$(1/2) * (3+2\gamma)/(3+\gamma-\beta) = 1/3$
112		331	$\alpha= 1/2$		$\gamma= 1/2$	P[x3   z2]=	$(1/2) * (3-2\gamma)/(3+\alpha-\gamma) = 1/3$
113		331	$\alpha= -1/2$		$\gamma= 1/2$	P[x3   z2]=	$(1/2) * (3-2\gamma)/(3+\alpha-\gamma) = 1/2$
112		332	$\alpha= 1/2$		$\gamma= -1/2$	P[x3   z2]=	$(1/2) * (3-2\gamma)/(3+\alpha-\gamma) = 1/2$
113		332	$\alpha= -1/2$		$\gamma= -1/2$	P[x3   z2]=	$(1/2) * (3-2\gamma)/(3+\alpha-\gamma) = 2/3$
112		331	$\alpha= 1/2$		$\gamma= 1/2$	P[x1   z2]=	$(1/2) * (3+2\alpha)/(3+\alpha-\gamma) = 2/3$
113		331	$\alpha= -1/2$		$\gamma= 1/2$	P[x1   z2]=	$(1/2) * (3+2\alpha)/(3+\alpha-\gamma) = 1/2$
112		332	$\alpha= 1/2$		$\gamma= -1/2$	P[x1   z2]=	$(1/2) * (3+2\alpha)/(3+\alpha-\gamma) = 1/2$
113		332	$\alpha= -1/2$		$\gamma= -1/2$	P[x1   z2]=	$(1/2) * (3+2\alpha)/(3+\alpha-\gamma) = 1/3$

Table-2. Twenty-Four Limiting value combinations of the perturbation parameters

From the entries in Table-2 it is clear that the lower & upper bounds on  $P[xr | zq]$  are given by  $(1/3) \leq P[xr | zq] \leq (2/3)$ ; which can also be derived independently from the corresponding algebraic expressions for each of these six values.

## Claim MHT3:

There are *eight distinctly different possible extreme strategies* that can be adopted by a strategist-host in the Monty-Hall Problem; corresponding to the three situations that provide an option for the host to open one of the two available alternative doors to reveal a losing-choice to the guest. That is, whenever the initial choice of the guest matches with the door behind which the prize is hidden, the host can open one specific chosen door (as per the chosen strategy) from among the other two doors, each of which is a losing choice. Therefore, we can identify each of these eight distinct strategies by a *uniquely characteristic signature label*  $\{x_1y_1z_u, x_2y_2z_v, x_3y_3z_w\}$  where  $u \in \{2,3\}$ ;  $v \in \{3,1\}$ ;  $w \in \{1,2\}$ ; or simply by an equivalent label  $\{11u22v33w\}$ ; as listed in Table-3.

With this notation, we can collect & collate the results of the computation presented in Table-2 corresponding to each of these eight extreme strategies. Each of these eight extreme strategies arise when the three perturbation parameters take on the limiting values within the corresponding range of valid values. Table-3 summarizes the results of the computations for each of these eight strategies, giving the probability of the prize being hidden behind one of the two doors corresponding to the case wherein the host reveals a losing-choice. The symmetry in the results as shown in Table-3 is indeed very intriguing.

Sl.No.	STRATEGY LABEL	P[x1 z3]	P[x2 z3]	P[x2 z1]	P[x3 z1]	P[x1 z2]	P[x3 z2]
S1	{113223331}	1/2	1/2	1/3	2/3	1/2	1/2
S2	{113223332}	1/2	1/2	1/2	1/2	1/3	2/3
S3	{113221331}	2/3	1/3	1/2	1/2	1/2	1/2
S4	{113221332}	2/3	1/3	2/3	1/3	1/3	2/3
S5	{112223331}	1/3	2/3	1/3	2/3	2/3	1/3
S6	{112223332}	1/3	2/3	1/2	1/2	1/2	1/2
S7	{112221331}	1/2	1/2	1/2	1/2	2/3	1/3
S8	{112221332}	1/2	1/2	2/3	1/3	1/2	1/2

Table-3: Eight Extreme Strategies - each with three pairs of a posteriori probabilities for comparison

Note that Table-3 presents three pairs of values for the comparison of a posteriori probabilities corresponding to each of the eight strategies, thus having a total of 24 pairs of values for comparison. For six of the eight strategies, there are two pairs  $(1/2, 1/2)$  and one pair  $(2/3, 1/3)$ . The two pairs  $(1/2, 1/2)$  indicate the two scenarios wherein a switched-choice doesn't affect the chances of winning the prize; *whereas* the one pair  $(2/3, 1/3)$  indicates a scenario wherein a switched-choice affects the chances of winning the prize - an enhancement from  $1/3$  to  $2/3$  or a diminishment from  $2/3$  to  $1/3$  based on the initial-choice of the guest. Note also that the strategies S4 & S5, have all the three pairs with values  $(2/3, 1/3)$  and hence they correspond to the two special extreme strategies wherein a switched-choice always leads to either an enhancement or a diminishment in the chances of winning depending on the initial-choice of the guest relative to the placement of the prize.

Corresponding to each scenario of an enhancement there is a complementary scenario of diminishment, and these are distributed symmetrically among the eight distinctly different extreme strategies as can be observed from the Table entries.

For example, in strategy S1 since  $P[x_2 | z_1]$  is  $1/3$  and  $P[x_3 | z_1]$  is  $2/3$  it is clear that if the initial-choice is door-2  $[y_2]$  then a switched-choice  $[y_3]$  yields an enhancement in the chances of winning the prize, whereas if the initial-choice is door-3  $[y_3]$  then a switched-choice  $[y_2]$  yields a diminishment in the chances of winning the prize.

Therefore, it is established that there does not exist any strategy that leads to a scenario wherein a switched-choice *always (irrespective of the placement of the prize and irrespective of the initial-choice of the guest)* yields a clear advantage (enhancement) or a clear disadvantage (diminishment) in the chances of winning the prize.

END OF PROOF

## 5. EARLIER ERRONEOUS RESULT

The Monty-Hall (parameterized strategist-host) Theorem reaffirms common-sense based rational and intellectual reasoning, confirmed by the results obtained through the computations shown in the proof, which itself is based on the most fundamental elementary concepts of probability theory. Note that the Monty-Hall Problem is not a problem with possibly multiple correct solutions. Therefore, the above

theorem indirectly points out the erroneous result that has been the widely accepted position held by the leading subject matter experts who claim that a “switched-choice” has a clear advantage - with the chances of winning the prize being  $2/3$  as against only  $1/3$  for staying with the “initial-choice”, in the default classical case.

There seems to be various approaches adopted by the leading subject matter experts, to derive the very same erroneous result. Almost all of them are centered around the use (rather the erroneous use) of the four apriori joint probabilities: (1)  $P[z3x1y1]$ ; (2)  $P[z3x2y1]$ ; (3)  $P[z3x1y2]$ ; (4)  $P[z3x2y2]$ ; leading to the intended conditional  $[z3]$  that is supposed to be used appropriately to derive the required *aposteriori (conditional) probabilities*:  $P[x1 | z3]$  to be compared with  $P[x2 | z3]$  in the decision-making problem faced by the guest.

Some consider only the two apriori terms (1) & (2) while leaving out the other two terms (3) & (4) mentioned above; an *error of omission*; as-if fixing  $[z3y1]$  as the conditionality rather than  $[z3]$ ; and derive the aposteriori probabilities:  $P[x1 | z3y1]$  to be compared with  $P[x2 | z3y1]$  - only to recommend a switched choice from  $[y1]$  to  $[y2]$ . This is indeed a serious **Logical Fallacy** of lifting/violating the very condition  $[y1]$  used in that computation. This is exactly similar to the physical analogy of **chasing the proverbial mirage-waters**, wherein that perception itself vanishes, since the very conditions that caused such a perception are violated (no more valid) by the very action of moving towards it.

Some others seem to go wrong in their application of the Bayes-Price Rule (Bayes Theorem); an *error of commission*; in a situation with zero-value associated with apriori probabilities  $P[y2]$  &  $P[y3]$ ; as-if fixing  $[y1]$  as a pre-condition; an issue of concern that has been clearly mentioned in the above proof while *insisting on a check for the validity (non-zero a-priori* leading to the conditional) *of input data* before further processing to derive aposteriori (conditional to  $[z3]$ ) probabilities.

One of the most striking errors is the claim that the chances of winning by staying with the initial choice is given by  $(P[x1y1z2]+P[x1y1z3])$  whereas the chances of winning by a switched choice is given by  $(P[x1y2z3]+P[x1y3z2])$ ; as-if fixing  $[x1]$  as a pre-condition while not taking advantage of the additional knowledge gained from the host opening the door  $[z3]$  revealing a losing choice.

Similarly, another equally intriguing approach adopted by some others is to compare  $(P[x1y1z3]+P[x2y2z3])$  with  $(P[x1y2z3]+P[x2y1z3])$  while correctly considering  $[z3]$  as the aposteriori condition although not updating the required

probabilities for evaluation & comparison of the two possible alternatives [y1] & [y2] available for the guest.

We are amazed as to how these approaches can be justified by either any rational intellectual reasoning or any study based on the fundamental concepts of Probability & Statistics. This is indeed an atypical case of *erroneous mathematical formulation* of the problem giving rise to an *erroneous model*, and/or even possibly some erroneous problem-solving methodology leading to *erroneous results*, further confirmed (!?) by *erroneous computer simulation* etc. involving the leading subject matter experts who are expected to warn us from such misleading possibilities.

## 6. A CHALLENGE TO THE LEADING SUBJECT MATTER EXPERTS

Let us rephrase the well-known default case of the classical Monty-Hall Problem, now adorned with a *jewel-on-the-crown* as presented below:

- (1.1) The prize is hidden behind one of the three doors;
- (1.2) I the guest make an initial-choice, say door-1, to claim my prize;
- (1.3) Now, Monty the host opens a different door, say door-3, revealing a losing-choice;
- (2.1) I am given an option to withdraw/cancel the earlier choice of door-1 and opt for a switched-choice, that is, door-2;
- (2.2) I appreciate the knowledge of a losing-choice and also Monty's offer of the option to switch;
- (3.1) I grab Monty's offer, withdraw/cancel my earlier choice of door-1;
- (3.2) Then I re-evaluate the two choices available for me now, namely stay with my initial-choice, that is, door-1; or go for the switched-choice, that is, door-2;
- (3.3) I find that the chances of winning are exactly the same between the two available choices;
- (4.1) Now that you, a subject matter expert, enter the Hall, I seek your recommendation. What is your recommendation?
- (4.2) TO SWITCH OR NOT TO SWITCH : THAT IS THE QUESTION!

Note that your answer must necessarily be independent of my initial-choice; although Monty's choice of opening a door to reveal a losing-choice was dependent on my initial-choice which he had to avoid as per the rules of the game.

Hope your expert advice is *NEITHER* an exemplification of a well-known proverb "*the grass is always greener on the other side*" *NOR* any enticement to chase the proverbial mirage-waters, wherein that perception (of mirage) itself vanishes, since

the very conditions that caused such a perception (of mirage) are violated by the very action of moving towards (the mirage) it.

## 7. CONCLUSION

The parameterized supermodel represents the generic Monty-Hall Problem, wherein the host may play a parameterized strategy in choosing one of the two doors to open and reveal a losing-choice to the guest – this happens when the initial-choice of the guest matches with the door behind which the prize is hidden. We use three perturbation parameters;  $(-1/2) \leq \{\alpha, \beta, \gamma\} \leq (1/2)$ ; to characterize this scenario. The Monty-Hall (parameterized strategist-host) Theorem is the most general result associated with such a problem. Eight extreme strategies have been identified and characterized. It is shown that there does not exist any strategy that the host may play on the guest, that will be always (irrespective of the placement of the prize and irrespective of the initial-choice of the guest) disadvantageous/advantageous to the guest.

The classical Monty-Hall Problem is the default situation arising from the general parameterized model, when each of the perturbation parameters takes zero-value; wherein it is established that the probability of winning the prize is indeed unaffected by a switched-choice; refuting the claim by the leading subject matter experts.

The most prevalent and widely accepted position held by the leading subject matter experts seems to have arisen from either some *erroneous problem formulation* giving rise to an *erroneous mathematical model* and/or *erroneous problem-solving approach*, possibly also riddled with some *Logical Fallacy*, leading to an *erroneous result*, that seems to have been justified by some *erroneous computer simulation* studies, etc. Let us acknowledge that, looking back, it seems as if Marilyn cast an enchantingly deep spell over the Frequentists who in turn pushed the Probabilists to mistake Bayes-Price, paying the price through errors of commission and/or errors of omission, riddled with some Logical Fallacy as well. The leading subject matter experts seem to be plagued by a stagnancy of frozen prejudice rather than the much-desired vibrancy of facing challenges with an open mind – this is evident from the kind of responses this author has been receiving. We need to come out of that long drawn intellectual comatose of over six decades, and wake up to reality.

The clearly partitioned *triple-event* space, with the twelve *mutually-exclusive together-exhaustive* possible alternatives, along with the corresponding apriori

probabilities, as represented in a Table, is a fail-safe framework to study, analyze & solve the problem; with no possibility of missing any relevant component terms or including any irrelevant component terms, while going through the required calculations in order to derive the desired results.

Also, note that a real manipulative host would rather simply keep quiet whenever the initial-choice of the guest is a losing-choice (two-third of the time); but would reveal a losing-choice along with an offer to opt for a switched-choice *only* whenever the initial-choice of the guest is indeed a winning-choice (one-third of the time); thus resulting in the overall chances of winning the prize brought down from one-third to zero if a gullible guest falls prey to such seemingly enticing traps.

## 8. RECOMMENDED READING

- [1]. Wikipedia Page – [https://en.wikipedia.org/wiki/Monty\\_Hall\\_problem](https://en.wikipedia.org/wiki/Monty_Hall_problem)
- [2]. Jason Rosenhouse; “The Monty Hall Problem: The Remarkable Story of Math’s Most Contentious Brain Teaser”; Oxford University Press, ISBN 978-0-19-536789-8, 2009.
- [3]. Jason Rosenhouse; “Games-for-Your-Mind\_History-&-Future-of-Logic-Puzzles”; Princeton University Press, 2020.
- [4]. Anthony B. Morton; “Prize insights in probability, and one goat of a recycled error”; Arxiv:1011.3400v2 2010.
- [5]. Matthew A. Carlton; “Pedigrees, Prizes, and Prisoners: The Misuse of Conditional Probability”; Journal of Statistics Education Volume 13, Number 2 (2005); [ww2.amstat.org/publications/jse/v13n2/carlton.html](http://ww2.amstat.org/publications/jse/v13n2/carlton.html)
- [6]. Richard D. Gill; “The Monty Hall Problem is not a Probability Puzzle : It's a challenge in mathematical modelling”; arXiv:1002.0651v4 2023.
- [7]. Torsten Enßlin and Margret Westerkamp; “The rationality of irrationality in the Monty Hall problem”; arXiv:1804.04948v4 2018.
- [8]. Jeffrey S. Rosenthal; “Monty Hall, Monty Fall, Monty Crawl”; [probability.ca/jeff/writing\\_montyfall](http://probability.ca/jeff/writing_montyfall)

- [9]. Christopher A. Pynes; “IF MONTY HALL FALLS OR CRAWLS”; EuJAP Vol.9, No.2, pp 33-47; 2013.
- [10]. Andrew Vazsonyi, Feature Editor; “Which Door Has the Cadillac?”; *The Real-Life Adventures of a Decision Scientist* – featured column [www.decisionsciences.org/DecisionLine/Vol30/30\\_1/vazs30\\_1.pdf](http://www.decisionsciences.org/DecisionLine/Vol30/30_1/vazs30_1.pdf)
- [11]. Richard Isaac (1995); “The Pleasure of Probability” Springer-Verlag Undergraduate Texts in Mathematics.

## 9. ACKNOWLEDGEMENT

I must necessarily confess here that the *core idea behind this analysis is so stunningly & elusively simple*, that one may simply be taken aback in a profound wonder-struck jaw-drop-silence, maybe with an after-thought: "*oh my goodness, how could it be that it never flashed on me any time earlier!*"

On this most auspicious vidyaa(vijaya)daSami day [2025OCT02] I was blessed with the vision to formulate the *Monty-Hall Theorem* and its *proof* - as a *concise & precise* approach - the preferred style of presentation for the target audience consisting of Mathematicians, Statisticians, Logicians, eminent scientists etc.

## 10. DECLARATION REGARDING AFFILIATION AND FUNDING

I, Dr(Prof) Keshava Prasad Halemane, hereby declare that I am a Professor retired as on 2017JAN31 from National Institute of Technology Karnataka Surathkal India, and I am not affiliated to any institution or organization or corporation or any other agency or whatever. This research work has been conducted entirely by me on my own as an Independent Researcher, and that I have not received any funding from any source other than my own savings, and I do not have any obligations or encumbrances of any kind, neither financial nor legal nor of any other kind, regarding the contents of the manuscript - of which I am the original author and creator.

## 11. AUTHOR RIGHTS RETENTION NOTICE

The author as the original creator of this work asserts exclusive ownership and retains full-&-complete Intellectual Property Rights (IPR) and CopyRight for this (as well as all its previous versions, including all the versions archived in various repositories, all of them

with CC-BY-NC-ND 4.0 International Public Copyright License) and any/every Author Accepted Manuscript (AAM) version arising from this manuscript) in perpetuity, for the maximum duration permitted by law. For the purpose of publication, the author hereby grants a non-exclusive publishing rights to the publisher. The author's IPR including all commercial and derivative rights are retained in full as the exclusive intellectual property of the author and shall pass to his designated legal heirs (the three children mentioned herein below) in perpetuity, for the maximum duration permitted by law.

## 12. DEDICATION

To my ಅಜ್ಜಿ(ajja) Karinja Halemane Keshava Bhat & ಅಜ್ಜಿ(ajji) Thirumaleshwari, ಅಪ್ಪ(appa) Shama Bhat & ಅಮ್ಮ(amma) Thirumaleshwari, for their *teachings through love*, that *quality matters more than quantity*; to my wife Vijayalakshmi for her *ever consistent love & support*; to my daughter [Sriwidya.Bharati](#) and my twin sons [Sriwidya.Ramana](#) & [Sriwidya.Prawina](#) for their *love & affection*.

To all the *cool-headed brave-hearts*, eagerly awaited but probably yet to be visible among the world professionals, especially those *subject matter experts* who would be attracted to and certainly capable of effectively understanding without any prejudice and appreciating the deeper insights enshrined in this research report, who may opt for innate rational-&-intellectual common-sense and simple creativity over any conceptual sophistication and/or any complexity of algorithmic and/or computational details in problem-solving to resolve any seemingly paradoxical scenarios possibly arising therefrom.

Further, let us be aware that, to '*right a wrong*' requires fighting a tough battle of '*refusal to accept the mistake*' followed by '*resistance to unlearn the wrong*' even before or alongside the natural '*grudging reluctance to learn the right*'. I am sure you as a *cool-headed brave-heart*, have come forward to take up that challenge, although an intriguing and yet intellectually fulfilling exploratory journey - all my best wishes to you.

ॐ