

URL: <https://sci-cult.net/index.php/cult/article/view/1732/1198>

## ENCLOSED SOLAR ENHANCED OIL RECOVERY (ESEOR)

Osama A. Marzouk<sup>1\*</sup>

<sup>1</sup>University of Buraimi, Oman, [osama.m@uob.edu.om](mailto:osama.m@uob.edu.om), <https://orcid.org/0000-0002-1435-5318>

Received: 10/10/2025  
Accepted: 10/11/2025

Corresponding Author: Osama A. Marzouk  
([osama.m@uob.edu.om](mailto:osama.m@uob.edu.om))

### ABSTRACT

*Enhanced oil recovery (EOR) or tertiary oil recovery is a process used in the oil industry to extract remaining crude oil from partially-exploited reservoirs by changing the characteristics of the underground oil to improve its mobility. The current study focuses on solar thermal projects in the Sultanate of Oman at the Amal oil field located in the southern Omani governorate of Dhofar. This oil field is fully owned and operated by Petroleum Development Oman (PDO), a leading oil and gas exploration and production company in the Sultanate of Oman. In these projects, enclosed parabolic troughs are used to generate steam for thermal enhanced oil recovery, using solar thermal heating. These projects are: Amal I pilot project, Amal II pilot project, and Miraah flagship project. If combined, these three projects can supply annually about two trillion Btu (British thermal units) of heat, and can produce daily up to 2,100 tonnes of steam. The conventional heating method of burning natural gas may release annually more than 100 kilotonnes of carbon dioxide. The newly added solar steam generation system is combined with an existing natural gas combustion steam generation system, leading to a favorable reduction in the natural gas consumption by about 25%. These enhanced oil recovery projects are briefly discussed here as examples of successful sustainable practices in the oil production business and engineering.*

---

**KEYWORDS:** Amal, EOR, GlassPoint, Miraah, Oman.

---

## 1. INTRODUCTION

Recent studies show a verified trend of climate change, expressed as a steady increase in temperature [1–3]. In accordance with the nonlinear relationships in psychrometrics and thermodynamics [4–7], this thermal anomaly can lead to interruptions in the natural hydrological cycle, reflected in abnormal precipitation [8–10]. An example can be the exceptional April 2024 rainstorm accompanied by hail showers and flash flooding that occurred in Oman and its neighboring country United Arab Emirates [11,12].

Limiting the climate anomalies stems from curbing radiatively active greenhouse gas (GHG) emissions 13–18, particularly carbon dioxide (CO<sub>2</sub>) 19–21 through shifting from traditional practices in engineering and businesses to sustainable ones 22–25. Examples of such sustainability shifts include phasing out systems and processes that rely heavily on burning fossil fuels 26–29, electrifying the transportation 30–36, deploying green buildings 37,38 that consume relatively a small amount of energy 39–41, investing in hydrogen 42–45 and its derivatives 46–48, exploring new high-performance power generation technologies 49–51,51,52, and utilizing renewable natural resources further 53–55.

One of the practices in need of sustainable transitioning is thermal enhanced oil recovery (EOR). It is of special importance in Oman 56,57, whose 2040 vision has 10 top-level indicators that include (Environmental Performance Index) 58,59. In the current work, a case study is presented for the sustainable transitioning of the EOR process in an oil field within Oman called Amal. In the original EOR process, natural gas was burned as the single source of heat energy to boil liquid water and convert it into hot steam suitable for underground injection to heat the crude oil and its surrounding rock layers. The modified EOR process utilizes collected solar radiation for clean steam generation, while still using natural gas for night operation. The current study provides a brief informative description of this hybrid EOR process, which was established by the company GlassPoint for the company Petroleum Development Oman (PDO), which owns and operates the oil field.

In the solar enhanced oil recovery (SEOR) technique for these projects, parabolic trough mirror concentrators 60–62 are used to collect and focus the incoming solar radiation for industrial heating, rather than for electricity generation 63–66. Liquid water is heated and it is partly boiled to produce a two-phase medium with a quality of 80% 67–69, at a subcritical temperature or below the critical

temperature for water, which is 374C 70,71, and a temperature-dependent subcritical saturation pressure near an absolute value of 100 atm 72,73. This solar-generated heating agent is used to operate the solar enhanced oil recovery. The solar troughs are dynamically tilted with one degree of freedom 74–78 to track the solar radiation, and they are placed in a greenhouse-like structure for protection from harsh environmental conditions, flow-induced vibrations, and erosive factors 79,80. This protective enclosure also eases automated cleaning.

The current study can be of interest to readers and researchers working in the areas of enhanced oil recovery, solar thermal applications, and sustainability transitions. The current work aims to present a concise case study of sustainable business practices in the oil sector and innovative alternatives for engineering design and operation.

## 2. LITERATURE REVIEW

In enhanced oil recovery, unexploited crude oil in underground wells is pumped up with the aid of artificial methods to reduce the flow resistance of this oil and improve its extraction from the underground formation 81.

The oil recovery stages that precede enhanced oil recovery are called primary recovery and secondary recovery. In the first stage of crude oil recovery, the crude oil is naturally extracted under the initially high well pressure. In the second stage of oil recovery, the well is flooded with water or a gas to artificially increase the well pressure 82,83. The amount of oil that can be recovered during each of the three production stages depends on the properties of the crude oil itself.

Heavy oils can be defined as those having an American Petroleum Institute gravity (API) below 22.3 84. For heavy oils, enhanced oil recovery is responsible for a large portion of the oil that can be produced from an oil field, while a small amount can be produced in either the first stage or the second stage 85,86.

Heavy crude oils not only have relatively high densities but also have high viscosities, causing resistance to flow. Light oils are commercially desirable due to being easier to refine and easier to produce 87,88.

## 3. RESEARCH METHODOLOGY

The research methodology followed in this study is a qualitative analysis of secondary data, where information is selected, cross-validated, organized, and presented such that it facilitates the main purpose of this study, which is to provide an example

of sustainable business operation in the oil industry.

The rationale for choosing this research methodology can be justified by the aim and scope of the current study, which is primarily concerned with demonstrating an attractive, successful example in the field of oil production sustainability. The scope of the current work does not include quantitative modeling or quantitative economic analysis. The work relies heavily on curating and organizing public data in the literature. Despite the presence of numerical figures in the study, their extent is limited, which makes the quantitative aspect of the study small. The presented analysis is simple without detailed mathematical expressions, making it accessible and comprehensible to a wide range of audiences without the need for specialized expertise in engineering or technology.

Part of the data accessed was made publicly available at the GlassPoint website or in published research work by GlassPoint staff 89,90. In addition, the company was approached through personal communications, and further proprietary information was obtained.

#### 4. RESULTS AND DISCUSSION

The current section is dedicated to presenting an abridged summary of the geometric and operational configurations for the three GlassPoint enclosed solar enhanced oil recovery (ESEOR) projects in Oman. All of them are geographically located in the same zone

of the Amal oil field, which is an offshore petroleum reservoir in the southern part of Oman.

The three ESEOR projects explored here are

- Amal I (pilot scale)
- Amal II (pilot scale)
- Miraah (commercial scale).

The current section is divided into three subsections. In the first subsection, a tabular comparison between the three ESEOR projects is provided. In the second subsection, graphical illustrations related to the ESEOR concept of GlassPoint are provided. In the third subsection, photographs that help in depicting the real view of the three ESEOR projects in the field are presented. Most of the displayed visual elements here (photos and sketches) belong to GlassPoint, but they are used here with their gracious permission.

##### 4.1. Contrasting the Three Enclosed Solar EOR Projects

In Table 1, eight characteristics of the three Omani ESEOR projects by GlassPoint are compared. In addition, external references are provided for additional information.

It can be noticed that the large scale Miraah project was built closer to the earlier Amal I project rather than the subsequent Amal II project. For example, both the Miraah project and the Amal I project have a similar roof design that is favored in terms of reduced complexity and cost 91,92.

**Table 1: Comparison between the Three GlassPoint Enclosed Solar Enhanced Oil Recovery (ESEOR) Projects in Oman.**

Characteristic	Amal I	Amal II	Miraah
1. Scale	Pilot	Pilot	Commercial
2. Thermal capacity (MW)	8	8	330
3. Annual heat output (GWh)	12	12	445
4. Average daily steam output (tonne)	50	50	2,000
5. Receiver tube evacuation	No	Yes	No
6. Number of troughs	12	16	432
7. Annual natural gas savings (million Btu)	47,437	47,437	1,897,461
8. Annual CO <sub>2</sub> emissions avoided (tonne)	2,514	2,514	100,565
References	93-95	96	97,98

##### 4.2. Illustrative Sketches

To explain the geographical location of the Amal field (and thus the three enclosed solar enhanced oil recovery projects covered here), Fig. 1 provides a useful map that demonstrates this location 99. The Amal oil field is located in the southern part of Oman, in the north of the Dhofar governorate.

Fig. 2 illustrates the layout of the parabolic trough rows within an enclosing glasshouse 101; the curved

roof in the sketch corresponds to the Amal II pilot project. The looping of heated water is noticeable in the sketch, where the heat addition process is cascaded through multiple passes along a sequence of trough rows.

The structural advantage behind the enclosure concept 102 is reflected through preventing wind loads, airborne dust, and vortex shedding from affecting the reflector mirrors 103-109.



Figure 1: Location of the Amal Oil Field in Oman (© OpenStreetMap, Permission Granted Under the Open Database License 100).




Figure 2: Illustration of the Enclosed Parabolic Trough System (© GlassPoint, Reproduced with Permission).

#### 4.3. Photos

It can be a constructive addition to the current study to show selected real photos that effectively describe the appearance of the three constructed ESEOR projects. This aim is fulfilled in the current subsection. Fig. 3 is a photo taken for the Amal I pilot project 110. Fig. 4 is a photo taken for the Amal II pilot project 111. Finally, Fig. 5 is a photo taken for the larger Miraah project 112.



Figure 3: Aerial Photo of the Amal I Pilot Project (© GlassPoint, Reproduced With Permission).



Figure 4: Aerial Photo of the Amal II Pilot Project (© GlassPoint, Reproduced With Permission).



*Figure 5: Aerial Photo of the Miraah Commercial Project (© GlassPoint, Reproduced With Permission).*

## 5. CONCLUSION

In the current study, a quick overview of sustainable enhanced oil recovery projects in Oman was provided. In these sustainable enhanced oil recovery projects, clean solar radiation is blended with natural gas combustion as a hybrid heat source for steam generation in the Amal oil field. The introduced solar heating reduced the demand for natural gas by about 25%. The consumption of natural gas was not eliminated because of the need to

burn natural gas during night operations. This reduction in natural gas consumption can be improved through altering the enhanced oil recovery process to better align with the variability of the natural heating source. However, such alteration is subject to operational conditions and the ability to retrofit existing systems.

Future work may include performing an energy analysis for switching from subcritical injection to supercritical injection and exploring how this can affect the dynamics of the overall system, including internal heat and mass fluxes. Also, the current work may be expanded by exploring the optimal operation mode such that the natural gas consumption is minimized via the introduction of thermal energy storage (TES) 113–115.

The applications of solar steam generation are not limited to enhanced oil recovery. Instead, such clean steam can be used in several applications where steam serves as a heat carrier. For example, solar steam can be used in sterilization for industrial or food processing purposes. At lower temperatures, solar steam, as a source of moisture, can also be used for humidifying.

**Acknowledgements:** The author acknowledges the support of the GlassPoint Company through courteous permission from Dr.-Ing. Gerhard Weinrebe to reproduce selected images owned by GlassPoint, and through personal communications with Mr. Mohamed Mahmoud, to clarify specific matters.

## REFERENCES

- Khaledi, C. K. A.; Khosravi, M.; Tavousi, T.; Hamidianpour, M.; Moghadam, M. K. Future Warming of the Gulf of Oman: SST Trends under Contrasting Climate Scenarios by 2050. *Regional Studies in Marine Science* 2024, 77, 103682. <https://doi.org/10.1016/j.rsma.2024.103682>.
- Viola, F. M.; Paiva, S. L. D.; Savi, M. A. Analysis of the Global Warming Dynamics from Temperature Time Series. *Ecological Modelling* 2010, 221 (16), 1964–1978. <https://doi.org/10.1016/j.ecolmodel.2010.05.001>.
- Diffenbaugh, N. S.; Barnes, E. A. Data-Driven Predictions of the Time Remaining until Critical Global Warming Thresholds Are Reached. *Proceedings of the National Academy of Sciences* 2023, 120 (6), e2207183120. <https://doi.org/10.1073/pnas.2207183120>.
- Pall, P.; Allen, M. R.; Stone, D. A. Testing the Clausius–Clapeyron Constraint on Changes in Extreme Precipitation under CO<sub>2</sub> Warming. *Clim Dyn* 2007, 28 (4), 351–363. <https://doi.org/10.1007/s00382-006-0180-2>.
- Marzouk, O. A. The Sod Gasdynamics Problem as a Tool for Benchmarking Face Flux Construction in the Finite Volume Method. *Scientific African* 2020, 10, e00573. <https://doi.org/10.1016/j.sciaf.2020.e00573>.
- Yamada, T. J.; Farukh, Murad. A.; Fukushima, T.; Inatsu, M.; Sato, T.; Pokhrel, Y. N.; Oki, T. Extreme Precipitation Intensity in Future Climates Associated with the Clausius–Clapeyron-like Relationship. *Hydrological Research Letters* 2014, 8 (4), 108–113. <https://doi.org/10.3178/hrl.8.108>.
- Marzouk, O. A.; Nayfeh, A. H. New Wake Models With Capability of Capturing Nonlinear Physics. In *ASME 2008 27th International Conference on Offshore Mechanics and Arctic Engineering (OMAE 2008)*; ASME [American Society of Mechanical Engineers]: Estoril, Portugal, 2009; pp 901–912. <https://doi.org/10.1115/OMAE2008-57714>.
- Fowler, A. M.; Hennessy, K. J. Potential Impacts of Global Warming on the Frequency and Magnitude of Heavy Precipitation. *Nat Hazards* 1995, 11 (3), 283–303. <https://doi.org/10.1007/BF00613411>.

- Huang, P.; Xie, S.-P.; Hu, K.; Huang, G.; Huang, R. Patterns of the Seasonal Response of Tropical Rainfall to Global Warming. *Nature Geosci* 2013, 6 (5), 357–361. <https://doi.org/10.1038/ngeo1792>.
- Radwan, N.; Halder, B.; Ahmed, M. F.; Refadah, S. S.; Khan, M. Y. A.; Scholz, M.; Sammen, S. S.; Pande, C. B. Seasonal Precipitation and Anomaly Analysis in Middle East Asian Countries Using Google Earth Engine. *Water* 2025, 17 (10), 1475. <https://doi.org/10.3390/w17101475>.
- Francis, D.; Fonseca, R.; Nelli, N.; Cherif, C.; Yarragunta, Y.; Zittis, G.; Jan de Vries, A. From Cause to Consequence: Examining the Historic April 2024 Rainstorm in the United Arab Emirates through the Lens of Climate Change. *npj Clim Atmos Sci* 2025, 8 (1), 1–14. <https://doi.org/10.1038/s41612-025-01073-1>.
- GDACS, [Global Disaster Alert and Coordination System]. Overall Green Alert Flood in Oman (GDACS ID: FL 1102566). <https://www.gdacs.org/report.aspx?eventtype=FL&eventid=1102566> (accessed 2025-05-25).
- Marzouk, O. A. Technical Review of Radiative-Property Modeling Approaches for Gray and Nongray Radiation, and a Recommended Optimized WSGGM for CO<sub>2</sub>/H<sub>2</sub>O-Enriched Gases. *Results in Engineering* 2025, 25, 103923. <https://doi.org/10.1016/j.rineng.2025.103923>.
- Weisser, D. A Guide to Life-Cycle Greenhouse Gas (GHG) Emissions from Electric Supply Technologies. *Energy* 2007, 32 (9), 1543–1559. <https://doi.org/10.1016/j.energy.2007.01.008>.
- Marzouk, O. A. Dataset of Total Emissivity for CO<sub>2</sub>, H<sub>2</sub>O, and H<sub>2</sub>O-CO<sub>2</sub> Mixtures; over a Temperature Range of 300-2900 K and a Pressure-Pathlength Range of 0.01-50 Atm.m. *Data in Brief* 2025, 59, 111428. <https://doi.org/10.1016/j.dib.2025.111428>.
- Marzouk, O. A. Assessment of Global Warming in Al Buraimi, Sultanate of Oman Based on Statistical Analysis of NASA POWER Data over 39 Years, and Testing the Reliability of NASA POWER against Meteorological Measurements. *Heliyon* 2021, 7 (3), e06625. <https://doi.org/10.1016/j.heliyon.2021.e06625>.
- Marzouk, O. A. Summary of the 2023 (1st Edition) Report of TCEP (Tracking Clean Energy Progress) by the International Energy Agency (IEA), and Proposed Process for Computing a Single Aggregate Rating. *E3S Web of Conferences* 2025, 601, 00048. <https://doi.org/10.1051/e3sconf/202560100048>.
- Marzouk, O. A. Chronologically-Ordered Quantitative Global Targets for the Energy-Emissions-Climate Nexus, from 2021 to 2050. In 2022 International Conference on Environmental Science and Green Energy (ICESGE); IEEE [Institute of Electrical and Electronics Engineers]: Shenyang, China, 2022; pp 1–6. <https://doi.org/10.1109/ICESGE56040.2022.10180322>.
- Bruhwiller, L.; Basu, S.; Butler, J. H.; Chatterjee, A.; Dlugokencky, E.; Kenney, M. A.; McComiskey, A.; Montzka, S. A.; Stanitski, D. Observations of Greenhouse Gases as Climate Indicators. *Climatic Change* 2021, 165 (1), 12. <https://doi.org/10.1007/s10584-021-03001-7>.
- Marzouk, O. A. A Two-Step Computational Aeroacoustics Method Applied to High-Speed Flows. *Noise Control Engineering Journal* 2008, 56 (5), 396. <https://doi.org/10.3397/1.2978229>.
- Szulejko, J. E.; Kumar, P.; Deep, A.; Kim, K.-H. Global Warming Projections to 2100 Using Simple CO<sub>2</sub> Greenhouse Gas Modeling and Comments on CO<sub>2</sub> Climate Sensitivity Factor. *Atmospheric Pollution Research* 2017, 8 (1), 136–140. <https://doi.org/10.1016/j.apr.2016.08.002>.
- Glavič, P. Updated Principles of Sustainable Engineering. *Processes* 2022, 10 (5), 870. <https://doi.org/10.3390/pr10050870>.
- Marzouk, O. A. Hydrogen Utilization as a Plasma Source for Magnetohydrodynamic Direct Power Extraction (MHD-DPE). *IEEE Access* 2024, 12, 167088–167107. <https://doi.org/10.1109/ACCESS.2024.3496796>.
- Marcos, E.; De Castro, V.; Martín-Peña, M.-L.; Vara, J. M. Training New Professionals in Service Engineering: Towards a Transdisciplinary Curriculum for Sustainable Businesses. *Sustainability* 2020, 12 (19), 8289. <https://doi.org/10.3390/su12198289>.
- Marzouk, O. A. Portrait of the Decarbonization and Renewables Penetration in Oman's Energy Mix, Motivated by Oman's National Green Hydrogen Plan. *Energies* 2024, 17 (19), 4769. <https://doi.org/10.3390/en17194769>.
- Lindholt, L.; Glomsrød, S. Phasing out Coal and Phasing in Renewables – Good or Bad News for Arctic Gas Producers? *Energy Economics* 2018, 70, 1–11. <https://doi.org/10.1016/j.eneco.2017.12.015>.
- Marzouk, O. A. Radiant Heat Transfer in Nitrogen-Free Combustion Environments. *International Journal of Nonlinear Sciences and Numerical Simulation* 2018, 19 (2), 175–188. <https://doi.org/10.1515/ijnsns-2017-0106>.

- Shindell, D.; Smith, C. J. Climate and Air-Quality Benefits of a Realistic Phase-out of Fossil Fuels. *Nature* 2019, 573 (7774), 408–411. <https://doi.org/10.1038/s41586-019-1554-z>.
- Marzouk, O. A. Condenser Pressure Influence on Ideal Steam Rankine Power Vapor Cycle Using the Python Extension Package Cantera for Thermodynamics. *Engineering, Technology & Applied Science Research* 2024, 14 (3), 14069–14078. <https://doi.org/10.48084/etasr.7277>.
- Nadimuthu, L. P. R.; Victor, K. Socio-Techno-Economic-Environmental Analysis of Vehicle-to-Grid-Integrated E-Mobility in Achieving Sustainable Development Goals: A Case Study. In *Handbook on New Paradigms in Smart Charging for E-Mobility*; Kumar, A., Bansal, R. C., Kumar, P., He, X., Eds.; Elsevier, 2025; pp 447–480. <https://doi.org/10.1016/B978-0-323-95201-9.00013-5>.
- Marzouk, O. A. Urban Air Mobility and Flying Cars: Overview, Examples, Prospects, Drawbacks, and Solutions. *Open Engineering* 2022, 12 (1), 662–679. <https://doi.org/10.1515/eng-2022-0379>.
- Huang, A.; Dai, L.; Ali, S.; Nazar, R.; Anser, M. K. Zero-Emission Vision: The Role of E-Mobility Technology Budgets in Carbon Mitigation. *Transport Policy* 2025, 164, 265–280. <https://doi.org/10.1016/j.tranpol.2025.02.001>.
- Marzouk, O. A. Growth in the Worldwide Stock of E-Mobility Vehicles (by Technology and by Transport Mode) and the Worldwide Stock of Hydrogen Refueling Stations and Electric Charging Points between 2020 and 2022. *Key Engineering Materials* 2023, 972, 89–96. <https://doi.org/10.4028/p-8IMGm4>.
- Marzouk, O. A. Aerial E-Mobility Perspective: Anticipated Designs and Operational Capabilities of eVTOL Urban Air Mobility (UAM) Aircraft. *Edelweiss Applied Science and Technology* 2025, 9 (1), 413–442. <https://doi.org/10.55214/25768484.v9i1.4156>.
- Marzouk, O. A. Toward More Sustainable Transportation: Green Vehicle Metrics for 2023 and 2024 Model Years. In *Intelligent Sustainable Systems*; Nagar, A. K., Jat, D. S., Mishra, D. K., Joshi, A., Eds.; Lecture Notes in Networks and Systems; Springer Nature Singapore: Singapore, 2024; Vol. 817, pp 261–272. [https://doi.org/10.1007/978-981-99-7886-1\\_23](https://doi.org/10.1007/978-981-99-7886-1_23).
- Marzouk, O. A. Recommended LEED-Compliant Cars, SUVs, Vans, Pickup Trucks, Station Wagons, and Two Seaters for Smart Cities Based on the Environmental Damage Index (EDX) and Green Score. In *Innovations in Smart Cities Applications Volume 7*; Ben Ahmed, M., Boudhir, A. A., El Meouche, R., Karaş, İ. R., Eds.; Lecture Notes in Networks and Systems; Springer Nature Switzerland: Cham, Switzerland, 2024; Vol. 906, pp 123–135. [https://doi.org/10.1007/978-3-031-53824-7\\_12](https://doi.org/10.1007/978-3-031-53824-7_12).
- Marzouk, O. A. Evolution of the (Energy and Atmosphere) Credit Category in the LEED Green Buildings Rating System for (Building Design and Construction: New Construction), from Version 4.0 to Version 4.1. *Journal of Infrastructure, Policy and Development* 2024, 8 (8), 5306. <https://doi.org/10.24294/jipd.v8i8.5306>.
- Marzouk, O. A. Compilation of Smart Cities Attributes and Quantitative Identification of Mismatch in Rankings. *Journal of Engineering* 2022, 2022, 5981551. <https://doi.org/10.1155/2022/5981551>.
- Marzouk, O. A. Zero Carbon Ready Metrics for a Single-Family Home in the Sultanate of Oman Based on EDGE Certification System for Green Buildings. *Sustainability* 2023, 15 (18), 13856. <https://doi.org/10.3390/su151813856>.
- Vavouris, A.; Guasselli, F.; Stankovic, L.; Stankovic, V.; Gram-Hanssen, K.; Didierjean, S. A Complex Mixed-Methods Data-Driven Energy-Centric Evaluation of Net-Positive Households. *Applied Energy* 2024, 367, 123404. <https://doi.org/10.1016/j.apenergy.2024.123404>.
- Marzouk, O. A. Reduced-Order Modeling (ROM) of a Segmented Plug-Flow Reactor (PFR) for Hydrogen Separation in Integrated Gasification Combined Cycles (IGCC). *Processes* 2025, 13 (5), 1455. <https://doi.org/10.3390/pr13051455>.
- Marzouk, O. A. Expectations for the Role of Hydrogen and Its Derivatives in Different Sectors through Analysis of the Four Energy Scenarios: IEA-STEPS, IEA-NZE, IRENA-PES, and IRENA-1.5°C. *Energies* 2024, 17 (3), 646. <https://doi.org/10.3390/en17030646>.
- Marzouk, O. A. 2030 Ambitions for Hydrogen, Clean Hydrogen, and Green Hydrogen. *Engineering Proceedings* 2023, 56 (1), 14. <https://doi.org/10.3390/ASEC2023-15497>.
- Marzouk, O. A. Levelized Cost of Green Hydrogen (LCOH) in the Sultanate of Oman Using H2A-Lite with Polymer Electrolyte Membrane (PEM) Electrolyzers Powered by Solar Photovoltaic (PV) Electricity. *E3S Web of Conferences* 2023, 469, 00101. <https://doi.org/10.1051/e3sconf/202346900101>.
- Elkelawy, M.; Draz, A. M.; Antar, A. M.; Seleem, H. E. Enhancing Diesel Generator Efficiency and Emissions with CNG and Green Hydrogen: A Sustainable Solution for Power Plants. *Pharos Engineering Science*

- Journal 2025. <https://doi.org/10.21608/pesj.2025.353885.1013>.
- Marzouk, O. A. Performance Analysis of Shell-and-Tube Dehydrogenation Module. *International Journal of Energy Research* 2017, 41 (4), 604–610. <https://doi.org/10.1002/er.3637>.
- Mio, A.; Barbera, E.; Massi Pavan, A.; Bertuccio, A.; Fermeglia, M. Sustainability Analysis of Hydrogen Production Processes. *International Journal of Hydrogen Energy* 2024, 54, 540–553. <https://doi.org/10.1016/j.ijhydene.2023.06.122>.
- Marzouk, O. A. Detailed and Simplified Plasma Models in Combined-Cycle Magnetohydrodynamic Power Systems. *International Journal of Advanced and Applied Sciences* 2023, 10 (11), 96–108. <https://doi.org/10.21833/ijaas.2023.11.013>.
- Zhu, Q. High-Efficiency Power Generation – Review of Alternative Systems; IEA Clean Coal Centr: London, UK, 2015; pp 1–120. [https://usea.org/sites/default/files/032015\\_High-efficiency%20power%20generation%20-%20review%20of%20alternative%20systems\\_ccc247.pdf](https://usea.org/sites/default/files/032015_High-efficiency%20power%20generation%20-%20review%20of%20alternative%20systems_ccc247.pdf) (accessed 2025-05-26).
- Marzouk, O. A. OpenFOAM Computational Fluid Dynamics (CFD) Solver for Magnetohydrodynamic Open Cycles, Applied to the Sakhalin Pulsed Magnetohydrodynamic Generator (PMHDG). *Discover Applied Sciences* 2025, 7 (10), 1108. <https://doi.org/10.1007/s42452-025-07744-1>.
- Marzouk, O. A. Detailed Derivation of the Scalar Explicit Expressions Governing the Electric Field, Current Density, and Volumetric Power Density in the Four Types of Linear Divergent MHD Channels Under a Unidirectional Applied Magnetic Field. *Contemporary Mathematics* 2025, 6 (4), 4060–4100. <https://doi.org/10.37256/cm.6420256918>.
- Nelson, V. *Wind Energy: Renewable Energy and the Environment*; CRC Press: Boca Raton, Florida, USA, 2009. <https://doi.org/10.1201/9781420075694>.
- Marzouk, O. A. Wind Speed Weibull Model Identification in Oman, and Computed Normalized Annual Energy Production (NAEP) From Wind Turbines Based on Data From Weather Stations. *Engineering Reports* 2025, 7 (3), e70089. <https://doi.org/10.1002/eng2.70089>.
- Amjith, L.; Bavanish, B. A Review on Biomass and Wind as Renewable Energy for Sustainable Environment. *Chemosphere* 2022, 293, 133579. <https://doi.org/10.1016/j.chemosphere.2022.133579>.
- Marzouk, O. A. Benchmarks for the Omani Higher Education Students-Faculty Ratio (SFR) Based on World Bank Data, QS Rankings, and THE Rankings. *Cogent Education* 2024, 11 (1), 2317117. <https://doi.org/10.1080/2331186X.2024.2317117>.
- Marzouk, O. A. Accrediting Artificial Intelligence Programs from the Omani and the International ABET Perspectives. In *Intelligent Computing*; Arai, K., Ed.; Lecture Notes in Networks and Systems; Springer International Publishing: Cham, Switzerland, 2021; Vol. 285, pp 462–474. [https://doi.org/10.1007/978-3-030-80129-8\\_33](https://doi.org/10.1007/978-3-030-80129-8_33).
- Om2040U, [Oman Vision 2040 Implementation Follow-up Unit]. *Oman Vision 2040 | Interactive Document*. <https://www.oman2040.om/assets/books/oman2040-en/index.html> (accessed 2025-06-29).
- Om2040U, [Oman Vision 2040 Implementation Follow-up Unit]. *Oman 2040 Vision Document*; Om2040U [Oman Vision 2040 Implementation Follow-up Unit]: Muscat, Sultanate of Oman, 2020. <https://www.oman2040.om/VisionDocument?lang=en> (accessed 2023-10-06).
- Marzouk, O. A. Solar Heat for Industrial Processes (SHIP): An Overview of Its Categories and a Review of Its Recent Progress. *Solar* 2025, 5 (4), 46. <https://doi.org/10.3390/solar5040046>.
- Marzouk, O. A. Land-Use Competitiveness of Photovoltaic and Concentrated Solar Power Technologies near the Tropic of Cancer. *Solar Energy* 2022, 243, 103–119. <https://doi.org/10.1016/j.solener.2022.07.051>.
- Marzouk, O. A. Energy Generation Intensity (EGI) for Parabolic Dish/Engine Concentrated Solar Power in Muscat, Sultanate of Oman. *IOP Conference Series: Earth and Environmental Science* 2022, 1008 (1), 012013. <https://doi.org/10.1088/1755-1315/1008/1/012013>.
- Ahmad, A.; Prakash, O.; Kausher, R.; Kumar, G.; Pandey, S.; Hasnain, S. M. M. Parabolic Trough Solar Collectors: A Sustainable and Efficient Energy Source. *Materials Science for Energy Technologies* 2024, 7, 99–106. <https://doi.org/10.1016/j.mset.2023.08.002>.
- Marzouk, O. A. Estimated Electric Conductivities of Thermal Plasma for Air-Fuel Combustion and Oxy-Fuel Combustion with Potassium or Cesium Seeding. *Heliyon* 2024, 10 (11), e31697. <https://doi.org/10.1016/j.heliyon.2024.e31697>.
- Marzouk, O. A. Energy Generation Intensity (EGI) of Solar Updraft Tower (SUT) Power Plants Relative to CSP Plants and PV Power Plants Using the New Energy Simulator “Aladdin.” *Energies* 2024, 17 (2), 405.

- <https://doi.org/10.3390/en17020405>.
- Marzouk, O. A. Facilitating Digital Analysis and Exploration in Solar Energy Science and Technology through Free Computer Applications. *Engineering Proceedings* 2022, 31 (1), 75. <https://doi.org/10.3390/ASEC2022-13920>.
- Hong, K. C. Effects of Steam Quality and Injection Rate on Steamflood Performance. *SPE Reservoir Engineering* 1994, 9 (04), 290–296. <https://doi.org/10.2118/25788-PA>.
- Qi, F.; Shukeir, E.; Kadali, R. Model Predictive Control of Once Through Steam Generator Steam Quality. *IFAC-PapersOnLine* 2015, 48 (8), 716–721. <https://doi.org/10.1016/j.ifacol.2015.09.053>.
- Marzouk, O. A.; Huckaby, E. D. Simulation of a Swirling Gas-Particle Flow Using Different k-Epsilon Models and Particle-Parcel Relationships. *Engineering Letters* 2010, 18 (1).
- Williams, R. A.; Naiditch, S. The Conductivity of AgNO<sub>3</sub> in Liquid and Dense Gaseous NH<sub>3</sub> as a Function of Temperature. *Physics and Chemistry of Liquids* 1970, 2 (1), 29–35. <https://doi.org/10.1080/00319107008084076>.
- Marzouk, O. A. Subcritical and Supercritical Rankine Steam Cycles, under Elevated Temperatures up to 900°C and Absolute Pressures up to 400 Bara. *Advances in Mechanical Engineering* 2024, 16 (1), 16878132231221065. <https://doi.org/10.1177/16878132231221065>.
- Marzouk, O. A. Temperature-Dependent Functions of the Electron-Neutral Momentum Transfer Collision Cross Sections of Selected Combustion Plasma Species. *Applied Sciences* 2023, 13 (20), 11282. <https://doi.org/10.3390/app132011282>.
- Marzouk, O. A. Power Density and Thermochemical Properties of Hydrogen Magnetohydrodynamic (H2MHD) Generators at Different Pressures, Seed Types, Seed Levels, and Oxidizers. *Hydrogen* 2025, 6 (2), 31. <https://doi.org/10.3390/hydrogen6020031>.
- Marzouk, O. A. Coupled Differential-Algebraic Equations Framework for Modeling Six-Degree-of-Freedom Flight Dynamics of Asymmetric Fixed-Wing Aircraft. *International Journal of Applied and Advanced Sciences* 2025, 12 (1), 30–51. <https://doi.org/10.21833/ijaas.2025.01.004>.
- Marzouk, O. A. InvSim Algorithm for Pre-Computing Airplane Flight Controls in Limited-Range Autonomous Missions, and Demonstration via Double-Roll Maneuver of Mirage III Fighters. *Scientific Reports* 2025, 15, 23382. <https://doi.org/10.1038/s41598-025-07639-6>.
- Marzouk, O. A.; Nayfeh, A. H. Mitigation of Ship Motion Using Passive and Active Anti-Roll Tanks. In *ASME 2007 International Design Engineering Technical Conferences and Computers and Information in Engineering Conference (IDETC-CIE 2007)*; ASME [American Society of Mechanical Engineers]: Las Vegas, Nevada, USA, 2009; pp 215–229. <https://doi.org/10.1115/DETC2007-35571>.
- Marzouk, O. A.; Nayfeh, A. H. Control of Ship Roll Using Passive and Active Anti-Roll Tanks. *Ocean Engineering* 2009, 36 (9), 661–671. <https://doi.org/10.1016/j.oceaneng.2009.03.005>.
- Marzouk, O. A. Tilt Sensitivity for a Scalable One-Hectare Photovoltaic Power Plant Composed of Parallel Racks in Muscat. *Cogent Engineering* 2022, 9 (1), 2029243. <https://doi.org/10.1080/23311916.2022.2029243>.
- Elshafey, S.; Shehadeh, M.; Bayoumi, A.; Díaz, J.; Pernía, A. M.; Jose-Prieto, M. A.; Abdelmessih, G. Z. Solar Thermal Power in Egypt. In *2018 IEEE Industry Applications Society Annual Meeting (IAS)*; 2018; pp 1–8. <https://doi.org/10.1109/IAS.2018.8544513>.
- Marzouk, O. A. Flow Control Using Bifrequency Motion. *Theoretical and Computational Fluid Dynamics* 2011, 25 (6), 381–405. <https://doi.org/10.1007/s00162-010-0206-6>.
- Donaldson, E. C.; Chilingarian, G. V.; Yen, T. F. *Enhanced Oil Recovery, I: Fundamentals and Analyses*; Elsevier: Amsterdam, The Netherlands, 1985.
- Meltzer, B. D. Flooding for Tertiary Recovery After Successful Gas Injection for Secondary Recovery-Brookhaven, Mississippi. *Journal of Petroleum Technology* 1974, 26 (07), 783–792. <https://doi.org/10.2118/4603-PA>.
- Mokheimer, E. M. A.; Hamdy, M.; Abubakar, Z.; Shakeel, M. R.; Habib, M. A.; Mahmoud, M. A Comprehensive Review of Thermal Enhanced Oil Recovery: Techniques Evaluation. *Journal of Energy Resources Technology* 2018, 141 (030801). <https://doi.org/10.1115/1.4041096>.
- Tirado, A.; Félix, G.; Trejo, F.; Varfolomeev, M. A.; Yuan, C.; Nurgaliev, D. K.; Sámano, V.; Ancheyta, J. Properties of Heavy and Extra-Heavy Crude Oils. In *Catalytic In-Situ Upgrading of Heavy and Extra-Heavy Crude Oils*; John Wiley & Sons, Ltd, 2023; pp 1–38. <https://doi.org/10.1002/9781119871507.ch1>.
- Martines, G.; Prakoso, S.; Fathaddin, Muh. T.; Rakhmanto, P. A.; Setiati, R.; Mardiana, D. A. Basic Understanding of Water Flooding as a Secondary Recovery Concept: Literature Review. *irjeis* 2022, 8

- (6), 283–289. <https://doi.org/10.21744/irjeis.v8n6.2201>.
- Thomas, S. Enhanced Oil Recovery - An Overview. *Oil & Gas Science and Technology - Rev. IFP* 2008, 63 (1), 9–19. <https://doi.org/10.2516/ogst:2007060>.
- Correa Pabón, R. E.; Souza Filho, C. R. de. Crude Oil Spectral Signatures and Empirical Models to Derive API Gravity. *Fuel* 2019, 237, 1119–1131. <https://doi.org/10.1016/j.fuel.2018.09.098>.
- Lammoglia, T.; Filho, C. R. de S. SATELLITE DETERMINATION OF API GRAVITY AND SARA COMPONENTS OF OFFSHORE PETROLEUM SEEPS. *Brazilian Journal of Geophysics* 2012, 30 (4), 419–430. <https://doi.org/10.22564/rbgf.v30i4.229>.
- GlassPoint. GlassPoint projects. <https://www.glasspoint.com/projects> (accessed 2025-05-24).
- GlassPoint. GlassPoint technology. <https://www.glasspoint.com/technology> (accessed 2025-05-24).
- Kosić, T.; Svetel, I. Technological and Economical Analysis of Curved Glass Structure. *Structural Integrity and Life* 2022, 22 (2), 175–181.
- Louter, C.; Bos, F.; Belis, J.; Lebet, J.-P. Challenging Glass 4 & COST Action TU0905 Final Conference; CRC Press: Boca Raton, Florida, USA, 2014.
- Bierman, B.; O'Donnell, J.; Burke, R.; McCormick, M.; Lindsay, W. Construction of an Enclosed Trough EOR System in South Oman. *Energy Procedia* 2014, 49, 1756–1765. <https://doi.org/10.1016/j.egypro.2014.03.186>.
- Bierman, B.; Treynor, C.; O'Donnell, J.; Lawrence, M.; Chandra, M.; Farver, A.; Von Behrens, P.; Lindsay, W. Performance of an Enclosed Trough EOR System in South Oman. *Energy Procedia* 2014, 49, 1269–1278. <https://doi.org/10.1016/j.egypro.2014.03.136>.
- GlassPoint. Amal I project in Oman. <https://www.glasspoint.com/projects/amal> (accessed 2025-05-24).
- GlassPoint. Amal II project in Oman. <https://www.glasspoint.com/projects/amal2> (accessed 2025-05-24).
- Bierman, B.; Al-Lawatia, H.; DiFilippo, M.; O'Donnell, J. Deploying Enclosed Trough for Thermal EOR at Commercial Scale. *AIP Conference Proceedings* 2018, 2033 (1), 030002. <https://doi.org/10.1063/1.5067018>.
- GlassPoint. Miraah project in Oman. <https://www.glasspoint.com/projects/miraah> (accessed 2025-05-24).
- OSMF, [OpenStreetMap Foundation]. OpenStreetMap | Map for the southern part of Oman. <https://www.openstreetmap.org/#map=7/20.211/56.195> (accessed 2025-07-31).
- OSMF, [OpenStreetMap Foundation]. OpenStreetMap | Copyright and License - Open Data Commons Open Database License (ODbL). OpenStreetMap. <https://www.openstreetmap.org/copyright> (accessed 2025-07-31).
- GlassPoint. Sketch of looped enclosed parabolic troughs. <https://images.squarespace-cdn.com/content/v1/622ba70eb380531fbf6cb5df/c13e3a89-4a12-460b-bfaa-da0a71f3284a/tech1.jpg> (accessed 2025-05-24).
- GlassPoint. Sketch illustrating the structural advantage (wind protection) of enclosed troughs compared to open troughs. <https://images.squarespace-cdn.com/content/v1/622ba70eb380531fbf6cb5df/e732593b-4f97-4cfd-8c3d-877227f7a193/wind.jpg> (accessed 2025-05-24).
- Marzouk, O. A. Contrasting the Cartesian and Polar Forms of the Shedding-Induced Force Vector in Response to 12 Subharmonic and Superharmonic Mechanical Excitations. *Fluid Dynamics Research* 2010, 42 (3), 035507. <https://doi.org/10.1088/0169-5983/42/3/035507>.
- Jing, Z.; Zhiping, W.; Kezhen, W.; Jianbo, L. Dust Effect on Thermal Performance of Flat Plate Solar Collectors. *Journal of Solar Energy Engineering* 2014, 137 (014502). <https://doi.org/10.1115/1.4028364>.
- Marzouk, O. A.; Nayfeh, A. H. Loads on a Harmonically Oscillating Cylinder. In *ASME 2007 International Design Engineering Technical Conferences and Computers and Information in Engineering Conference (IDETC-CIE 2007)*; ASME [American Society of Mechanical Engineers]: Las Vegas, Nevada, USA, 2009; pp 1755–1774. <https://doi.org/10.1115/DETC2007-35562>.
- Marzouk, O. A.; Nayfeh, A. H. A Study of the Forces on an Oscillating Cylinder. In *ASME 2007 26th International Conference on Offshore Mechanics and Arctic Engineering (OMAE 2007)*; ASME [American Society of Mechanical Engineers]: San Diego, California, USA, 2009; pp 741–752. <https://doi.org/10.1115/OMAE2007-29163>.
- Marzouk, O. A. Direct Numerical Simulations of the Flow Past a Cylinder Moving With Sinusoidal and Nonsinusoidal Profiles. *Journal of Fluids Engineering* 2009, 131 (12), 121201. <https://doi.org/10.1115/1.4000406>.

- Marzouk, O. A. Characteristics of the Flow-Induced Vibration and Forces With 1- and 2-DOF Vibrations and Limiting Solid-to-Fluid Density Ratios. *Journal of Vibration and Acoustics* 2010, 132 (4), 041013. <https://doi.org/10.1115/1.4001503>.
- Marzouk, O.; Nayfeh, A. Differential/Algebraic Wake Model Based on the Total Fluid Force and Its Direction, and the Effect of Oblique Immersed-Body Motion on `Type-1' and `Type-2' Lock-In. In 47th AIAA Aerospace Sciences Meeting including The New Horizons Forum and Aerospace Exposition; AIAA [American Institute of Aeronautics and Astronautics]: Orlando, Florida, USA, 2009; p AIAA 2009-1112. <https://doi.org/10.2514/6.2009-1112>.
- GlassPoint. Photo of the Amal I project in Oman. <https://images.squarespace-cdn.com/content/v1/622ba70eb380531fbf6cb5df/1647980305001-LC69P8W8OWNV4OCSF1AD/project2.jpg> (accessed 2025-05-24).
- GlassPoint. Photo of the Amal II greenhouse in Oman. [https://images.squarespace-cdn.com/content/622ba70eb380531fbf6cb5df/1647980963994-D2FX6CA6KIDJHJ7EL260/Advance\\_RD.jpg](https://images.squarespace-cdn.com/content/622ba70eb380531fbf6cb5df/1647980963994-D2FX6CA6KIDJHJ7EL260/Advance_RD.jpg) (accessed 2025-05-24).
- GlassPoint. Aerial drone photo of the Miraah project in Oman. [https://images.squarespace-cdn.com/content/v1/622ba70eb380531fbf6cb5df/91913927-47bf-43ab-af89-ce55b5ff5bce/Miraah\\_drone.jpg](https://images.squarespace-cdn.com/content/v1/622ba70eb380531fbf6cb5df/91913927-47bf-43ab-af89-ce55b5ff5bce/Miraah_drone.jpg) (accessed 2025-05-24).
- Alva, G.; Lin, Y.; Fang, G. An Overview of Thermal Energy Storage Systems. *Energy* 2018, 144, 341–378. <https://doi.org/10.1016/j.energy.2017.12.037>.
- Sarbu, I.; Sebarchievici, C. A Comprehensive Review of Thermal Energy Storage. *Sustainability* 2018, 10 (1), 191. <https://doi.org/10.3390/su10010191>.
- Dincer, I.; Rosen, M. A. *Thermal Energy Storage: Systems and Applications*; John Wiley & Sons: West Sussex, England, UK, 2011.
- Zhu, Y.; Xu, W.; Luo, W.; Yang, M.; Chen, H.; Liu, Y. Application of Hybrid Machine Learning Algorithm in Multi-Objective Optimization of Green Building Energy Efficiency. *Energy* 2025, 316, 133581. <https://doi.org/10.1016/j.energy.2024.133581>.