

Designing Integrated Multi-Role Survey Instruments: A Converge–Diverge–Reconverge Framework for Complex Organisations

Jennifer R. Ayres¹, Rosmina A Bustami², Jethro H Adam.

UNIMAS Water Centre (UWC), Faculty of Engineering, Universiti Malaysia Sarawak,
94300 Kota Samarahan, Sarawak, Malaysia

ORCID IDs: ¹ 0000-0002-4538-6512 | ² 0000-0002-8438-8932

Abstract

Surveys of complex multi-role organisations face a persistent design tension: universal instruments enable cross-group comparison but obscure role-specific phenomena, while siloed role-specific instruments prevent it. This paper presents and teaches a structured methodological framework — the converge–diverge–reconverge architecture — for designing integrated multi-role survey instruments that resolve this tension. The framework combines front-loaded universal modules with role-specific branching pathways, using skip logic as a deliberate design strategy rather than an administrative convenience. The paper documents the full design sequence: determining whether content is universal or role-specific, selecting role categories, constructing branching logic, achieving completion-time parity across pathways, and validating routing integrity. A worked demonstration in an engineering workplace context illustrates each design decision. Supplementary materials provide replication-ready implementation guidance, decision frameworks for adapting the architecture to other multi-role contexts, and structured tables for classroom use. The framework is transferable to any organisational research context where role diversity creates measurement challenges — including healthcare, education, aviation, construction, and public administration. Researchers, graduate students, and applied evaluators will find the architecture immediately usable and adaptable to their own multi-role survey design problems.

Keywords: Sociotechnical Systems; Systemic Risk; Survey Methodology; Safety measurement; Organisational safety; Safety Culture Assessment; Multi-role organisations.

1. Introduction

1.1 A persistent tension in multi-role organisational research

Researchers studying organisations in which people perform fundamentally different functions face a persistent measurement problem. Universal survey instruments — those that treat the entire workforce as a homogeneous population — enable cross-group comparison but obscure how shared pressures are experienced and acted upon differently across roles. Role-specific instruments capture functional depth but fragment the dataset, preventing system-level analysis. Choosing between comparability and specificity is, for many researchers, not a design preference but a forced compromise.

This paper presents a structured methodological framework for resolving that tension. The converge–diverge–reconverge architecture integrates universal and role-specific survey modules within a single instrument, using deliberate branching logic to route respondents through targeted content while preserving cross-role comparability. The framework is demonstrated through the design and deployment of a global workplace survey in engineering — a context characterised by high role diversity, interdependent functions, and safety-critical outcomes — but the architecture is transferable to any multi-role organisational context in which role diversity creates measurement challenges, including healthcare, education, aviation, construction, and public administration.

This paper's contribution is explicitly methodological. It documents how to design the instrument, not what the instrument found. Supplementary materials extend the paper's teaching function by providing replication-ready implementation guidance, structured decision frameworks, and annotated design tables suitable for classroom use and independent adoption by researchers in other domains.

1.2 Why existing approaches fall short

Survey-based research in multi-role organisations has tended to resolve the comparability–specificity tension by defaulting to one end or the other. Role-agnostic instruments are common in large-scale workforce studies: they enable broad comparison and are straightforward to administer, but they implicitly assume that all respondents interpret and experience survey constructs in the same way (Fouad et al., 2017; Tynjälä, 2008). In contexts where responsibility, authority, and proximity to risk vary substantially by function, this assumption is difficult to defend. A question about schedule pressure means something different to an engineer verifying a safety-critical system than to a project controls analyst preparing a milestone forecast — yet a role-agnostic instrument treats these responses as equivalent.

Role-specific instruments address this by targeting individual functions, but they are typically designed in isolation (Haas et al., 2020). Each instrument captures what happens within a function; none captures how pressures originate, propagate, and manifest across functions. The result is a fragmented picture of organisational dynamics that cannot support system-level analysis.

Adaptive survey designs and branching logic offer a technical route out of this impasse and are well established in health and clinical research (Callegaro et al., 2015; Couper, 2011; Tourangeau et al., 2013). Their application within workplace and organisational research, however, remains limited and inconsistently reported. Where branching is used, it is typically treated as an administrative convenience — a way to skip irrelevant questions — rather than as a deliberate methodological strategy for preserving analytical integrity across a fragmented

population. There is no validated, transparent, replicable framework for designing integrated multi-role instruments of this kind.

1.3 The teaching gap

The absence of a documented framework is not only a gap in the research literature. It is a practical obstacle for graduate students, early-career researchers, and applied evaluators who need to study multi-role organisations but lack access to methodological models for doing so. Existing survey design texts provide strong foundations for general instrument construction but offer limited guidance on how to manage role diversity at the design stage — how to decide what belongs in a universal module versus a role-specific branch, how to sequence content to minimise priming effects while maximising analytical utility, how to validate routing integrity before deployment, and how to calibrate completion time parity across pathways of different lengths.

This paper addresses that gap directly. Section 3 documents the architectural decisions behind the converge–diverge–reconverge framework with sufficient specificity for replication. Supplementary Material 2 extends this into explicit teaching content: a structured implementation guide that walks researchers through each design stage, a decision framework for determining which content belongs in universal versus role-specific modules, worked examples from the engineering context, and annotated tables that can be used as classroom handouts or self-study resources. The architecture, the decision logic, and the implementation guidance are all designed for transfer — to other industries, other research questions, and other multi-role populations.

1.4 Purpose and contribution of this paper

This paper addresses the design challenge of integrated multi-role survey instruments by presenting, documenting, and teaching the converge–diverge–reconverge architecture. Its contributions are threefold.

First, it provides a replicable design framework for researchers seeking to study systemic phenomena across diverse functional roles. The architecture is demonstrated in engineering but is explicitly framed for transfer to other multi-role organisational contexts.

Second, it documents the practical design strategies — including sequencing decisions, branching logic, and completion-time parity constraints — that make integrated multi-role instruments analytically defensible. These decisions are rarely made explicit in published work; this paper surfaces them as methodological choices with identifiable rationale and trade-offs.

Third, and consistent with commitment to methods that serve the research community, the paper provides teaching materials that enable independent adoption of the framework. Supplementary Material 1 contains informed consent and ethical documentation. Supplementary Material 2 provides an implementation guide with decision frameworks, worked examples, and structured tables for classroom use. Appendix A presents the survey architecture in tabular form. Together, these materials are designed to function as a complete methodological toolkit for researchers designing surveys in multi-role organisational contexts.

Consistent with established survey methodology, this paper deliberately separates instrument design from empirical validation, documenting the architecture before analysis to avoid post hoc modification of measurement tools (Callegaro et al., 2015; Tourangeau et al., 2013).

2. Methodology

2.1 Workplace survey methods in engineering contexts

Survey-based research has long been used to investigate workplace conditions in engineering, including job satisfaction, organisational culture, safety climate, and psychological wellbeing (Fouad et al., 2017; Tynjälä, 2008). These instruments have provided valuable insights into broad trends affecting the engineering workforce, particularly regarding workload, safety performance, and retention (Detert and Edmondson, 2011; Nembhard and Edmondson, 2006).

However, many established workplace surveys adopt a role-agnostic approach, implicitly treating engineering organisations as homogeneous populations (Fouad et al., 2017; Tynjälä, 2008). While this enables large-scale comparison, it often obscures meaningful differences in how pressures are experienced and enacted across distinct functional roles. In engineering contexts—where responsibility, authority, and proximity to risk vary substantially by role—this limitation constrains the explanatory power of survey findings.

Conversely, role-specific instruments are commonly employed within subdomains such as safety culture, operational reliability, or project management (Haas et al., 2020; Swuste, 2010). These tools provide detailed insight into specific functions but are typically designed in isolation, limiting their ability to support cross-role comparisons or system-level analysis.

2.2 The importance of role in engineering workplace research

Role is a critical determinant of how organisational pressures are perceived, negotiated, and acted upon in engineering workplaces (Argyris, 1990; Argyris and Schön, 1978). Differences in decision authority, temporal exposure to risk, and accountability structures shape not only what pressures are experienced, but also how those pressures translate into practice (Hollnagel, 2018; Weick and Sutcliffe, 2007).

For example, schedule pressure may lead to accelerated verification and acceptance within commissioning roles, deferred maintenance decisions in operations, constrained risk tolerances in health and safety functions, or optimistic forecasting within planning and project controls (Leroy and Glomb, 2018; Woods, 2006). Each response reflects a localised adaptation to shared organisational demands, yet traditional survey approaches rarely capture these differentiated pathways within a single instrument.

Role-blind measurement risks flattening these dynamics, while siloed role-specific instruments fragment understanding across organisational boundaries. This tension highlights the need for methodological approaches that explicitly account for role diversity while preserving analytical coherence.

2.3 Branching logic and adaptive survey design

Branching logic, also referred to as adaptive or skip-logic survey design, has been widely adopted in fields such as health, clinical research, and social sciences to tailor question pathways based on respondent characteristics or prior responses (Couper, 2011; Tourangeau et al., 2013). These approaches are commonly used to reduce respondent burden, improve engagement, and enhance the relevance of survey content.

Within organisational research, branching logic has been applied selectively, often as a technical convenience rather than as a central methodological strategy (Couper, 2011). In many cases, branching is used to filter out inapplicable demographic questions or optional modules, with limited discussion of its implications for comparability, data structure, or analytical integrity.

In engineering workplace research, explicit methodological guidance on the use of branching logic remains limited. Where adaptive designs are employed, they are rarely documented in sufficient detail to support replication or reuse, and sequencing decisions are seldom justified in relation to fatigue, attrition, or comparative analysis.

2.4 Integrated multi-role measurement: current gaps

A small number of studies have attempted to capture multiple engineering roles within a single survey instrument; however, these efforts often rely on parallel role-specific surveys or post hoc role stratification during analysis (Fouad et al., 2017; Tynjälä, 2008). Such approaches can introduce measurement inconsistencies and limit the interpretability of cross-role comparisons.

Critically, there remains a lack of published frameworks that address how universal constructs and role-specific content can be integrated within a single instrument without compromising either depth or comparability (Asdal, 2015; Carlile, 2004). Existing literature provides limited guidance on sequencing, branching architecture, or strategies for managing respondent burden in multi-role engineering contexts.

This gap is methodological rather than theoretical (Argyris, 1990; Lant and Argote, 2000). While the importance of role diversity is widely acknowledged, practical approaches for designing instruments that operationalise this diversity in a transparent and replicable manner are underdeveloped.

2.4.1 Comparison with existing approaches

Table 1 summarises common approaches to multi-role measurement in engineering workplace research. Generic surveys achieve comparability by treating workforces as homogeneous but sacrifice role-specific depth. Role-specific instruments provide functional detail but fragment analysis. Parallel role surveys introduce comparability concerns due to differences in items. Post hoc role stratification preserves comparability but lacks targeted measurement of role-dependent phenomena. While adaptive designs using branching logic are used in health research, their use in engineering applications remains limited and inconsistently documented (Callegaro et al., 2015; Tourangeau et al., 2013). The present framework addresses this by providing explicit architectural documentation, treating design decisions as methodological contributions that require transparent reporting.

Table 1 Comparison of multi-role measurement approaches in workplace survey research

Approach	Role Handling	Branching Used?	Sequencing Documented?	Completion Parity Considered?	Replicability
Generic workplace surveys	Role-agnostic (homogeneous)	No	N/A	Yes (single path)	High (lacks depth)
Role-specific instruments	Siloed (separate by role)	No	N/A	N/A (separate surveys)	High within role (no cross-role)
Parallel role surveys	Multiple versions deployed	No (separate)	Rarely	No (different lengths)	Moderate (comparability issues)
Post hoc stratification	Universal + role as demographic	No	N/A	Yes (single path)	High (lacks depth)
Adaptive health surveys	Individual-level routing	Yes	Sometimes	Varies	Moderate-High (depends)
Present framework	Integrated universal + role-specific	Yes	Yes (explicit)	Yes (constraint)	High (documented)

Note: This comparison synthesises common approaches identified through review of engineering workplace survey literature (Section 2). Assessment reflects typical implementation patterns rather than individual studies.

2.5 Positioning the present study

This paper responds to documented gaps (Table 1) by focusing on survey architecture as a replicable contribution. While branching logic is established in health research, engineering workplace applications lack architectural transparency for replication (Callegaro et al., 2015; Tourangeau et al., 2013). Where role differentiation is attempted, sequencing decisions, branching rationale, and completion parity strategies are unreported or mentioned only in passing. The gap is not in the existence of branches but in the transparency of documentation. By documenting the rationale, structure, and implementation of an integrated multi-role instrument, this paper provides practical guidance for researchers studying systemic workplace phenomena. The following section details the instrument design methodology.

3. Instrument Design Methodology

3.1 Design principles

The survey instrument was designed around four explicit principles intended to balance analytical rigour, respondent burden, and practical deployability across diverse engineering roles.

First, a universal measurement foundation was established through a set of core constructs administered to all respondents. These constructs were selected to capture organisational conditions and experiences expected to be shared across roles, including workplace pressure, peer influence, organisational context, and psychological outcomes. This universal foundation enables direct comparison across roles and supports system-level analysis.

Second, role-specific depth was achieved through targeted modules delivered via branching logic. These modules were designed to capture pressures, practices, and decision contexts

unique to particular engineering roles, without requiring respondents to engage with irrelevant questions outside their functional domain.

Third, comparative integrity was treated as a primary design constraint. Universal modules were deliberately positioned at the front of the instrument before any role-specific branching. This sequencing ensured that all respondents completed the core comparative measures, safeguarding cross-role analyses even in the event of partial completion or later-stage fatigue.

Finally, respondent burden control was embedded in the instrument's architecture. Branching logic was used to limit survey length and prevent exposure to irrelevant role-specific content (Callegaro et al., 2015; Tourangeau et al., 2013). Completion time parity across roles (approximately 10–15 minutes) was treated as an explicit design requirement rather than an incidental outcome.

3.2 Conceptual framing

The instrument is grounded in a systemic view of workplace pressure within engineering organisations (Hollnagel, 2018; Weick and Sutcliffe, 2007). Rather than treating pressure as an individual-level attribute, the design conceptualises it as an organisational condition that manifests differently across roles depending on proximity to risk, authority, and operational consequence (Rasmussen, 1997).

Peer influence and team norms are treated as cross-cutting mechanisms that mediate how organisational pressures are interpreted and acted upon (Edmondson, 1999). Organisational culture and leadership context provide a shared backdrop within which role-specific behaviours emerge (Perrow, 2011; Thorndike, 1995). Role, in this framework, functions as a moderator of experience rather than as a siloed category.

This framing informed both the selection of universal constructs and the development of role-specific modules, ensuring conceptual coherence across the instrument while allowing targeted exploration of localised pressures.

3.3 Instrument structure

The survey instrument comprises two primary components: (1) universal modules completed by all respondents, and (2) role-specific modules delivered through branching logic based on self-identified primary role.

3.3.1 Universal modules

All respondents completed a standard set of modules before any role-specific branching. These modules were positioned at the front of the instrument to preserve comparability and analytical integrity under partial completion conditions.

The universal modules included:

- **Demographics and work context**, capturing age range, gender, education level, country or region of work, discipline or functional area, industry sector, work setting, employment type, team size, and career intentions.

- **Workplace pressure** is measured using a five-item scale addressing unrealistic expectations, role expansion, peer judgment, treatment of mistakes, and pressure to work beyond contracted hours.
- **Delay and cost attribution**, capturing respondents' perceptions of which groups and systemic processes most commonly contribute to project delays or cost increases.
- **Psychological outcomes**, including perceived overwhelm, anxiety related to work expectations, autonomy, and overall well-being.
- **Peer influence and team culture**, measured through items assessing conformity pressure, behavioural influence of colleagues, hesitation to challenge decisions, and groupthink dynamics.
- **Peer pressure impacts on quality and delivery**, capturing self-reported experiences of quality compromise, process bypassing, informal scope changes, defect manipulation, risk acceptance, and rework.
- **Organisational context**, assessing leadership support, communication openness, treatment of mistakes, and encouragement of independence and initiative.

Likert-type response formats were used throughout, with scale anchors selected to balance sensitivity and respondent clarity. "Not applicable" options were included where appropriate to avoid forced responses.

3.3.2 Role-specific modules

After completing the universal modules, respondents were routed to role-specific question sets based on their self-identified primary role. Role identification was used exclusively as a routing mechanism rather than as a measured construct.

Seven role-specific modules were developed:

- **Commissioning and start-up**, focusing on schedule-driven verification pressure, defect severity downgrading, premature close-out, permit and authorisation bypassing, documentation incompleteness, out-of-sequence execution, risk acceptance, operational readiness concerns, and recognition of commissioning as a high-risk phase.
- **Operations and maintenance**, addressing pressure to operate with known defects, maintenance deferral, operation outside recommended limits, fast-tracking or skipping work, and incomplete sign-offs.
- **Planning, scheduling, and project controls**, examining forecast manipulation, external pressure on reporting, discouragement of delay disclosure, and prioritisation of milestones over realism.
- **Commercial, contracts, and procurement**, capturing the influence of contractual deadlines, milestone payments, documentation acceptance, variation suppression, and sources of commercial pressure.
- **Health, safety, and environment (HSE/WHS)**, focusing on premature sign-off, superficial risk assessment, pressure-driven risk acceptance, resistance to safety concerns, and exclusion from early planning.
- **Leadership and management**, capturing team size and supervisory scope to contextualise responses within the universal modules.
- **Other roles** (including design engineering, project management, technical specialists, and early-career roles) bypassed role-specific modules and proceeded directly to the universal sections.

The length of role-specific modules varied by role but was designed to align with the overall completion-time parity objective.

The overall survey architecture followed a converge–diverge–reconverge structure. All respondents first completed a set of universal modules designed to support cross-role comparison. Participants were then routed to role-specific modules via branching logic based on primary role. After completing role-specific content, all respondents were rerouted to a final set of universal questions before survey completion. These concluding items were designed to re-establish a shared organisational frame, capture overarching perceptions, and provide a consistent closing experience across roles.

Role identification was treated as a pragmatic routing variable rather than a latent construct, such that any misclassification affects role-specific depth rather than the integrity of cross-role comparative analyses.

3.3.3 Module length and role selection rationale

Seven role-specific modules were developed with varying question counts based on pressure complexity. Commissioning and start-up (20 items, Q21-40) received the most extensive module, reflecting high-risk, time-compressed commissioning work. Operations and maintenance (7 items, Q41-47) and HSE/WH (7 items, Q58-64) addressed ongoing operational and safety oversight pressures. Planning and scheduling (5 items, Q48-52) and commercial roles (5 items, Q53-57) received shorter modules reflecting narrower pressure domains. Leadership roles (1 item, Q65) received only a supervisory scope question, as workplace pressures were captured through universal modules.

The overall survey architecture is conceptually represented in Figure 1. The structure follows a converge–diverge–reconverge pattern, analogous to a tree where universal modules form both the foundational roots and the encompassing canopy. At the same time, role-specific branches capture differentiated functional experiences.

All respondents begin with universal modules (the roots), which establish shared constructs and enable cross-role comparability. Participants then diverge into role-specific branches—Commissioning, Operations, Planning, HSE/WH, and others—each capturing the functional depth and differentiated experiences unique to that role. Following role-specific content, all respondents reconverge to complete final universal modules (the canopy), which re-anchor responses at the organisational level through reflection on organisational context, peer influence, and workplace outcomes.

This architecture ensures that every respondent completes identical universal measures while experiencing only the role-specific content relevant to their function, balancing analytical integrity with control of respondent burden.

Specific roles—design engineering, project management, technical specialists, construction, trades, graduate engineers, and academic roles—were routing options without dedicated role-specific modules. These respondents proceeded directly from role selection (Q20) to universal reconverge modules (Q66-100). This reflected two considerations: substantial heterogeneity within categories made it difficult to identify relevant items consistently, and the primary research focus was on roles directly exposed to schedule-driven pressures during commissioning, operations, and delivery.

Role categories were informed by literature review, practitioner consultation, and the research team’s professional experience. Categories align with standard functional divisions while maintaining granularity to capture distinct pressure pathways.

Despite variation in role-specific module length (0-20 items), completion time parity across pathways was maintained at approximately 10–15 minutes. Branching architecture ensured respondents with longer role-specific modules completed fewer non-applicable questions, while those with shorter or no role-specific modules moved quickly to reconverge. Completion time parity was an explicit design constraint, ensuring equitable respondent burden and minimising differential attrition by pathway.




Figure 1. Conceptual representation of the converge–diverge–reconverge survey architecture

Universal modules (roots and canopy) provide a shared measurement foundation and organisational re-anchoring. Role-specific branches provide functional depth by exposing targeted modules via branching logic. All pathways maintain completion despite time-parity differences in module lengths.

3.4 Branching logic implementation

The instrument was implemented using Google Forms, selected for its stable skip-logic functionality, device accessibility, and suitability for anonymous data collection in a global context. Role selection served as the sole branching variable, directing respondents to relevant role-specific modules after completion of the universal sections.

Primary comparative constructs were positioned exclusively within the front-loaded universal modules, thereby limiting any role-priming effects in cross-role analyses.

All branching paths were tested before deployment to ensure correct routing and confirm that universal modules were completed consistently before any role-specific items were presented. This architecture ensured that no respondent was exposed to irrelevant role-specific questions, thereby substantially reducing respondent burden and minimising fatigue relative to flat, role-agnostic survey designs (Dillman et al., 2014; Krosnick, 1991).

The choice of survey platform does not affect the instrument's conceptual design, which is fully specified and transferable to alternative survey environments.

Table 2. Survey structure overview

Role-specific module	Primary focus areas	No. of items	Example themes
Commissioning & start-up	Schedule-driven verification pressure, defect handling, readiness risk, permit and documentation completeness	20	Premature testing, defect severity downgrading, out-of-sequence work, risk acceptance
Operations & maintenance	Asset reliability under pressure, maintenance deferral, operational risk trade-offs	7	Running with known defects, operating outside limits, fast-tracked work
Planning & scheduling / project controls	Forecast realism, reporting pressure, milestone dominance	5	Schedule manipulation, delay suppression, incomplete inputs
Commercial, contracts & procurement	Contractual pressure on technical decisions, milestone incentives	5	Incomplete documentation acceptance, variation suppression
Health, Safety & Environment (HSE/WHS)	Safety governance under delivery pressure, risk escalation	7	Premature sign-off, superficial risk assessment, safety pushback
Leadership / management	Supervisory scope and responsibility	1	Number of direct reports
Other roles (e.g. design, PM, SME, early career)	—	0	Respondents proceed directly to universal modules

Notes: Completion time reflects intentional design parity across roles achieved through branching logic. No respondent is exposed to all role-specific items.

Table 3. Role-specific module content summary

Module	Respondents	Content focus	No. of items	Approx. completion time
Consent & eligibility	All	Eligibility screening and informed consent	3	<1 min
Universal modules (front-loaded)	All	Demographics, workplace pressure, peer influence, psychological outcomes, organisational context	~34	8–10 min
Role-specific modules	Role-dependent	Role-specific pressures and practices	1–20	3–5 min
Final universal modules (re-convergence)	All	Overall perceptions, reflective and closing items	2–4	<1 min
Total (per respondent)	—	—	~40–60	10–15 min

Notes: Role-specific modules are delivered only to respondents who self-identify with the corresponding primary role. Role identification functions as a routing variable rather than a measured construct.

Sequencing of universal and role-specific modules was carefully considered. Demographics and work context (Q5-19) were positioned first to establish a consistent foundation before role differentiation. Role-specific modules (Q21-65) followed immediately, capturing

concrete practices while respondents were contextually anchored. Universal comparative constructs (Q66-100) were deliberately positioned after role-specific content.

This sequencing offers a methodological advantage: engaging with concrete, role-specific scenarios first positions respondents to provide contextually grounded judgments on abstract organisational constructs (Bradburn et al., 2004; Krosnick, 1991). A respondent reflecting on specific instances of schedule pressure provides more informed responses to universal items like ‘I feel pressure to meet unrealistic expectations’ than when presented without contextual priming. Role-specific questions address observable behaviours; universal constructs measure broader outcomes—the former grounds respondents; the latter benefits from this grounding.

Because all respondents complete identical universal modules in the same sequence, cross-role comparability is preserved. While sequencing may prime universal responses, this was judged acceptable for contextually informed judgments. Reconverge design ensures analytical integrity by guaranteeing core comparative measures are completed by all participants regardless of pathway.

3.5 Question development and scaling

Survey items were developed through an iterative process that combined a review of existing workplace and safety literature with practitioner-informed insights drawn from the research team’s professional experience across engineering, commissioning, operations, and project delivery contexts (Fouad et al., 2017; Haas et al., 2020).

Where possible, items were framed to reflect observable practices and experiences rather than abstract attitudes, reducing ambiguity and supporting consistent interpretation across roles (Dekker, 2017). Multi-item scales were used for latent constructs, while single-item measures were reserved for descriptive or concrete variables. Response scales were standardised across modules to ensure analytical consistency and reduce respondents' cognitive load.

Survey items addressing workplace pressures and practices were designed to capture experiences across respondents’ entire engineering careers rather than being limited to their current role or employer. Respondents were asked to report on both current experiences (e.g., ‘In your current role, how often...’) and career-wide patterns (e.g., ‘Throughout your career, have you ever experienced...’) where relevant. This dual framing served three purposes: enhancing anonymity by preventing attribution to specific organisations or projects, enabling comparison between current and accumulated career experiences, and capturing insights from respondents who had transitioned between functional roles. The approach prioritised respondent safety and analytical richness over time-bounded measurement, while still allowing respondents to distinguish between recent and historical experiences where this distinction was analytically meaningful.

3.6 Ethical considerations

Participation in the survey was voluntary and limited to individuals aged 18 or older who were currently working, or had worked in the past five years, in engineering, technical, industrial, manufacturing, or project-delivery environments. Eligible roles included direct engineering and technical positions, as well as operational, project support, commercial, supply chain, and administrative functions within these organisational contexts. The study

received approval from the Human Research Ethics Committee of Universiti Malaysia Sarawak.

Informed consent was obtained through a structured multi-step process. The survey welcome page served as the Participant Information Sheet, providing comprehensive study details, including the purpose, eligibility, data handling, anonymity protections, and the researcher's contact information. Participants confirmed comprehension before proceeding, and automated routing ensured that those who had not yet read the information were returned to the welcome page (see Supplementary Material 1 for complete consent process documentation). Subsequent consent items confirmed age eligibility and voluntary participation.

No identifying information—including names, email addresses, organisational identifiers, or IP addresses—was collected. Google Forms settings were configured to disable login requirements and response tracking, ensuring complete participant anonymity. Survey data were stored in secure, access-controlled institutional accounts.

4. Validation Approach

4.1 Content validity

Content validity was supported through structured review and testing by practising engineers, with at least one individual representing each role-specific module completing the full survey before public deployment. Review participants were drawn from commissioning, operations, maintenance, planning, project delivery, commercial, and health and safety roles, ensuring coverage across all branched pathways within the instrument.

Reviewers were asked to assess the relevance of items to their role, the clarity of wording, the completeness of role-specific content, the appropriateness of response options, and the overall survey flow. Feedback was used to refine wording, ordering, and explanatory text to improve clarity and alignment with operational practice.

Feedback from this practitioner review led to targeted refinements in question wording, ordering, and response options to improve clarity and reduce ambiguity. Several items were rephrased to reflect better operational language used in practice, and explanatory text was added where reviewers identified potential for misinterpretation. No items were removed or added following this process; instead, refinements focused on improving alignment between constructs and real-world engineering experience.

This practitioner-informed review process ensured that the instrument reflected credible workplace scenarios and role-specific pressures, supporting content validity before large-scale deployment.

Initial testing of the survey instrument was conducted before formal ethics approval solely to verify branching logic, question sequencing, and technical functionality. Responses generated during this phase were not retained, analysed, or used for research purposes and were permanently deleted before public deployment of the survey. Accordingly, practitioner

feedback informed minor refinements to instrument wording and structure but did not contribute data to the study.

4.1.1 Technical validation: Week 0 pilot deployment

The survey instrument underwent technical validation through a controlled Week 0 pilot deployment conducted prior to full-scale data collection. The primary objective of this pilot was to verify that the branching logic functioned as designed and that respondents were correctly routed to role-specific modules based on their self-identified primary role.

The pilot was deployed to a small convenience sample (N = 52) with representation across target role categories: commissioning/start-up (n = 4), operations/maintenance (n = 2), design engineering (n = 7), planning/project controls (n = 1), leadership/management (n = 2), and other roles including project management, construction, trades/technicians, commercial, HSE/WHS, and technical specialists (n = 36). Geographic diversity was achieved with responses from Australia (n = 44), Malaysia (n = 3), the Philippines (n = 2), the United Kingdom (n = 1), and the United States (n = 2).

Technical validation confirmed correct routing functionality. All respondents completed universal modules as designed, and role-specific modules were delivered only to respondents who self-identified with the corresponding role category. No technical errors or routing failures were identified during the pilot deployment period.

Response quality indicators supported instrument viability. Completion patterns indicated engagement with both universal and role-specific content, and respondents provided substantive answers to open-ended items. Qualitative responses (n = 23 substantive comments from 52 respondents) demonstrated thematic diversity aligned with the instrument's conceptual framework, including themes related to timeline pressure, management disconnect, documentation quality, client pressure, workload, safety risk, micromanagement, and resource constraints.


Preliminary thematic analysis of open-ended responses revealed role-specific manifestations of workplace pressure consistent with the instrument's design logic. For example, commissioning respondents cited visibility deficits and management disconnects in commissioning work, while design engineering respondents emphasised timeline pressure and client-driven demands. This initial thematic differentiation supports the rationale for role-specific measurement while confirming that universal pressure constructs resonate across roles.

The Week 0 pilot served its intended purpose as a technical validation exercise, confirming instrument functionality, routing integrity, and response quality before full-scale deployment. No modifications to the instrument structure or branching logic were required following pilot analysis

Table 4. Week 0 pilot sample characteristics (N = 52)

Primary Role	Total Number	Percentage
Commissioning / Start-up	4	7.7
Operations / Maintenance	2	3.8
Design Engineering	7	13.5
Planning / Project Controls	1	1.9
Leadership / Management	2	3.8
Other roles*	36	69.2
Geographic Region		
Australia	44	84.6
Other (Malaysia, Philippines, UK, USA)	8	15.4

Notes: * Other roles include project management, construction, trades/technicians, commercial, HSE/WHS, and technical specialists.



Notes: Themes were coded from open-ended responses. Role-specific patterns emerged consistent with instrument design logic, with commissioning respondents reporting visibility and recognition issues while design engineers emphasised timeline and client-driven pressure.

Figure 2 Preliminary thematic analysis of Week 0 pilot qualitative responses by primary role (N = 23 substantive comments from 52 respondents).

4.2 Construct validity considerations

The instrument was designed around theoretically coherent constructs intended to capture workplace pressure, peer influence, organisational context, and their perceived impacts on quality, delivery, and wellbeing. Universal constructs were operationalised using multi-item scales, while role-specific modules targeted concrete practices and decision contexts rather than latent psychological traits.

A formal empirical evaluation of the construct structure will be undertaken in subsequent applied studies using the instrument. Relationships between theoretically linked constructs and differentiation between conceptually distinct measures will be examined in line with established validation principles (Campbell and Fiske, 1959; Hair, 2010).

Construct validity considerations are outlined to guide subsequent empirical applications of the instrument.

4.3 Reliability assessment

Reliability assessment will be conducted using internal consistency measures, including Cronbach's alpha, for multi-item scales within the universal modules (Cronbach, 1951). Reliability thresholds will be evaluated in line with established conventions for organisational and workplace research.

Test-retest reliability was not pursued because the survey was fully anonymous and did not include respondent identifiers. This limitation is acknowledged as a trade-off associated with prioritising participant anonymity in a global workplace study.

4.4 Response quality and fatigue management

Several design features were incorporated to support response quality and mitigate respondent fatigue. Branching logic ensured that respondents were presented only with role-specific questions relevant to their primary role, preventing exposure to irrelevant content and substantially reducing completion burden compared with flat survey designs (Dillman et al., 2014).

In addition, all universal constructs required for cross-role comparisons were placed at the beginning of the instrument. This sequencing was an explicit design decision intended to preserve comparative analytical integrity in the event of partial completion or disengagement during later sections.

Response quality will be assessed by examining completion rates by role, response time patterns, distributions of missing data, and the detection of straight-lining or invariant responding within Likert-scale items.

4.5 Sampling and generalisability

The target population comprises individuals aged 18 or older who are currently working or have worked in the past five years in engineering or closely related technical roles. The survey is distributed globally through professional networks, online platforms, and industry

contacts, enabling participation across sectors including utilities, water, construction, infrastructure, energy, mining, manufacturing, and engineering research.

While the global scope supports broad applicability, using an English-language instrument may limit participation in some regions. This is acknowledged as a constraint on generalisability and may be addressed in future adaptations of the instrument.

4.6 Limitations

Several limitations are inherent to the study design. As with all self-report instruments, responses may be influenced by recall bias or subjective interpretation. The voluntary nature of participation may introduce self-selection bias, with individuals experiencing higher levels of workplace pressure potentially more likely to respond.

The absence of longitudinal tracking limits the ability to assess the temporal stability of responses. However, this limitation reflects a deliberate prioritisation of participants' anonymity and ethical protection.

5. Discussion

5.1 Methodological contribution

The primary contribution of this paper is to articulate a transparent and replicable framework for designing integrated multi-role survey instruments in engineering contexts. Rather than treating role diversity as a sampling complication, the framework positions role as a central design consideration, enabling both cross-role comparison and role-specific depth within a single instrument.

By combining universal core modules with targeted role-specific branches, the design avoids the traditional trade-off between breadth and specificity that characterises many workplace surveys. The explicit sequencing of universal measures before branching ensures that systemic organisational phenomena can be examined across roles. At the same time, role-specific modules allow investigation of how those phenomena manifest in practice.

Importantly, this work's contribution is architectural rather than construct-based. The novelty lies not in individual survey items but in the way established constructs are integrated, sequenced, and operationalised across multiple roles without fragmenting the dataset.

While branching logic itself is not novel, this work's contribution lies in the explicit architectural integration of universal and role-specific measurements within a converge–diverge–reconverge framework. Existing applications of adaptive surveys in engineering workplace research rarely document sequencing, routing, and reconvergence decisions at a level that supports reuse or replication.

5.2 Managing respondent burden without sacrificing analytical integrity

Respondent burden and fatigue represent persistent challenges in workplace survey research, particularly in complex professional environments such as engineering. The branching

architecture presented in this paper demonstrates how depth can be achieved without exposing respondents to irrelevant content or excessive survey length.

Branching logic was used deliberately to control respondent burden, while completion-time parity across roles was treated as a design constraint rather than an incidental outcome. At the same time, front-loading universal modules ensured that core comparative data were captured for all respondents, preserving analytical integrity even when partial completion occurred.

This approach contrasts with flat, role-agnostic instruments that either overburden respondents or sacrifice role-specific insight. The framework illustrates how survey architecture itself can be used as a methodological tool to manage fatigue while maintaining data quality.

5.3 Implications for engineering workplace research

The framework presented here responds directly to the need for methods capable of capturing systemic workplace phenomena in engineering organisations. Many organisational outcomes of interest—such as safety performance, delivery reliability, quality degradation, and workforce attrition—emerge from interactions across roles rather than from isolated functions.

By enabling simultaneous examination of shared organisational conditions and role-specific practices, integrated multi-role instruments support more nuanced diagnosis of workplace dynamics. This has implications not only for academic research, but also for organisational self-assessment, benchmarking, and intervention design.

While demonstrated in the context of engineering workplace pressure, the framework is transferable to other domains characterised by role diversity and interdependence, including healthcare, manufacturing, information technology, and other safety-critical industries.

5.4 Design trade-offs and limitations

As with any survey-based methodology, the framework involves explicit trade-offs. Prioritising anonymity precludes longitudinal tracking and test–retest reliability assessment, while relying on self-report introduces potential recall and perception biases. These limitations are not unique to the present instrument and reflect deliberate design choices aligned with ethical and practical constraints.

The use of role self-identification as a routing mechanism may introduce some misclassification; however, this affects the depth of role-specific data rather than the integrity of universal measures. By treating role as a pragmatic routing variable rather than a latent construct, the design maintains robustness in cross-role analyses.

5.5 Future research directions

Separating instrument design from empirical analysis provides a clear foundation for subsequent research phases. Following data collection, the instrument will support construct validation, reliability assessment, and cross-role comparative analysis without requiring post hoc modifications to the survey architecture.

Beyond this specific study, the framework offers a template for future multi-role workplace research. Researchers may adapt the branching architecture to different organisational contexts, refine role-specific modules, or integrate longitudinal deployment where anonymity constraints permit.

More broadly, the approach highlights the value of treating survey architecture as an explicit methodological contribution, rather than as a neutral technical implementation.

6. Conclusion

This paper presented a structured methodological framework for designing integrated multi-role survey instruments in engineering contexts. By explicitly addressing the challenge of capturing systemic workplace phenomena across diverse roles, the framework demonstrates how survey architecture can preserve cross-role comparability while enabling role-specific depth.

The instrument design combined universal core modules with targeted role-specific branches, supported by deliberate sequencing and branching logic. Front-loading universal measures ensured that essential comparative data were captured for all respondents, while role-specific modules allowed detailed examination of localised pressures and practices without increasing respondent burden. These design decisions were intentional and grounded in both methodological considerations and practical constraints of engineering workplaces.

The contribution of this paper lies in its focus on instrument architecture rather than empirical findings. By separating design from validation and analysis, the framework promotes transparency and reduces the risk of post hoc modification of measurement tools. This approach supports replicability and provides a clear foundation for subsequent empirical research.

While demonstrated through a global engineering workplace pressure survey, the framework is transferable to other complex, multi-role organisational settings. Researchers and practitioners seeking to understand how systemic pressures propagate across roles may adapt the approach to suit different industries, organisational structures, and research objectives.

Advancing workplace research in complex organisations requires methods that reflect how work is distributed, pressured, and negotiated across diverse roles.

To support replication and adaptation of this framework, comprehensive documentation is provided in the appendices and supplementary materials. Appendix A presents the complete survey instrument structure, including a selection of representative items from all modules, while Appendix B provides a visual representation of the branching logic. Supplementary Material 1 documents the informed consent process with implementation details, and Supplementary Material 2 offers practical guidance for researchers seeking to implement converge-diverge-reconverge survey designs in other organisational contexts. These resources are designed to enable direct replication, adaptation, or extension of this approach by other researchers studying multi-role organisational phenomena.

During the preparation of this work, the author(s) used Grammarly in order to edit the manuscript. After using this tool/service, the author(s) reviewed and edited the content as needed and take(s) full responsibility for the content of the published article

References

- Argyris, C., 1990. *Overcoming organizational defenses: facilitating organizational learning*. Allyn and Bacon, Boston.
- Argyris, C., Schön, D.A., 1978. *Organizational learning*, Addison-Wesley OD series. Addison-Wesley Pub. Co, Reading, Mass.
- Asdal, K., 2015. What is the issue? The transformative capacity of documents. *Distinktion J. Soc. Theory* 16, 74–90. <https://doi.org/10.1080/1600910X.2015.1022194>
- Bradburn, N.M., Sudman, S., Wansink, B., 2004. *Asking questions: the definitive guide to questionnaire design-- for market research, political polls, and social and health questionnaires*, Revised edition. ed. Jossey-Bass, San Francisco, CA.
- Callegaro, M., Manfreda, K., Vehovar, V., 2015. *Web Survey Methodology*. <https://doi.org/10.4135/9781529799651>
- Campbell, D.T., Fiske, D.W., 1959. Convergent and discriminant validation by the multitrait-multimethod matrix. *Psychol. Bull.* 56, 81–105. <https://doi.org/10.1037/h0046016>
- Carlile, P.R., 2004. Transferring, Translating, and Transforming: An Integrative Framework for Managing Knowledge Across Boundaries. *Organ. Sci.* 15, 555–568. <https://doi.org/10.1287/orsc.1040.0094>
- Couper, M.P., 2011. The Future of Modes of Data Collection. *Public Opin. Q.* 75, 889–908. <https://doi.org/10.1093/poq/nfr046>
- Cronbach, L.J., 1951. Coefficient Alpha and the Internal Structure of Tests. *Psychometrika* 16, 297–334. <https://doi.org/10.1007/BF02310555>
- Dekker, S., 2017. *The Field Guide to Understanding ‘Human Error,’* 3rd ed. CRC Press. <https://doi.org/10.1201/9781317031833>
- Detert, J.R., Edmondson, A.C., 2011. Implicit Voice Theories: Taken-for-Granted Rules of Self-Censorship at Work. *Acad. Manage. J.* 54, 461–488. <https://doi.org/10.5465/amj.2011.61967925>
- Dillman, D.A., Smyth, J.D., Christian, L.M., 2014. *Internet, Phone, Mail, and Mixed-Mode Surveys: The Tailored Design Method*, 1st ed. Wiley. <https://doi.org/10.1002/9781394260645>
- Edmondson, A., 1999. Psychological Safety and Learning Behavior in Work Teams. *Adm. Sci. Q.* 44, 350–383. <https://doi.org/10.2307/2666999>
- Fouad, N.A., Chang, W.-H., Wan, M., Singh, R., 2017. Women’s Reasons for Leaving the Engineering Field. *Front. Psychol.* 8, 875. <https://doi.org/10.3389/fpsyg.2017.00875>
- Haas, E.J., Demich, B., McGuire, J., 2020. Learning from Workers’ Near-miss Reports to Improve Organizational Management. *Min. Metall. Explor.* 37, 873–885. <https://doi.org/10.1007/s42461-020-00206-9>
- Hair, J.F. (Ed.), 2010. *Multivariate data analysis: a global perspective*, 7. ed., global ed. ed. Pearson, Upper Saddle River, NJ Munich.

- Hollnagel, E., 2018. *Safety–I and Safety–II: The Past and Future of Safety Management*, 1st ed. CRC Press. <https://doi.org/10.1201/9781315607511>
- Krosnick, J.A., 1991. Response strategies for coping with the cognitive demands of attitude measures in surveys. *Appl. Cogn. Psychol.* 5, 213–236. <https://doi.org/10.1002/acp.2350050305>
- Lant, T., Argote, L., 2000. Organizational Learning: Creating, Retaining, and Transferring Knowledge. *Adm. Sci. Q.* 45, 622. <https://doi.org/10.2307/2667112>
- Leroy, S., Glomb, T.M., 2018. Tasks Interrupted: How Anticipating Time Pressure on Resumption of an Interrupted Task Causes Attention Residue and Low Performance on Interrupting Tasks and How a “Ready-to-Resume” Plan Mitigates the Effects. *Organ. Sci.* 29, 380–397. <https://doi.org/10.1287/orsc.2017.1184>
- Nembhard, I.M., Edmondson, A.C., 2006. Making it safe: the effects of leader inclusiveness and professional status on psychological safety and improvement efforts in health care teams. *J. Organ. Behav.* 27, 941–966. <https://doi.org/10.1002/job.413>
- Perrow, C., 2011. *Normal Accidents: Living with High Risk Technologies - Updated Edition*. Princeton University Press, Princeton, NJ. <https://doi.org/10.1515/9781400828494>
- Rasmussen, J., 1997. Risk management in a dynamic society: a modelling problem. *Saf. Sci.* 27, 183–213. [https://doi.org/10.1016/S0925-7535\(97\)00052-0](https://doi.org/10.1016/S0925-7535(97)00052-0)
- Swuste, P., 2010. [No title found]. *Saf. Sci.* 48, 279–280. <https://doi.org/10.1016/j.ssci.2009.09.001>
- Thorndike, R.M., 1995. Book Review : *Psychometric Theory* (3rd ed.) by Jum Nunnally and Ira Bernstein New York: McGraw-Hill, 1994, xxiv + 752 pp. *Appl. Psychol. Meas.* 19, 303–305. <https://doi.org/10.1177/014662169501900308>
- Tourangeau, R., Conrad, F.G., Couper, M.P., 2013. *The Science of Web Surveys*. Oxford University Press. <https://doi.org/10.1093/acprof:oso/9780199747047.001.0001>
- Tynjälä, P., 2008. Perspectives into learning at the workplace. *Educ. Res. Rev.* 3, 130–154. <https://doi.org/10.1016/j.edurev.2007.12.001>
- Weick, K., Sutcliffe, K., 2007. *Managing the Unexpected Resilient Performance in an Age of Uncertainty* 8.
- Woods, D., 2006. Essential characteristics of resilience, in: *Resilience Engineering in Practice*. pp. 127–143.